

الترجمة الفنية: راجع الرسومات الأصلية والصفحات المرجعية لمعرفة الأبعاد.

صفحة المصدر 1

WISHLED

وزرة ألومنيوم بإضاءة LED

يمكن أن تتوافق لوحة الحواف المصنوعة من الألومنيوم LED من Wishled مع أي بيئة نظرا لخيارات تصميم الأنماط غير المحدودة. يفضل في الغالب كإضاءة ليلية في غرف الأطفال مع غطاء مطبوع بتصميم قابل للاستبدال.

ويمكن استخدامه أيضا للإعلان وتقديم هوية الشركة في الأماكن العامة.

وإلى جانب وظيفته في الإضاءة، يعمل هذا الإطار على تغطية العيوب الموجودة عند نقاط التقاء الأرضية بالجدار.

سيتم إكمال التطبيق من خلال تركيب لوحة الناشر المطبوعة ذات التصميم الأمامي بنظام القفل السريع الخاص بها.

مع أغطية التغطية الداخلية والخارجية والنهائية، والتي لها نفس لون المقاطع، يمكن تطبيق المنعطفات الناعمة للزوايا بسهولة دون الحاجة إلى قطع بزوايا.

يحتوي Wishled على خيارات طلاء بأكسيد غير لامع، وأكسيد ساتان، وأكسيد كيميائي لامع، وخيارات طلاء مسحوق إلكتروستاتيكي.

تتوفر خيارات الألوان المؤكسدة (الفضي، الأصفر، لون الفولاذ المقاوم للصدأ "inox"، البرونزي، والأسود)، كما يمكن طلاء المنتج بأي لون ضمن نظام RAL باستخدام تقنية الطلاء بالبوردرة الكهروستاتيكي.

بالإضافة إلى تصميمات الأنماط الحالية التي نقدمها للوحة الإضاءة، يمكن أيضا تطبيق تصميمات مخصصة.

مناسبة لأي بيئة بتصميم غير محدود

الارتفاع الطول رقم المنتج التشطيب mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

h - زاوية خارجية - WSLEXT100020COLOR

WLSINT100020COLOR - زاوية داخلية

WSLEND100020COLOR - غطاء طرفي

MEGMS R9005 فضي مطفي، أسود مؤكسد، نصف لامع، مطلي بالمسحوق

R9016 R7016 أبيض، شبه لامع، أنثراسايت، شبه لامع، مسحوق مطلي بالمسحوق

RGB24P و RGB24R مزود طاقة بهيكل معدني متين وتصميم نحيف.

شريط إضاءة LED STL RGB بطول 5 متر

RGB24P و RGB24R متوافقان مع جهاز تحكم عن بعد أو لوحة تحكم مثبتة على الحائط.

حلول الزوايا

يمكن تركيبه بطرق متنوعة؛ سواء بدمجه داخل الجدار (تركيب غائر) أو استخدامه كإطار قاعدة تقليدي مثبت على سطح الجدار.

الرسومات الأصلية والصفحات المرجعية


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

