MOX Systems - тэхнічная дакументацыя

product-lato-en.pdf

Тэхнічны пераклад: памеры глядзіце на арыгінальных чарцяжах і даведачных старонках.

Зыходная старонка 1

LATO

Алюмініевы плінтус

Алюмініевы плінтус Lato пераважна аддаецца ва ўсіх жылых і грамадскіх памяшканнях, такіх як офісы, гасцініцы, бальніцы, школы, гандлёвыя цэнтры і тэрміналы.

Ён мае алюмініевыя вуглавыя дэталі з паверхняй і колерам, ідэнтычным профілі.

Закрывае дэфекты швоў падлогі і сцен.

Ён прадухіляе назапашванне бруду і шкодных арганізмаў, каб забяспечыць гігіенічнае і здаровае выкарыстанне на працягу многіх гадоў.

З полай зонай у сваёй канструкцыі ён збірае тэлефонныя, электрычныя і інтэрнэт-кабелі, каб арганізаваць ваша асяроддзе.

Lato мае варыянты афарбоўкі з матавым анадаваннем, з яркім анадаваннем, з яркім хімічным атласам і з электрастатычным парашком.

У той час як даступныя срэбныя, жоўтыя, нержавеючыя, бронзавыя і чорныя анадаваныя каляровыя пакрыцця, яго таксама можна афарбаваць у патрэбны код RAL з дапамогай электрастатычнай парашковай афарбоўкі.

ІДЕАЛЬНА ДЛЯ ЎСІХ ЖЫЛЫХ ПЛОШЧАЎ З МІНІМАЛЬНЫМ, ТОНКІМ ДЫЗАЙНАМ.

ПРАКТЫЧНЫЯ РАШЭННІ КУТКА

Вышыня Даўжыня нумар прадукту Паверхня mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 матавае срэбра, анадаваны чорны, паўглянцавы, з парашковым пакрыццём

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

R9016 R7016 белы, паўглянцавы, антрацытавы, паўглянцавы, парашковае пакрыццё парашковае пакрыццё

ВУТНІЯ РАШЭННІ

Арыгінальныя малюнкі і даведачныя старонкі

LATO

Aluminum Skirting Board

Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

IDEAL FOR ALL LIVING SPACES WITH MINIMAL,
SLIM DESIGN. PRACTICAL CORNER SOLUTIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
LAT250080014MEGMS	83	3-1/4	2500	8 1/5"	MEGMS
LAT250080014R9005	83	3-1/4	2500	8 1/5"	R9005
LAT250080014R9016	83	3-1/4	2500	8 1/5"	R9016
LAT250080014R7016	83	3-1/4	2500	8 1/5"	R7016
LAT250100014MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LAT250100014R9005	100	3-15/16	2500	8 1/5"	R9005
LAT250100014R9016	100	3-15/16	2500	8 1/5"	R9016
LAT250100014R7016	100	3-15/16	2500	8 1/5"	R7016
LAT250120014MEGMS	120	4-3/4	2500	8 1/5"	MEGMS
LAT250120014R9005	120	4-3/4	2500	8 1/5"	R9005
LAT250120014R9016	120	4-3/4	2500	8 1/5"	R9016
LAT250120014R7016	120	4-3/4	2500	8 1/5"	R7016
LAT250150014MEGMS	150	5-7/8	2500	8 1/5"	MEGMS
LAT250150014R9005	150	5-7/8	2500	8 1/5"	R9005
LAT250150014R9016	150	5-7/8	2500	8 1/5"	R9016
LAT250150014R7016	150	5-7/8	2500	8 1/5"	R7016
LAT250180014MEGMS	180	7-1/16	2500	8 1/5"	MEGMS
LAT250180014R9005	180	7-1/16	2500	8 1/5"	R9005
LAT250180014R9016	180	7-1/16	2500	8 1/5"	R9016
LAT250180014R7016	180	7-1/16	2500	8 1/5"	R7016



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS