

MOX Systems - техническа документация

product-wishled-en.pdf

Технически превод: вижте оригиналните чертежи и справочните страници за размерите.

Исходна страница 1

WISHLED

Алуминиев перваз с LED

Алуминиевият LED перваз Wishled може да се съчетае с всякаква среда благодарение на неограничените си възможности за дизайн.

Предпочитано е най-вече като нощно осветление в детските стаи със сменяемата си дизайнерска щампована корица.

Може да се използва и за реклама и представяне на корпоративна идентичност на обществени места.

В допълнение към функцията си за осветяване, той покрива и дефектите във фугите на под и стена.

Приложението ще бъде завършено чрез монтиране на предния дизайн на дифузьорния панел със система за заключване с щракване.

С вътрешните, външните и крайните покриващи капачки, които са в същия цвят като профилите, могат лесно да се прилагат плавни ъглови завои, без да е необходимо рязане под ъгъл.

Wishled има опции за матово анодизирано, ярко анодизирано, сатенирано химически ярко анодизирано и електростатично прахово боядисване.

Докато се предлагат сребристо, жълто, иноксово, бронзово и черно анодизирано цветно покритие, той може също да бъде боядисан до желанния код RAL с електростатично прахово боядисване.

В допълнение към съществуващите дизайни на шаблони, които предлагаме за осветителния панел, могат да бъдат приложени и персонализирани дизайни.

ПОДХОДЯЩ ЗА ВСЯКАКВА СРЕДА С НЕОГРАНИЧЕН ДИЗАЙН

Височина Дължина Продуктов номер Повърхност mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Външен ъгъл h

WSLINT100020COLOR - Вътрешен ъгъл

WSLEND100020COLOR - Крайна капачка

MEGMS R9005 матово сребро, анодизирано черно, полугланц, прахово боядисана

R9016 R7016 бял, полугланц, антрацит, полугланц, прахово боядисан прахово боядисан

RGB24R & RGB24P драйвер с издръжлив метален корпус с тънък дизайн.

LED-STL RGB Led лента 5м

RGB24R & RGB24P Съвместим с дистанционно управление или стенен контролен панел.

ЪГЛОВИ РЕШЕНИЯ

Със своите вградени или основни методи на приложение, той може да се изравни със стената или да се използва като традиционен перваз.

Оригинални чертежи и справочни страници


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

