

MOX Systems - documentació tècnica

product-wishled-en.pdf

Traducció tècnica: consultar els dibuixos originals i pàgines de referència per a les dimensions.

Pàgina d'origen 1

WISHLED

Sòcol d'alumini amb LED

El sòcol LED d'alumini Wishled pot combinar-se amb qualsevol entorn gràcies a les seves opcions de disseny de patrons il·limitades.

Es prefereix sobretot com a il·luminació nocturna a les habitacions dels nens amb la seva coberta impresa de disseny reemplaçable.

També es pot utilitzar per fer publicitat i presentar identitat corporativa en zones públiques.

A més de la seva funció d'il·luminació, també cobreix els defectes de les juntes del sòl i de les parets.

L'aplicació es completarà muntant el panell difusor imprès de disseny frontal amb el seu sistema de bloqueig a pressió.

Amb els taps de coberta interior, exterior i final, que són del mateix color que els perfils, es poden aplicar girs suaus de cantonada fàcilment sense necessitat de tall en angle.

Wishled té opcions de pintura en pols anoditzat mat, anoditzat brillant, anoditzat brillant químic setinat i electrostàtica.

Tot i que estan disponibles recobriments de color anoditzat plata, groc, inox, bronze i negre, també es pot pintar amb el codi RAL desitjat amb pintura en pols electrostàtica.

A més dels dissenys de patrons existents que oferim per al panell d'il·luminació, també es poden aplicar dissenys personalitzats.

APTE PER A QUALESEVOL ENTORN AMB DISSENY ILLIMITAT

Alçada Longitud Núm. de producte Superfície mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Racó Exterior h

WSLINT100020COLOR - Racó Interior

WSLEND100020COLOR - Cap final

MEGMS R9005 plata mat, anoditzat negre, semi brillant, recobert de pols

R9016 R7016 blanc, semibrillant, antracita, semibrillant, recobert de pols recobert de pols

Controlador RGB24R i RGB24P amb caixa metàl·lica duradora i de disseny prim.

LED-STL RGB LED Tira de llum de 5m

RGB24R i RGB24P Compatible amb comandament a distància o panell de control de paret.

SOLUCIONS DEL RACÓ

Amb els seus mètodes d'aplicació bàsics o integrats, es pot encastar a la paret o utilitzar-se com a sòcol tradicional.

Dibuixos originals i pàgines de referència


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.





SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					



- 
MEGMS
matte silver, anodized
- 
R9005
black, semi gloss,
powder coated
- 
R9016
white, semi gloss,
powder coated
- 
R7016
anthracite, semi gloss,
powder coated

 RGB24R & RGB24P
Driver with durable, slim-design metal case.

 LED-STL
RGB Led Strip light 5m

 RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

