

MOX Systems - technische Dokumentation

assembly-manual-square-fix-en.pdf

Technische Übersetzung: Die Abmessungen finden Sie in den Originalzeichnungen und Referenzseiten.


Quellseite 1

Square-Fix MONTAGEANLEITUNG

- 1 Wählen Sie das richtige Profil entsprechend der Fliesenstärke.
- 2 Fuge anbringen und Profilanker entsprechend platzieren.
- 3 Drücken Sie das Profil, bis es an der Verbindung befestigt ist.
- 4 Tragen Sie die Fuge auf die Stellen auf, an denen die Keramik platziert werden soll.
- 5 Legen Sie die Fliesen auf das Profil und achten Sie darauf, dass ihre Kanten zum Profil passen und bündig sind.
- 6 Für Eckverbindungen zwei Profile im 45-Grad-Winkel zuschneiden.
- 7 Richten Sie die Profile an den Ecken aus und drücken Sie sie in die Fuge. 10
- 8 Legen Sie die Fliesen auf das Profil und achten Sie darauf, dass ihre Kanten zum Profil passen und bündig sind.

Seite 1/1


Originalzeichnungen und Referenzseiten




1 Pick the correct profile according to the tile thickness.




2 Apply joint and place the profiles anchor accordingly.




3 Press the profile until it is fixed to the joint.




4 Apply joint to the places where the ceramics will be placed.




5 Place the tiles on the profile, making sure that their edges fit the profile and are flush.



6 Cut two profiles at 45 degrees for corner joints.



7 Align the profiles at the corners and press them into the joint.



8 Place the tiles on the profile, making sure that their edges fit the profile and are flush.