

MOX Systems - tehniline dokumentatsioon

product-luceo-en.pdf

Tehniline tõlge: vaadake mõõtmeid originaaljoonistelt ja viitelehtedelt.

Lähtelev 1

LUCEO

LED-valgustusega alumiiniumist pörandaliist

Luceo alumiiniumist LED-liistud on enamasti eelistatud eksklusiivsetes projektides tänu dekoratiivsele valgustusfunktsioonile.

Seda saab kasutada ka suunava valgustina pimedates kohtades.

Lisaks valgustusfunktsioonile katab see ka pörand- ja seinavuukide defektid.

See takistab mustuse kogunemist ja kahjulikke organisme, et tagada hügieeniline ja tervislik kasutamine paljudeks aastateks.

Tänu õõnsale alale kogub see telefoni-, elektri- ja internetikaablid, et teie keskkonda korrastada.

Luceo on oma õhukese vormiga lihtne ja minimaalne.

Luceo-l on matt-anodeeritud, särav-anodeeritud, satiin-keemiliselt erksanodeeritud ja elektrostaatilise pulbervärvimise võimalused.

Kuigi saadaval on hõbedane, kollane, inox, pronks ja must anodeeritud värvikatted, saab seda ka elektrostaatilise pulbervärviga värvida soovitud RAL-koodi järgi.

JUHENDAV VALGUSALLIKAS TURVALISUSE EESMÄRKIDEKS, KUI KA VALGUSE PUUDUTUSE NAUTIMISEKS
DISAINIS

Kõrgus Pikkus Toote nr Pind mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Väline nurk h

LCEINT100013COLOR - Sisenuurk

LCEEND100013COLOR - Lõpukork

SISSEHITATUD VALIK

Sissehitatud või põhiliste pealekandmismeetoditega saab seda seinaga 13 mm kõrgusel või traditsioonilise pörandaliistuna kasutada. 1/2"

MEGMS R9005 matt hõbe, anodeeritud must, poolläikega, pulbervärvitud

R9016 R7016 valge, poolläikiv, antratsiit, poolläikiv, pulbervärvitud pulbervärvitud

RGB24R & RGB24P draiver vastupidava õhukese disainiga metallkorpusega.

LED-STL RGB Led Strip valgusti 5m

RGB24R & RGB24P Ühildub kaugjuhtimispuldi või seina juhtpaneeliga.

NURGALAHENDUSED

Tänu sisseehitatud või põhilistele pealekandmismeetoditele saab seda seinaga tasapinnaliselt asetada või kasutada traditsioonilise põrandaliistuna.

Originaaljoonised ja viitelehed

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN




Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

