

MOX Systems - tekninen dokumentaatio

product-wishled-en.pdf

Tekninen käännös: katso mitat alkuperäisistä piirustuksista ja viitesivuista.

Lähdesivu 1

WISHLED

Alumiininen LED-jalkalista

Wishled alumiininen LED-jalkalista sopii mihin tahansa ympäristöön rajattomien kuviovaihtoehtojensa ansiosta.

Se on enimmäkseen suositeltu yövalaistuksena lastenhuoneissa vaihdettavalla designpainetulla kansillaan.

Sitä voidaan käyttää myös mainontaan ja yritysidentiteetin esittelyyn julkisilla alueilla.

Valaistusominaisuuden lisäksi se kattaa myös lattia- ja seinäliitosvirheet.

Hakemus viimeistellään asentamalla etupaneelin painettu diffuusoripaneeli ja sen snap lock -järjestelmä.

Profiilien kanssa samanväristen sisä-, ulko- ja päätypäällyskansien avulla voidaan tehdä sujuvat kulmakäännökset helposti ilman vinoa leikkausta.

Wishled tarjoaa matta-anodisoidun, kirkkaan anodisoidun, satiinikemiallisen kirkkaan anodisoidun ja sähköstaattisen jauhemaalausvaihtoehdot.

Vaikka hopea-, kelta-, inox-, pronssi- ja musta eloksoituja pinnoitteita on saatavana, se voidaan myös maalata haluttuun RAL-koodiin sähköstaattisella jauhemaalauksella.

Valopaneeliin tarjoamamme olemassa olevien kuviomallien lisäksi voidaan soveltaa myös yksilöllisiä malleja.

SOVELTUVAT KAIKKIIN YMPÄRISTÖÖN RAJOITTAMATTOMASSA SUUNNITTELULLA

Korkeus Pituus Tuotenro Pinta mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Ulkoinen kulma h

WSLINT100020COLOR - Sisäinen kulma

WSLEND100020COLOR - Päätäkorkki

MEGMS R9005 matta hopea, anodisoitu musta, puolikiiltävä, jauhemaalattu

R9016 R7016 valkoinen, puolikiiltävä, antrasiitti, puolikiiltävä, jauhemaalattu jauhemaalattu

RGB24R & RGB24P -ohjain kestäväällä, ohuella metallikuorella.

LED-STL RGB Led-nauhavallo 5m

RGB24R & RGB24P Yhteensopiva kaukosäätimen tai seinäohjauspaneelin kanssa.

KULMARATKAISUT

Sisäänrakennetuilla tai peruskäyttötavoillaan se voidaan upottaa seinään tai käyttää perinteisenä jalkalistana.

Alkuperäiset piirustukset ja viitesivut


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

