

MOX Systems - doiciméadú teicniúil

product-luceo-en.pdf

Aistriúchán teicniúil: féach ar na bunlíníochtaí agus ar na leathanaigh thagartha le haghaidh toisí.

Leathanach foinse 1

LUCEO

Clár sciorta alúmanaim le LED

Is fearr le bord sciorta LED alúmanam Luceo go príomha i dtionscadail eisiacha trína ghné soilsithe maisiúil.

Is féidir é a úsáid freisin mar sholas treorach in áiteanna dorchá.

Chomh maith lena ghné soilsithe, clúdaíonn sé freisin na lochtanna sna hailt urláir agus balla.

Cuireann sé cosc ar charnadh salachar agus orgánaigh dhochracha úsáid shláintiúil agus shláintiúil a sholáthar le blianta fada.

Agus an limistéar log ina dhearadh, bailíonn sé na cáblaí teileafóin, leictreachais agus idirlín chun do thimpeallacht a eagrú.

Tá cuma simplí agus íosta ag Luceo lena fhoirm caol.

Tá roghanna péinteála púdar anodized, geal anodized, ceimiceacha satin geal anodized agus leictreastatach ag Luceo.

Cé go bhfuil cotaí dath anodized airgid, buí, inox, cré-umha agus dubh ar fáil, is féidir é a phéinteáil freisin chuig an gcód RAL atá ag teastáil le péintéireacht púdar leictreastatach.

FOINSE SOLAS A THREORÚ CHUN CRÍCHEANNA SLÁNDÁLA, MAIDIR LE TEAGMHÁIL AN tSOLAIS I nDEARADH

Airde Fad Táirge Uimh Dromchla mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Cúinne Seachtrach h

LCEINT100013COLOR - Cúinne Inmheánach

LCEEND100013COLOR - Críoch Cap

ROGHA THÓGTHA

Leis na modhanna iarratais ionsuite nó bunúsacha, is féidir é a shruthlú 13mm go balla nó a úsáid mar bhord sciorta traidisiúnta. 1/2"

MEGMS R9005 airgead neamhlonrach, dubh anodized, leath-snasta, púdar brataithe

R9016 R7016 bán, leath-snasta, antraicít, leath-snasta, púdar brataithe púdar

Tiománaí RGB24R & RGB24P le cás miotail durable, dearadh caol.

Solas Stráice faoi stiúir RGB LED-STL 5m

RGB24R & RGB24P Ag luí le rialú iargúlta nó painéal rialaithe balla.

RÉITIGH CHOINNE

Leis na modhanna iarratais ionsuite nó bunúsacha, is féidir é a shruthlú go balla nó a úsáid mar bhord sciorta traidisiúnta.

Líníochtaí bunaidh agus leathanaigh tagartha

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

RGB24R & RGB24P
Driver with durable, slim-design metal case.

LED-STL
RGB Led Strip light 5m

RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

