# MOX Systems - technesch Dokumentatioun

mox_profile_systems_catalog_new.pdf

Technesch Iwwersetzung: kuckt d'Original Zeechnungen an Referenz Säiten fir Dimensiounen.

# Quell Säit 1

# Quell Säit 2

PRODUIT KATALOG

# Quell Säit 3

LED LIGHTING, CABLE ORGANISATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS

Luceo 10 guidéiert Liichtquelle fir Sécherheetszwecker, wéi och fir den Touch vum Liicht am Design ze genéissen Leux 12 bréngt klassesch Designen a modern Beliichtung zesummen Wishled 14 gëeegent fir all Ëmfeld mat onlimitéierten Design Lato 16 ideal fir all Wunnraim mat minimalem, schlankem Design. praktesch Eckléisungen Sole 18 entworf fir all klassesch, luxuriéis a prestigiéis Wunnraim Crispo 20 fir Beräicher mat grousse Lücken tëscht Mauer a Buedem Sentio 22 Bestellkabel a Beräicher wéi z.B.

Aarbechtsplazen an en Enn vun der Mess Velo 24 stellt Dichtung an eliminéiert Gelenkdefekter op Buedem-Wand-Gelenker a naass Beräicher Gravity 26 komplementär Element vun Ären Interieurdesign Mps-F 28 verhënnert d'Feuchtigkeitpenetratioun an d'Gelenker a reduzéiert d'Schalliwwerdroung an der Impaktzone

KERAMISK BORDERS, TILE TRIM PROFILEN KERAMISK PROTECTION PROFILEN

MONO-FIX 32: Keramik Schutz mat engem elegante Erscheinungsbild. ROUND-FIX 34: Erhéicht Är Keramik Uwendungen: nahtlosen Stil, oniwwertraff Schutz. SQUARE-FIX 36: Flawless Erscheinung op Keramikoberflächen, mat enger breet Palette vu Faarwen an Effekter fir trending Keramik Faarwen an Texturen ze passen. MPS-AG 38: E elegante Erscheinungsbild, deen den Iwwergang an de baussenzegen Ecker erweicht.

MPS-BRD 40: Dekorative Grenzprofil fir Keramikflächen. MPS-C 42: Qualitéit Edelstol fir bannenzeg Ecker an Keramik Uwendungen. MPS-D 44: Bitt e perfekte Erscheinungsbild op Keramikflächen a schützt d'Keramik mat der Qualitéit vum Edelstol. MPS-L 46: Eng propper a minimal Erscheinung fir Keramikkombinatiounen mat sengem einfachen Design. MPS-S 48: Weichert den Iwwergang an den bannenzegen Ecker a gëtt en elegante Erscheinungsbild.

RAMPTRANSITIOUNEN, Teppech-Kanteschutz, Buedem a RENOVATIOUN, SCHRËTT NOUSESCHUTZ

ALL IN ONE 52: Seng Upassbarkeet bitt e flawless Erscheinungsbild bei Buedemiwwergäng. REVIO 54: Entworf fir d'Ästhetik a Funktionalitéit vun Ärem Buedem ze verbesseren. VISIO 56: Verbessert Äre Buedemiwwergang mat engem stilvollen Teppechschwellprofil. LINE 58: Eng perfekt Wiel fir Äre Buedem mat senger minimalistescher Form. FLEX 60: Erstellt fantastesch Motiver fir Äre Buedem mat senger formbarer Form. MPS-E 62: Gëeegent fir all architektonesch Design mat sengem traditionellen awer verstäerkten Erscheinungsbild. MPS-N 64.

mëllt den Iwwergank tëscht verschiddenen Niveauen Mps-Tb 66 mat der T Form, bitt den einfache Look vun traditionellen Iwwergäng Mps-Yd 68 absorbéiert den Drock vu Gebaierausdehnungen a bitt Schutz fir Keramik Mps-B 70 eliminéiert Uwendungsfehler vun Trapen wéi Marmor a Parkett

# Quell Säit 4

IWWERT MOX

Orego Metal, ee vun den Haapt Fournisseuren vu bekannte international Marken, ass an der Tierkei Maart mat Mox Profil Systemer vun héichwäerteg Matière première, korrekt Operatioun a perfekt Fläch ënnerhalen, déi et zu enger Léifsten Mark fir vill Clienten an der Welt a virun allem an Europa gefouert.

Mir versécheren datt Är Uwendungsplazen souwuel ästhetesch an z'ënnerscheeden wäerte sinn, mat eiser breet Palette vu Produkter abegraff Plättercher, Plättercher, Trapp Nuesprofile, Buedemiwwergang a Rampeniwwergangsprofile mat Aluminium an Edelstahlmaterialien.

Mir verspriechen net nëmme qualitativ héichwäerteg Produkt a Service fir all Prozesser mat der selwechter Präzisioun fir d'Transformatioun vun Rohmaterial zu Aluminiumdekoratiounsprofil ze bidden, awer och déi bescht Präisser duerch eis Fabrikatiounsfäegkeeten.

Ëmmer Prioritéit vun der Zefriddenheet vun de Clienten a Respektéiere vun hire Feedback spillt déi wichtegst Roll bei der Erhéijung vun eise Wuesstumszuelen all Joer an den europäeschen, amerikaneschen, Mëttleren Osten an Afrikanesche Mäert.

DESIGN

Mir sinn hei mat eisem techneschen Team fir Äre Léisungspartner fir Är Uwendungsberäicher ze sinn.

Mir bidden souwuel eis Standardprodukter oder wann néideg Net-Standard Produkter déi no Ärem Bedierfnes personaliséiert sinn.

Mat engem Hiersteller ze sinn a bal 3.000 existent Schimmel ze hunn, kënne mir net-Standardléisungen ubidden.

MOLDING

Wann eis existent Produkter net d'Léisung ubidden déi Dir braucht, schafft eist Designteam a Koordinatioun mat Iech fir e Produkt no Ärer Ufro ze designen a komplett technesch Detailer ze bidden.

No Ärem Joresverbrauchszuelen an Ärer Uewerflächentyp a Qualitéitserwaardung, optimiséieren a produzéieren mir d'Schimmel an eisem eegenen Atelier, sou datt den Design net mat Drëtte gedeelt gëtt.

PROJEKTMANAGEMENT

Mir bidden a liwweren personaliséiert Profiler bis zu 6m Längt, fir Iech vu Schneidaarbechten an Offallkäschte ze spueren.

Mir hunn d'Kapazitéit fir onlimitéiert RAL Faarf an eiser eegener integréierter Pulverbeschichtungsanlag ze produzéieren, a Sëlwer, Giel, Bronze, Inox a schwaarz Faarfoptiounen fir matte an helle Flächen an eiser Anodiséierungsanlag.

Chrombeschichtung an Nickelfaarwen a Profiler bis zu 3 Meter gehéieren och zu eise Produktiounsfäegkeeten.

# Quell Säit 5

LED LIGHTING, CABLE ORGANISATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS

Mox Plättercher bedecken d'Mängel an de Buedem- a Wandgelenken.

Si vermeiden Dreckakkumulatioun a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

# Quell Säit 6

LUCEO

Aluminium-Sockelleescht mat LED

Luceo Aluminium LED Plättercher gëtt meeschtens an exklusive Projete bevorzugt duerch seng dekorativ Beliichtungsfunktioun.

Et kann och als Leedungslicht op däischter Plazen benotzt ginn.

Zousätzlech zu senger Beliichtungsfunktioun deckt et och d'Mängel an de Buedem- a Wandgelenk.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Mat dem huel Gebitt a sengem Design sammelt et den Telefon, Stroum an Internetkabel fir Äert Ëmfeld ze organiséieren.

Luceo huet eng einfach a minimal Erscheinung mat senger schlanker Form.

Luceo huet matte anodized, hell anodized, satin chemesch hell anodized an elektrostatesch Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

GUIDING LIGHT QOURCE FIR SECURITY ZWEETTER, SOU ASS DEN TOUCH OF LIGHT AN DESIGN ze genéissen

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Extern Eck h

LCEINT100013COLOR - Interne Corner

LCEEND100013COLOR - Enn Cap

BUILT-IN OPTION

Mat sengen agebauten oder Basis Applikatiounsmethoden kann et 13 mm op d'Mauer flush ginn oder als traditionelle Plättercher benotzt ginn. 1/2"

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

RGB24R & RGB24P Driver mat haltbaren, schlankem Design Metallkoffer.

LED-STL RGB Led Strip Liicht 5m

RGB24R & RGB24P Kompatibel mat Fernsteierung oder Wandkontrollpanel.

CORNER Léisungen

Mat sengen agebaute oder Basisapplikatiounsmethoden kann et op d'Mauer flaach sinn oder als traditionelle Plättercher benotzt ginn.

# Quell Säit 7

LEUX

Aluminium-Sockelleescht mat LED

Leux Aluminium LED Plättercher gëtt meeschtens an exklusive klassesche Designprojeten bevorzugt duerch seng dekorativ Beliichtungsfunktioun a Victorian Design.

Et kann och als Leedungslicht op däischter Plazen benotzt ginn.

Zousätzlech zu senger Beliichtungsfunktioun deckt et och d'Mängel an de Buedem- a Wandgelenk.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Mat dem huel Gebitt a sengem Design sammelt et den Telefon, Stroum an Internetkabel fir Äert Ëmfeld ze organiséieren.

Leux bréngt klassesch Erscheinung a modern Beliichtung zesummen.

Leux ass en Sonnendäischtert Serie Produkt.

Aluminiumprodukter mat Sonnendäischtertmarker hunn RAL7016 an RAL9016 Faarfoptiounen.

BRENGT KLASSISK DESIGN AN MODERN LËSCHT ZESUMME

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

LUX250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LUX250100020RR9005 100 3-15/16 2500 8 1/5" R9005

LUX250100020R9016 100 3-15/16 2500 8 1/5" R9016

LUX250100020R7016 100 3-15/16 2500 8 1/5" R7016

LUXEXT100020COLOR - Extern Eck h

LUXINT100020COLOR - Interne Corner

LUXEND100020COLOR - Enn Cap

BUILT-IN OPTION

Mat sengen agebaute oder Basisapplikatiounsmethoden kann et 20mm op d'Mauer flush ginn oder als traditionelle Plättercher benotzt ginn. 13/16"

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

RGB24R & RGB24P Driver mat haltbaren, schlankem Design Metallkoffer.

LED-STL RGB Led Strip Liicht 5m

RGB24R & RGB24P Kompatibel mat Fernsteierung oder Wandkontrollpanel.

CORNER Léisungen

Mat sengen agebaute oder Basisapplikatiounsmethoden kann et op d'Mauer flaach sinn oder als traditionelle Plättercher benotzt ginn.

# Quell Säit 8

WISHLED

Aluminium-Sockelleescht mat LED

Wishled Aluminium LED Plättercher kënne mat all Ëmfeld passen wéinst sengen onlimitéierten Musterdesignoptiounen.

Et ass meeschtens bevorzugt als Nuetsbeleuchtung an Kannerzëmmer mat sengem ersatzbaren Design gedréckte Cover.

Et kann och fir Reklammen benotzt ginn a fir Firmenidentitéit an ëffentleche Beräicher ze presentéieren.

Zousätzlech zu senger Beliichtungsfunktioun deckt et och d'Mängel an de Buedem- a Wandgelenk.

D'Applikatioun gëtt ofgeschloss andeems de Front Design gedréckte Diffusor Panel mat sengem Schnappschlosssystem montéiert ass.

Mat den bannenzegen, baussenzegen an enddeckende Kappen, déi d'selwecht Faarf wéi d'Profiler sinn, kënne glat Eckdréien einfach applizéiert ginn ouni de Besoin fir e Wénkelschnëtt.

Wishled huet matte anodiséiert, hell anodiséiert, satin chemesch hell anodiséiert an elektrostatesch Puddermolerei Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

Zousätzlech zu existente Musterdesignen déi mir fir d'Beliichtungspanel ubidden, kënnen personaliséiert Designen och applizéiert ginn.

GËTT FIR ALL Ëmwelt MAT UNLIMITED DESIGN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Extern Eck h

WSLINT100020COLOR - Interne Corner

WSLEND100020COLOR - Enn Cap

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

RGB24R & RGB24P Driver mat haltbaren, schlankem Design Metallkoffer.

LED-STL RGB Led Strip Liicht 5m

RGB24R & RGB24P Kompatibel mat Fernsteierung oder Wandkontrollpanel.

CORNER Léisungen

Mat sengen agebaute oder Basisapplikatiounsmethoden kann et op d'Mauer flaach sinn oder als traditionelle Plättercher benotzt ginn.

# Quell Säit 9

LATO

Aluminium-Sockelleescht

Lato Aluminiumplack gëtt meeschtens an all Liewensberäicher an ëffentleche Beräicher wéi Büroen, Hoteler, Spideeler, Schoulen, Akafszentren an Terminaler bevorzugt.

Et huet Aluminium Eckstécker mat Uewerfläch a Faarfoptiounen identesch mat Profiler.

Et deckt d'Mängel an de Buedem- a Wandgelenken.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Mat dem huel Gebitt a sengem Design sammelt et den Telefon, Stroum an Internetkabel fir Äert Ëmfeld ze organiséieren.

Lato huet matte anodized, hell anodized, satin chemesch hell anodized an electrostatic Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

IDEAL FIR ALL Wunnraim MAT MINIMAL, SLIM DESIGN.

PRAKTISCH EKORN Léisungen

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

CORNER Léisungen

# Quell Säit 10

SOLE

Aluminium-Sockelleescht

Sole Aluminiumplack gëtt meeschtens an alle Wunnberäicher an ëffentleche Beräicher mat klassesche Designkonzepter bevorzugt.

Et deckt d'Mängel an de Buedem- a Wandgelenken.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Mat dem huel Gebitt a sengem Design sammelt et den Telefon, Stroum an Internetkabel fir Äert Ëmfeld ze organiséieren.

Sole ass en Eclipse Serie Produkt.

Aluminiumprodukter mat Sonnendäischtertmarker hunn RAL7016 an RAL9016 Faarfoptiounen.

DESIGNAT FIR ALL KLASSISCH, LUXURIOUS A PRESTIGIOUS Wunnraim

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

SOL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

SOL250100020R9005 100 3-15/16 2500 8 1/5" R9005

SOL250100020R7016 100 3-15/16 2500 8 1/5" R9016

SOL250100020R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

CORNER Léisungen

# Quell Säit 11

CRISPO

Aluminium-Sockelleescht

Crispo Aluminiumplack gëtt meeschtens bevorzugt a Beräicher mat grousse Lücken tëscht Mauer a Buedem wéinst senger breet Form.

Et deckt d'Mängel an de Buedem- a Wandgelenken.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Mat dem huel Gebitt a sengem Design sammelt et den Telefon, Stroum an Internetkabel fir Äert Ëmfeld ze organiséieren.

Crispo bitt Eenheet mat sengem ovalen Iwwergangserscheinung an ass kompatibel mat der klassescher a moderner Architektur.

Crispo huet matte anodized, hell anodized, satin chemesch hell anodized an elektrostatesch Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

FIR AREAEN MAT GROUSSE LËNNER ZËSCHT WALL AN FLOORING

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

CRS250070025MEGMS 70 2-3/4 2500 8 1/5" MEGMS

CRS250070025R9005 70 2-3/4 2500 8 1/5" R9005

CRS250070025R9016 70 2-3/4 2500 8 1/5" R9016

CRS250070025R7016 70 2-3/4 2500 8 1/5" R7016

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 12

SENTIO

Aluminium-Sockelleescht

Sentio Aluminiumplack gëtt meeschtens bevorzugt a Beräicher mat grousse Lücken tëscht Mauer a Buedem wéinst senger breet Form.

Mat dem erweiderten Huelberäich a sengem Design sammelt et Telefon, Stroum an Internetkabel fir Ëmfeld wéi Aarbechtsplazen a Büroen ze organiséieren.

Et deckt d'Mängel an de Buedem- a Wandgelenken.

Et verhënnert d'Akkumulation vun Dreck a schiedlech Organismen fir hygienesch a gesond Notzung fir vill Joren ze bidden.

Sentio huet matte anodized, hell anodized, satin chemesch hell anodized an elektrostatesch Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

KABEL BESTELLEN A GEBIEDEN WEI AARBECHTSPLATZEN AN DER MESS EN Enn setzen

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

SNT250080023MEGMS 80 3-1/8 2500 8 1/5" MEGMS

SNT250080023R9005 80 3-1/8 2500 8 1/5" R9005

SNT250080023R9016 80 3-1/8 2500 8 1/5" R9016

SNT250080023R7016 80 3-1/8 2500 8 1/5" R7016

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 13

VELO

Aluminium-Sockelleescht

Velo Aluminiumplack bitt Plafongsléisungen besonnesch fir naass Gebidder wéi Buedzëmmer a Kichen.

Et hëlt manner Plaz a bitt einfacher Installatioun.

Et bitt Leckschutz wéi och Ästhetik andeems d'Mauerbuedem Gelenkdefekter besonnesch op naass Gebidder ofdecken.

Velo huet matte anodized, hell anodized, satin chemesch hell anodized an electrostatic Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

BIERT DÉIEREN AN ELIMINÉIERT GËNNTDEFEKTE AN FLOOR-WAND-Gelenker a naass Beräicher

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

VLO250060012MEGMS 60 2-3/8 2500 8 1/5" MEGMS

VLO250060012R9005 60 2-3/8 2500 8 1/5" R9005

VLO250060012R9016 60 2-3/8 2500 8 1/5" R9016

VLO250060012R7016 60 2-3/8 2500 8 1/5" R7016

VLO250100012MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

VLO250100012R9005 100 3-15/16 2500 8 1/5" R9005

VLO250100012R9016 100 3-15/16 2500 8 1/5" R9016

VLO250100012R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 matte Sëlwer, anodiséiert schwaarz, semi Glanz, pulverbeschichtete

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 14

Gravity

Aluminium-Sockelleescht

Gravity Aluminium Plättercher ass e speziell entworfene Profil deen un den ënneschte Kante vun der Mauer befestegt ass an e proppert a proppert Erscheinungsbild op Teppechflächen ubitt.

Gravity Aluminium Plafongsverkleedung bitt net nëmmen en nahtlosen Iwwergang tëscht dem Buedem an der Mauer, awer och Schutz fir Teppechkanten.

Gravity Aluminium Plättercher huet eng matte anodiséierter Beschichtungsoptioun a Sëlwerfaarf.

KOMPLEMENTAIRE ELEMENT VUN ÄR BINNEN-DESIGN

Héicht Längt 10mm Produkt Nr Uewerfläch 3/8" mm in mm ft

GRV250100010MEGMS 100 3-15/16 2500 8 1/5" MEGMS

MEGMS matte Sëlwer, anodized

# Quell Säit 15

MPS-F

Sockelleescht aus Edelstol

Mps-F Edelstahl Plättercher Profil ass entwéckelt fir Plättercher a Keramik Uwendungen ze bidden.

Et verhënnert d'Feuchtigkeit an den Uwendungsberäicher a reduzéiert d'Transmissioun vum Schlagschall.

Gëtt en ästheteschen Erscheinungsbild andeems d'Applikatiounsfehler an de Buedem- a Wandtransitioune verstoppt ginn.

Et ass extrem haltbar, laang dauerhaft a korrosionsbeständeg well et aus 304L Qualitéit Edelstol produzéiert gëtt. 201 Qualitéit Edelstol Alternativ och verfügbar.

Mps-F bitt e flaache Erscheinungsbild mat senger Gelenkverlängerung.

Mps-F huet Spigel, Satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-F kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

Verhënnert d'Feuchtigkeit-Penetratioun an d'Gelenker a reduzéiert d'Soundtransmission an der IMPAKTZONE

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPF2430400XXSTANT 40 1-9/16 2438 8 STANT

MPF2430400XXMRANT 40 1-9/16 2438 8 MRANT

MPF2430400XXSTBRO 40 1-9/16 2438 8 STBRO

MPF2430400XXMRBRO 40 1-9/16 2438 8 MRBRO

MPF2430400XXSTCOP 40 1-9/16 2438 8 STCOP

MPF2430400XXMRCOP 40 1-9/16 2438 8 MRCOP

MPF2430400XXSTGLD 40 1-9/16 2438 8 STGLD

MPF2430400XXMRGLD 40 1-9/16 2438 8 MRGLD h

MPF2500400XXSTINX 40 1-9/16 2500 8 1/5" STINX

MPF2500400XXMRINX 40 1-9/16 2500 8 1/5" MRINX

MPF2430400XXSMINX 40 1-9/16 2438

8 SMINX 8-10-12-14mm

MPF2430600XXSTANT 70 2-3/4 2438 8 STANT 5/16"-3/8"-1/2"-9/16"

MPF2430600XXMRANT 70 2-3/4 2438 8 MRANT

MPF2430600XXSTBRO 70 2-3/4 2438 8 STBRO

MPF2430600XXMRBRO 70 2-3/4 2438 8 MRBRO

MPF2430600XXSTCOP 70 2-3/4 2438 8 STCOP

MPF2430600XXMRCOP 70 2-3/4 2438 8 MRCOP MRANT STANT

MPF2430600XXSTGLD 70 2-3/4 2438 8 STGLD anthracite Spigel anthracite satin

MPF2430600XXMRGLD 70 2-3/4 2438 8 MRGLD

MPF2500600XXSTINX 70 2-3/4 2500 8 1/5" STINX

MPF2500600XXMRINX 70 2-3/4 2500 8 1/5" MRINX

MPF2430600XXSMINX 70 2-3/4 2438 8 SMINX MRBRO STBRO bronze Spigel bronze satin

MRCOP STCOP Kupferspigel Koffer satin

MRGLD STGLD Gold Spigel gold satin

MRINX STINX inox Spigel inox satin

SMINX Super Spigel

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 16

KERAMISK BORDERS, TILE TRIM PROFILEN KERAMISK PROTECTION PROFILEN

Mox Fliesen Trimmprofile eliminéieren Gelenk- an Uwendungsfehler a verhënneren Schued un Keramik wärend Ästhetik fir Är Wunnraim ubitt.

Si vermeiden Deformatiounen an applizéierte Beräicher andeems se all Leckage verhënneren.

# Quell Säit 17

Mono-Fix

Aluminium Fliesen Trim

Mono Fix Aluminium Fliesen Trimmrand füügt Ästhetik un Är Keramik Uwendungen mat senger breet Palette vun Uewerflächoptiounen kompatibel mat trending Keramik Faarwen an Texturen.

Et gëtt als Frame benotzt, deen d'Keramikabschnëtt um Enn vu Keramikmauerapplikatiounen verstoppt oder als Parkettverbindungen.

Wärend Ästhetik ubitt déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert och datt Keramik Schued mécht.

Mono Fix huet matte anodiséiert, hell anodiséiert an elektrostatesch Puddermolerei Optiounen.

Iwwerdeems Sëlwer, Giel, Inox a schwaarz anodized Faarf coatings sinn sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

KERAMISKE PROTECTION MAT EEN ELEGANTE OPSCHREIWEN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MNF250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS 2.5mm

MNF250010003MESAR 10 3/8 2500 8 1/5" MESAR 1/8"

MNF250010003MEINX 10 3/8 2500 8 1/5" MEINX

MNF250010003MESYH 10 3/8 2500 8 1/5" MESYH

MNF250010003PEGMS 10 3/8 2500 8 1/5" PEGMS h

MNF250010003PESAR 10 3/8 2500 8 1/5" PESAR

MNF250010003PEINX 10 3/8 2500 8 1/5" PEINX

MNF250010003PESYH 10 3/8 2500 8 1/5" PESYH

MNF250010003R9016 10 3/8 2500 8 1/5" R9016

MNF250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX MESYH mat inox, anodiséiert mat schwaarz, anodiséiert

PEGMS PESAR hell Sëlwer, anodiséiert hell giel, anodiséiert

PEINX PESYH hell Inox, anodiséiert hell schwaarz, anodiséiert

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 18

Round-Fix

Aluminium Fliesen Trim

Round Fix Aluminium Fliesen Trimm ronderëm externen Eck füügt Ästhetik un Är Keramik Uwendungen mat senger breet Palette vun Uewerflächoptiounen kompatibel mat trending Keramik Faarwen an Texturen.

Et gëtt an 90 Grad baussenzegen Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Round Fix huet matte anodiséiert, hell anodiséiert elektrostatesch Puddermolerei Optiounen.

Iwwerdeems Sëlwer, Giel, Inox a schwaarz anodized Faarf coatings sinn sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

ELEVÉIERT ÄR KERAMISCH APPLIKATIOUNEN: SEAMLESS STYLE, UNMATCHED PROTECTION

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

RNF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

RNF250010009MESAR 10 3/8 2500 8 1/5" MESAR

RNF250010009MEINX 10 3/8 2500 8 1/5" MEINX

RNF250010009MESYH 10 3/8 2500 8 1/5" MESYH

RNF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

RNF250010009PESAR 10 3/8 2500 8 1/5" PESAR

RNF250010009PEINX 10 3/8 2500 8 1/5" PEINX

RNF250010009PESYH 10 3/8 2500 8 1/5" PESYH

RNF250010009R9016 10 3/8 2500 8 1/5" R9016

RNF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX MESYH mat inox, anodiséiert mat schwaarz, anodiséiert

PEGMS PESAR hell Sëlwer, anodiséiert hell giel, anodiséiert

PEINX PESYH hell Inox, anodiséiert hell schwaarz, anodiséiert

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 19

Square-Fix

Aluminium Fliesen Trim

Square Fix Aluminium Fliesen Trimm quadrateschen externen Eck füügt Ästhetik un Är Keramik Uwendungen mat senger breet Palette vun Uewerflächoptiounen kompatibel mat trending Keramik Faarwen an Texturen.

Et gëtt an 90 Grad baussenzegen Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Square Fix huet matte anodiséiert, hell anodiséiert an elektrostatesch Puddermolerei Optiounen.

Iwwerdeems Sëlwer, Giel, Inox a schwaarz anodized Faarf coatings sinn sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

FLAWLESS OPSCHREIWEN OP KERAMIC SURFACES, BREET Gamme vu Faarf- a Effektoptioune fir TRENDEND KERAMISK Faarwen AN TEXTUREN AANPASSEN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

SQF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

SQF250010009MESAR 10 3/8 2500 8 1/5" MESAR

SQF250010009MEINX 10 3/8 2500 8 1/5" MEINX

SQF250010009MESYH 10 3/8 2500 8 1/5" MESYH

SQF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

SQF250010009PESAR 10 3/8 2500 8 1/5" PESAR

SQF250010009PEINX 10 3/8 2500 8 1/5" PEINX

SQF250010009PESYH 10 3/8 2500 8 1/5" PESYH

SQF250010009R9016 10 3/8 2500 8 1/5" R9016

SQF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX MESYH mat inox, anodiséiert mat schwaarz, anodiséiert

PEGMS PESAR hell Sëlwer, anodiséiert hell giel, anodiséiert

PEINX PESYH hell Inox, anodiséiert hell schwaarz, anodiséiert

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 20

MPS-AG

Edelstol Fliesen Trim

Mps-Ag Edelstahl Fliesen Trimm ronderëm externen Eckprofil ënnerscheet sech mat senger Keramik Schutzfunktioun an eleganter Erscheinung, besonnesch an Buedzëmmer a Kichen mat Keramikflächen.

Et gëtt an 90 Grad baussenzegen Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Mps-Ag huet Spigel, Satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-Ag kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

EN ELEGANT ERSCHT DAT DEN TRANSITIOUN VUN DEN ÄUSSEN ECKEN WECHTEN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MAG243010008STANT 8 5/16 2438 8 STANT 8mm

MAG243010008MRANT 8 5/16 2438 8 MRANT 5/16"

MAG243010008STBRO 8 5/16 2438 8 STBRO

MAG243010008MRBRO 8 5/16 2438 8 MRBRO

MAG243010008STCOP 8 5/16 2438 8 STCOP h

MAG243010008MRCOP 8 5/16 2438 8 MRCOP

MAG243010008STGLD 8 5/16 2438 8 STGLD

MAG243010008MRGLD 8 5/16 2438 8 MRGLD

MAG250010008STINX 8 5/16 2500 8 1/5" STINX

MAG250010008MRINX 8 5/16 2500 8 1/5" MRINX

MAG243010008SMINX 8 5/16 2438 8 SMINX

MAG243012008STANT 10 3/8 2438 8 STANT

MAG243012008MRANT 10 3/8 2438 8 MRANT

MAG243012008STBRO 10 3/8 2438 8 STBRO

MAG243012008MRBRO 10 3/8 2438 8 MRBRO

MAG243012008STCOP 10 3/8 2438 8 STCOP

MAG243012008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MAG243012008STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MAG243012008MRGLD 10 3/8 2438 8 MRGLD

MAG250012008STINX 10 3/8 2500 8 1/5" STINX

MAG250012008MRINX 10 3/8 2500 8 1/5" MRINX

MAG243012008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MAG243014008STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MAG243014008MRANT 12 1/2 2438 8 MRANT

MAG243014008STBRO 12 1/2 2438 8 STBRO

MAG243014008MRBRO 12 1/2 2438 8 MRBRO

MAG243014008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MAG243014008MRCOP 12 1/2 2438 8 MRCOP

MAG243014008STGLD 12 1/2 2438 8 STGLD

MAG243014008MRGLD 12 1/2 2438 8 MRGLD

MAG250014008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MAG250014008MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MAG243014008SMINX 12 1/2 2438 8 SMINX

MAG243010008STANT 14 9/16 2438 8

STANT

MAG243010008MRANT 14 9/16 2438 8 MRANT

MAG243010008STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MAG243010008MRBRO 14 9/16 2438 8 MRBRO

MAG243010008STCOP 14 9/16 2438 8 STCOP

MAG243010008MRCOP 14 9/16 2438 8 MRCOP

MAG243010008STGLD 14 9/16 2438 8 STGLD

MAG243010008MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MAG250010008STINX 14 9/16 2500 8 1/5" STINX

MAG250010008MRINX 14 9/16 2500 8 1/5" MRINX

MAG243010008SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 21

MPS-BRD

Edelstahl Grenz

Mps-Brd Edelstahl Fliesen Trimmrand gëtt meeschtens als dekorativen Trenndeel fir Keramik benotzt.

Kompatibel mat anere Plättercher Profiler ass ee vu senge Virdeeler.

Mps-Brd huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-Brd kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

DEKORATIV GRENSEPROFIEL FIR Keramikflächen

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MBD2430XX023STANT 8 5/16 2438 8 STANT

MBD2430XX023MRANT 8 5/16 2438 8 MRANT

MBD2430XX023STBRO 8 5/16 2438 8 STBRO

MBD2430XX023MRBRO 8 5/16 2438 8 MRBRO

MBD2430XX023STCOP 8 5/16 2438 8 STCOP

MBD2430XX023MRCOP 8 5/16 2438 8 MRCOP

MBD2430XX023STGLD 8 5/16 2438 8 STGLD 10-15-20-23mm

MBD2430XX023MRGLD 8 5/16 2438 8 MRGLD 3/8"-9/16"-13/16"-7/8"

MBD2500XX023STINX 8 5/16 2500 8 1/5" STINX

MBD2500XX023MRINX 8 5/16 2500 8 1/5" MRINX h

MBD2430XX023SMINX 8 5/16

2438 8 SMINX

MBD2430XX010STANT 10 3/8 2438 8 STANT

MBD2430XX010MRANT 10 3/8 2438 8 MRANT

MBD2430XX010STBRO 10 3/8 2438 8 STBRO

MBD2430XX010MRBRO 10 3/8 2438 8 MRBRO

MBD2430XX010STCOP 10 3/8 2438 8 STCOP

MBD2430XX010MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MBD2430XX010STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MBD2430XX010MRGLD 10 3/8 2438 8 MRGLD

MBD2500XX010STINX 10 3/8 2500 8 1/5" STINX

MBD2500XX010MRINX 10 3/8 2500 8 1/5" MRINX

MBD2430XX010SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MBD2430XX015STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MBD2430XX015MRANT 12 1/2 2438 8 MRANT

MBD2430XX015STBRO 12 1/2 2438 8 STBRO

MBD2430XX015MRBRO 12 1/2 2438 8 MRBRO

MBD2430XX015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MBD2430XX015MRCOP 12 1/2 2438 8 MRCOP

MBD2430XX015STGLD 12 1/2 2438 8 STGLD

MBD2430XX015MRGLD 12 1/2 2438 8 MRGLD

MBD2500XX015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MBD2500XX015MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MBD2430XX015SMINX 12 1/2 2438 8 SMINX

MBD2430XX020STANT 14 9/16 2438 8

STANT

MBD2430XX020MRANT 14 9/16 2438 8 MRANT

MBD2430XX020STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MBD2430XX020MRBRO 14 9/16 2438 8 MRBRO

MBD2430XX020STCOP 14 9/16 2438 8 STCOP

MBD2430XX020MRCOP 14 9/16 2438 8 MRCOP

MBD2430XX020STGLD 14 9/16 2438 8 STGLD

MBD2430XX020MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MBD2500XX020STINX 14 9/16 2500 8 1/5" STINX

MBD2500XX020MRINX 14 9/16 2500 8 1/5" MRINX

MBD2430XX020SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 22

MPS-C

Edelstol Fliesen Trim

Mps-C Edelstol Fliesen Trimm intern Eckprofil passt sech un Trend Keramik Faarwen an Texturen un, wärend Ästhetik fir Är Keramik Uwendungen bäidréit mat senger breet Palette vun Uewerflächenoptiounen.

Et gëtt an 90 Grad banneschten Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Mps-C huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-C kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

QUALITÉIT VUN STAINLESS Stol FIR bannenzeg Ecker vun Keramik APPLICATIONS

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPC243010009STANT 8 5/16 2438 8 STANT

MPC243010009MRANT 8 5/16 2438 8 MRANT

MPC243010009STBRO 8 5/16 2438 8 STBRO

MPC243010009MRBRO 8 5/16 2438 8 MRBRO 9mm

MPC243010009STCOP 8 5/16 2438 8 STCOP 3/8"

MPC243010009MRCOP 8 5/16 2438 8 MRCOP

MPC243010009STGLD 8 5/16 2438 8 STGLD

MPC243010009MRGLD 8 5/16 2438 8 MRGLD

MPC250010009STINX 8 5/16 2500 8 1/5" STINX h

MPC250010009MRINX 8 5/16 2500 8 1/5" MRINX

MPC243010009SMINX 8 5/16 2438 8 SMINX

MPC243012009STANT 10 3/8 2438 8 STANT

MPC243012009MRANT 10 3/8 2438 8 MRANT

MPC243012009STBRO 10 3/8 2438 8 STBRO

MPC243012009MRBRO 10 3/8 2438 8 MRBRO

MPC243012009STCOP 10 3/8 2438 8 STCOP

MPC243012009MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPC243012009STGLD 10

3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPC243012009MRGLD 10 3/8 2438 8 MRGLD

MPC250012009STINX 10 3/8 2500 8 1/5" STINX

MPC250012009MRINX 10 3/8 2500 8 1/5" MRINX

MPC243012009SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPC243014009STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MPC243014009MRANT 12 1/2 2438 8 MRANT

MPC243014009STBRO 12 1/2 2438 8 STBRO

MPC243014009MRBRO 12 1/2 2438 8 MRBRO

MPC243014009STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPC243014009MRCOP 12 1/2 2438 8 MRCOP

MPC243014009STGLD 12 1/2 2438 8 STGLD

MPC243014009MRGLD 12 1/2 2438 8 MRGLD

MPC250014009STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPC250014009MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPC243014009SMINX 12 1/2 2438 8 SMINX

MPC243008009STANT 14 9/16 2438 8

STANT

MPC243008009MRANT 14 9/16 2438 8 MRANT

MPC243008009STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPC243008009MRBRO 14 9/16 2438 8 MRBRO

MPC243008009STCOP 14 9/16 2438 8 STCOP

MPC243008009MRCOP 14 9/16 2438 8 MRCOP

MPC243008009STGLD 14 9/16 2438 8 STGLD

MPC243008009MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPC250008009STINX 14 9/16 2500 8 1/5" STINX

MPC250008009MRINX 14 9/16 2500 8 1/5" MRINX

MPC243008009SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 23

MPS-D

Edelstol Fliesen Trim

Mps-D Edelstahl Fliesen Trimm Quadrat externen Eckprofil passt sech un Trend Keramik Faarwen an Texturen un, wärend Ästhetik fir Är Keramik Uwendungen bäidréit mat senger breet Palette vun Uewerflächenoptiounen.

Et gëtt an 90 Grad baussenzegen Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Mps-D huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-D kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

GIET PERFEKT ERSCHT UN KERAMISK SURFACES A VERHÉIERT Schied un Keramik MAT DER QUALITÉIT VUN STAINLESS Stol

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPD243014008STANT 8 5/16 2438 8 STANT 8mm

MPD243014008MRANT 8 5/16 2438 8 MRANT 5/16"

MPD243014008STBRO 8 5/16 2438 8 STBRO

MPD243014008MRBRO 8 5/16 2438 8 MRBRO

MPD243014008STCOP 8 5/16 2438 8 STCOP h

MPD243014008MRCOP 8 5/16 2438 8 MRCOP

MPD243014008STGLD 8 5/16 2438 8 STGLD

MPD243014008MRGLD 8 5/16 2438 8 MRGLD

MPD250014008STINX 8 5/16 2500 8 1/5" STINX

MPD250014008MRINX 8 5/16 2500 8 1/5" MRINX

MPD243014008SMINX 8 5/16 2438 8 SMINX

MPD243008008STANT 10 3/8 2438 8 STANT

MPD243008008MRANT 10 3/8 2438 8 MRANT

MPD243008008STBRO 10 3/8 2438 8 STBRO

MPD243008008MRBRO 10 3/8 2438 8 MRBRO

MPD243008008STCOP 10 3/8 2438 8 STCOP

MPD243008008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPD243008008STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPD243008008MRGLD 10 3/8 2438 8 MRGLD

MPD250008008STINX 10 3/8 2500 8 1/5" STINX

MPD250008008MRINX 10 3/8 2500 8 1/5" MRINX

MPD243008008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPD243010008STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MPD243010008MRANT 12 1/2 2438 8 MRANT

MPD243010008STBRO 12 1/2 2438 8 STBRO

MPD243010008MRBRO 12 1/2 2438 8 MRBRO

MPD243010008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPD243010008MRCOP 12 1/2 2438 8 MRCOP

MPD243010008STGLD 12 1/2 2438 8 STGLD

MPD243010008MRGLD 12 1/2 2438 8 MRGLD

MPD250010008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPD250010008MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPD243010008SMINX 12 1/2 2438 8 SMINX

MPD243012008STANT 14 9/16 2438 8

STANT

MPD243012008MRANT 14 9/16 2438 8 MRANT

MPD243012008STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPD243012008MRBRO 14 9/16 2438 8 MRBRO

MPD243012008STCOP 14 9/16 2438 8 STCOP

MPD243012008MRCOP 14 9/16 2438 8 MRCOP

MPD243012008STGLD 14 9/16 2438 8 STGLD

MPD243012008MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPD250012008STINX 14 9/16 2500 8 1/5" STINX

MPD250012008MRINX 14 9/16 2500 8 1/5" MRINX

MPD243012008SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 24

MPS-L

Edelstol Fliesen Trim

Mps-L Edelstahl Plättercher Randprofil passt sech un Trend Keramik Faarwen an Texturen un, wärend Ästhetik fir Är Keramik Uwendungen bäidréit mat senger breet Palette vun Uewerflächenoptiounen.

Et gëtt als Frame benotzt, deen d'Keramikabschnëtt um Enn vu Keramikmauerapplikatiounen verstoppt oder als Parkettverbindungen.

Wärend Ästhetik ubitt déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert och datt Keramik Schued mécht.

Mps-L huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-L kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

PURE A MINIMAL OPSCHREIWEN A KERAMISCH KOMBINATIOUNEN MAT SINN EINFACHEN DESIGN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPL243010003STANT 8 5/16 2438 8 STANT 3mm

MPL243010003MRANT 8 5/16 2438 8 MRANT 1/8"

MPL243010003STBRO 8 5/16 2438 8 STBRO

MPL243010003MRBRO 8 5/16 2438 8 MRBRO

MPL243010003STCOP 8 5/16 2438 8 STCOP h

MPL243010003MRCOP 8 5/16 2438 8 MRCOP

MPL243010003STGLD 8 5/16 2438 8 STGLD

MPL243010003MRGLD 8 5/16 2438 8 MRGLD

MPL250010003STINX 8 5/16 2500 8 1/5" STINX

MPL250010003MRINX 8 5/16 2500 8 1/5" MRINX

MPL243010003SMINX 8 5/16 2438 8 SMINX

MPL243012003STANT 10 3/8 2438 8 STANT

MPL243012003MRANT 10 3/8 2438 8 MRANT

MPL243012003STBRO 10 3/8 2438 8 STBRO

MPL243012003MRBRO 10 3/8 2438 8 MRBRO

MPL243012003STCOP 10 3/8 2438 8 STCOP

MPL243012003MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPL243012003STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPL243012003MRGLD 10 3/8 2438 8 MRGLD

MPL250012003STINX 10 3/8 2500 8 1/5" STINX

MPL250012003MRINX 10 3/8 2500 8 1/5" MRINX

MPL243012003SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPL243014003STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MPL243014003MRANT 12 1/2 2438 8 MRANT

MPL243014003STBRO 12 1/2 2438 8 STBRO

MPL243014003MRBRO 12 1/2 2438 8 MRBRO

MPL243014003STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPL243014003MRCOP 12 1/2 2438 8 MRCOP

MPL243014003STGLD 12 1/2 2438 8 STGLD

MPL243014003MRGLD 12 1/2 2438 8 MRGLD

MPL250014003STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPL250014003MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPL243014003SMINX 12 1/2 2438 8 SMINX

MPL243008003STANT 14 9/16 2438 8

STANT

MPL243008003MRANT 14 9/16 2438 8 MRANT

MPL243008003STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPL243008003MRBRO 14 9/16 2438 8 MRBRO

MPL243008003STCOP 14 9/16 2438 8 STCOP

MPL243008003MRCOP 14 9/16 2438 8 MRCOP

MPL243008003STGLD 14 9/16 2438 8 STGLD

MPL243008003MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPL250008003STINX 14 9/16 2500 8 1/5" STINX

MPL250008003MRINX 14 9/16 2500 8 1/5" MRINX

MPL243008003SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 25

MPS-S

Edelstol Fliesen Trim

Mps-S Edelstahl Fliesen Trimm intern Eckprofil passt sech un Trend Keramik Faarwen an Texturen un, wärend Ästhetik fir Är Keramik Uwendungen bäidréit mat senger breet Palette vun Uewerflächenoptiounen.

Et gëtt an 90 Grad banneschten Eckgelenk vu Keramikapplikatiounen benotzt.

Zousätzlech fir Ästhetik ze liwweren déi Gelenk- an Uwendungsfehler eliminéiert, verhënnert et och Schued un Keramik.

Mps-S huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-S kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

MÉCHT DEN TRANSITIOUN AN DEN BINNEN ECKEREN A GEEFT EN ELEGANT ERUS

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPS243014020STANT 8 5/16 2438 8 STANT

MPS243014020MRANT 8 5/16 2438 8 MRANT

MPS243014020STBRO 8 5/16 2438 8 STBRO

MPS243014020MRBRO 8 5/16 2438 8 MRBRO

MPS243014020STCOP 8 5/16 2438 8 STCOP m M M P P S S 2 2 4 4 3 3 0 0 1 1 4 4 0 0 2 2 0 0 M ST R G C L O D P 8 8 5 5 / / 1 1 6 6 2 2 4 4 3 3 8 8 8 8 M ST R G C L O D P 2 0 1 m 3/1 6"

MPS243014020MRGLD 8 5/16 2438 8 MRGLD

MPS250014020STINX 8 5/16 2500 8 1/5" STINX h

MPS250014020MRINX 8 5/16 2500 8 1/5" MRINX

MPS243014020SMINX 8 5/16 2438 8 SMINX

MPS243008020STANT 10 3/8 2438 8 STANT

MPS243008020MRANT 10 3/8 2438 8 MRANT

MPS243008020STBRO 10 3/8 2438 8 STBRO

MPS243008020MRBRO 10 3/8 2438 8 MRBRO

MPS243008020STCOP 10 3/8 2438 8 STCOP

MPS243008020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPS243008020STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPS243008020MRGLD 10

3/8 2438 8 MRGLD

MPS250008020STINX 10 3/8 2500 8 1/5" STINX

MPS250008020MRINX 10 3/8 2500 8 1/5" MRINX

MPS243008020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPS243010020STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MPS243010020MRANT 12 1/2 2438 8 MRANT

MPS243010020STBRO 12 1/2 2438 8 STBRO

MPS243010020MRBRO 12 1/2 2438 8 MRBRO

MPS243010020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPS243010020MRCOP 12 1/2 2438 8 MRCOP

MPS243010020STGLD 12 1/2 2438 8 STGLD

MPS243010020MRGLD 12 1/2 2438 8 MRGLD

MPS250010020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPS250010020MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPS243010020SMINX 12 1/2 2438 8 SMINX

MPS243012020STANT 14 9/16 2438 8

STANT

MPS243012020MRANT 14 9/16 2438 8 MRANT

MPS243012020STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPS243012020MRBRO 14 9/16 2438 8 MRBRO

MPS243012020STCOP 14 9/16 2438 8 STCOP

MPS243012020MRCOP 14 9/16 2438 8 MRCOP

MPS243012020STGLD 14 9/16 2438 8 STGLD

MPS243012020MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPS250012020STINX 14 9/16 2500 8 1/5" STINX

MPS250012020MRINX 14 9/16 2500 8 1/5" MRINX

MPS243012020SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 26

RAMPTRANSITIOUNEN, Teppech-Kanteschutz, Buedem a RENOVATIOUN, SCHRËTT NOUSESCHUTZ

Mox Buedemprofile bedecken d'Lücken tëscht Buedem oder Dierschwelltransitiounen, verstoppt all Applikatiounsdefekt.

Nieft Standard Schwelle Profiler, si och Rampen Profiler datt Niveau Differenzen tëscht Etagen eliminéiert.

# Quell Säit 27

ALL AN EEN

Aluminium Ramp Transitioun

Alles an engem Aluminium Ramp Iwwergangsprofil bitt Iwwergang andeems en Niveaudifferenz tëscht zwee verschiddene Buedemmaterialien a Buedemapplikatiounen eliminéiert.

Mat senger justierbarer Feature passt et un all Niveaudifferenz tëscht de Buedem.

Am Géigesaz zu senge Konkurrenten kann et vu senger Verlängerung ënner de Buedem installéiert ginn an erfuerdert keng Klebstoff, wat et méi laang dauerhaft mécht.

All an One huet Matte anodized, hell anodized, satin chemesch hell anodized an electrostatic Pudder molen Optiounen.

Iwwerdeems Sëlwer, Giel, Inox, Bronze a schwaarz anodized Faarf coatings sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

MAT SENG Upassbarkeet, GIERT ET E FLAWLESS OPSCHREIWEN VUN FLOORTRANSITIOUNEN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

AIO25004024MEGMS hmax 24 15/16 2500 8 1/5’’ MEGMS hmin 1.5 1/16

AIO25004024MESAR hmax 24 15/16 2500 8 1/5" MESAR hmin 1.5 1/16

AIO25004024MEINX hmax 24 15/16 2500 8 1/5" MEINX hmin 1.5 1/16

AIO25004024MESYH hmax 24 15/16 2500 8 1/5" MESYH hmin 1.5 1/16

hmax hm

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX MESYH mat inox, anodiséiert mat schwaarz, anodiséiert

# Quell Säit 28

REVIO

Aluminium Buedem

Revio Aluminium Teppech Randprofil ass speziell entwéckelt fir d'Ästhetik an d'Funktionalitéit vun Ärem Buedem ze erhéijen.

Revio Aluminium Teppechrandprofil bitt net nëmmen en nahtlosen Iwwergang tëscht verschiddene Buedemoberflächen, awer schützt och d'Kante vun Ärem Teppech, verhënnert Verschleiung an Verformung déi mat der Zäit optriede kann.

Dës Profiler hëllefen Iech Reparatur- an Ersatzkäschten ze reduzéieren andeems Dir d'Liewen vun Ärem Teppech verlängert.

Revio huet eng matte anodiséierter Beschichtungsoptioun a Sëlwer, Giel an Inox Faarwen.

Entworf fir d'Ästhetik an d'Funktionalitéit vun Ärem Buedem ze verbesseren

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

RVO25001215MEGMS 12 1/2 2500 8 1/5’’ MEGMS

RVO25001215MESAR 12 1/2 2500 8 1/5" MESAR

RVO25001215MEINX 12 1/2 2500 8 1/5" MEINX

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX matte Inox, anodiséiert

# Quell Säit 29

VISIO

Aluminium Buedem

Visio Aluminium Teppech Schwellprofil bitt sécher, ästhetesch a laang dauerhaft Interieuriwwergäng tëscht verschiddene Buedemmaterialien.

Et schaaft e séchert Ëmfeld, besonnesch fir Kanner an eeler Leit, andeems en e glaten Iwwergang tëscht verschiddene Buedemhöhe gëtt.

Visio Aluminium Teppech Schwellprofil ass entwéckelt fir Lücken tëscht Teppech an aner Buedembedeckungen ze schloen.

Et bitt e fléissenden Iwwergang tëscht Teppech an aner Buedembedeckungstypen, eliminéiert all Onregelméissegkeeten oder Ausbrochrisiken déi optrieden.

Et verlängert och d'Liewen vun Teppecher andeems se géint Verschleiung schützen.

Visio, déi en ästheteschen Erscheinungsbild wéi och funktionell Virdeeler huet, verbessert d'Gesamtoptik vun Ärem Bannenariichtung.

Visio Aluminium Teppech Schwellprofil huet eng matte anodiséierter Beschichtungsoptioun a Sëlwer, Giel an Inox Faarwen.

VERHÉIERT ÄR FLOORING TRANSITIOUN MAT E STILSCHEN Teppech THRESHOLD PROFIL

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

VSO25000927MEGMS h1 9 3/8 2500 8 1/5’’ MEGMS h2 6.3 1/4

VSO25000927MESAR h1 9 3/8 2500 8 1/5" MESAR h2 6.3 1/4

VSO25000927MEINX h1 9 3/8 2500 8 1/5" MEINX h2 6.3 1/4

VSO09000927MEGMS h1 9 3/8 900 2 31/32" MEGMS h2 6.3 1/4

VSO09000927MESAR h1 9 3/8 900 2 31/32" MESAR h2 6.3 1/4

VSO09000927MEINX h1 9 3/8 900 2 31/32" MEINX h2 6.3 1/4

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX matte Inox, anodiséiert

# Quell Säit 30

Line

Aluminium Buedem

Line Aluminiumbuedemrandprofil ass eng exzellent Wiel fir verschidde Projete mat senger villsäiteger, haltbarer a liichter Struktur déi de Spalt tëscht de Buedem zoumaacht.

Line Aluminiumbuedemkantprofil ass entwéckelt fir d'Lücken tëscht Buedemfliesen vun der selwechter Héicht zouzemaachen.

Line Aluminiumbuedemrandprofil huet eng hell anodiséiert Beschichtungsoptioun a sëlwer a giel Faarwen.

PERFEKT WAHL FIR ÄR FLOORING MAT SENG MINIMALISTSCHEN FORM

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

LIN25001004PEGMS 10 3/8 2500 8 1/5’’ PEGMS

LIN25001004PESAR 10 3/8 2500 8 1/5" PESAR

PEGMS PESAR hell Sëlwer, anodiséiert hell giel, anodiséiert

# Quell Säit 31

FLEX

Aluminium Buedem

Flex Aluminium formbare Buedemrandprofil gëtt a Parkett- oder Keramikapplikatiounen als Frame benotzt, deen de Buedemabschnitt verstoppt an d'Gelenker ersetzt.

Zousätzlech fir Gelenk- an Installatiounsfehler ze korrigéieren an d'Ästhetik ze verbesseren, verhënnert et och Schied un de Buedembedeckungen.

Flex Aluminium formbare Buedemrandprofil ass entwéckelt fir den Iwwergang vu Buedemmaterialien ze erliichteren.

Säi flexibelen Design erlaabt et an déi gewënscht Form ze béien.

Zousätzlech zu senge funktionnelle Virdeeler verbessert seng minimal Erscheinung de Gesamtoptik vun Ären Designen.

Flex huet matte anodiséiert, hell anodiséiert an elektrostatesch Puddermolerei Optiounen.

Iwwerdeems Sëlwer, Giel, Inox a schwaarz anodized Faarf coatings sinn sinn, et kann och op de gewënschte RAL Code mat electrostatic Pudder molen gemoolt ginn.

CREAT IMAGINATIV DESIGN FIR ÄR FLOORING MAT SENG FORMABLE FORM

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

FLX250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS

FLX250010003MESAR 10 3/8 2500 8 1/5" MESAR

FLX250010003MEINX 10 3/8 2500 8 1/5" MEINX

FLX250010003MESYH 10 3/8 2500 8 1/5" MESYH

FLX250010003PEGMS 10 3/8 2500 8 1/5" PEGMS

FLX250010003PESAR 10 3/8 2500 8 1/5" PESAR 2.5mm

FLX250010003PEINX 10 3/8 2500 8 1/5" PEINX 1/8"

FLX250010003PESYH 10 3/8 2500 8 1/5" PESYH

FLX250010003R9016 10 3/8 2500 8 1/5" R9016 h

FLX250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matte Sëlwer, anodized matte yellow, anodized

MEINX MESYH mat inox, anodiséiert mat schwaarz, anodiséiert

PEGMS PESAR hell Sëlwer, anodiséiert hell giel, anodiséiert

PEINX PESYH hell Inox, anodiséiert hell schwaarz, anodiséiert

R9016 R7016 wäiss, semi-gloss, anthracite, semi-gloss, pulverlackéiert pulverlackéiert

# Quell Säit 32

MPS-E

Edelstol Buedem Profil

Mps-E Edelstol Buedem Iwwergangsprofil ass ee vun de meescht bevorzugten Iwwergangsprofiler.

Am Géigesaz zu senge Konkurrenten kann et vu senger Verlängerung ënner dem Buedem installéiert ginn an erfuerdert keng Klebstoff, wat et méi laang dauerhaft mécht.

Et gëtt als Iwwergangsgrenz a Buedemapplikatiounen benotzt.

Mps-E huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-E kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

GËTT FIR ALL ARCHITECTURAL DESIGN MAT SENG TRADITIONELLE MÉI VERHÉIERT ERUS

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPE243010020STANT 8 5/16 2438 8 STANT

MPE243010020MRANT 8 5/16 2438 8 MRANT

MPE243010020STBRO 8 5/16 2438 8 STBRO

MPE243010020MRBRO 8 5/16 2438 8 MRBRO

MPE243010020STCOP 8 5/16 2438 8 STCOP

MPE243010020MRCOP 8 5/16 2438 8 MRCOP 20mm

MPE243010020STGLD 8 5/16 2438 8 STGLD 13/16"

MPE243010020MRGLD 8 5/16 2438 8 MRGLD

MPE250010020STINX 8 5/16 2500 8 1/5" STINX h

MPE250010020MRINX 8 5/16 2500 8 1/5" MRINX

MPE243010020SMINX 8 5/16 2438 8 SMINX

MPE243012020STANT 10 3/8 2438 8 STANT

MPE243012020MRANT 10 3/8 2438 8 MRANT

MPE243012020STBRO 10 3/8 2438 8 STBRO

MPE243012020MRBRO 10 3/8 2438 8 MRBRO

MPE243012020STCOP 10 3/8 2438 8 STCOP

MPE243012020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPE243012020STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPE243012020MRGLD 10 3/8 2438 8 MRGLD

MPE250012020STINX 10 3/8 2500 8 1/5" STINX

MPE250012020MRINX 10 3/8 2500 8 1/5" MRINX

MPE243012020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPE243014020STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MPE243014020MRANT 12 1/2 2438 8 MRANT

MPE243014020STBRO 12 1/2 2438 8 STBRO

MPE243014020MRBRO 12 1/2 2438 8 MRBRO

MPE243014020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPE243014020MRCOP 12 1/2 2438 8 MRCOP

MPE243014020STGLD 12 1/2 2438 8 STGLD

MPE243014020MRGLD 12 1/2 2438 8 MRGLD

MPE250014020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPE250014020MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPE243014020SMINX 12 1/2 2438 8 SMINX

MPE243008020STANT 14 9/16 2438 8

STANT

MPE243008020MRANT 14 9/16 2438 8 MRANT

MPE243008020STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPE243008020MRBRO 14 9/16 2438 8 MRBRO

MPE243008020STCOP 14 9/16 2438 8 STCOP

MPE243008020MRCOP 14 9/16 2438 8 MRCOP

MPE243008020STGLD 14 9/16 2438 8 STGLD

MPE243008020MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPE250008020STINX 14 9/16 2500 8 1/5" STINX

MPE250008020MRINX 14 9/16 2500 8 1/5" MRINX

MPE243008020SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 33

MPS-N

Edelstol Buedem Profil

Mps-N Edelstahl Ramp Iwwergangsprofil gëtt als Trennende Grenz- an Iwwergangsprofil tëscht Biedem vu verschiddenen Niveauen a Buedemapplikatiounen benotzt.

Et kann a personaliséiert Héichten fir all Niveaudifferenz produzéiert ginn.

Mps-N huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-N kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

SOFTENS DEN TRANSITIOUN Tëscht verschiddenen Niveauen

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPN243014050STANT 8 5/16 2438 8 STANT

MPN243014050MRANT 8 5/16 2438 8 MRANT

MPN243014050STBRO 8 5/16 2438 8 STBRO

MPN243014050MRBRO 8 5/16 2438 8 MRBRO

MPN243014050STCOP 8 5/16 2438 8 STCOP

MPN243014050MRCOP 8 5/16 2438 8 MRCOP 50mm

MPN243014050STGLD 8 5/16 2438 8 STGLD 2"

MPN243014050MRGLD 8 5/16 2438 8 MRGLD

MPN250014050STINX 8 5/16 2500 8 1/5" STINX h

MPN250014050MRINX 8 5/16 2500 8 1/5" MRINX

MPN243014050SMINX 8 5/16 2438 8 SMINX

MPN243008050STANT

10 3/8 2438 8 STANT

MPN243008050MRANT 10 3/8 2438 8 MRANT

MPN243008050STBRO 10 3/8 2438 8 STBRO

MPN243008050MRBRO 10 3/8 2438 8 MRBRO

MPN243008050STCOP 10 3/8 2438 8 STCOP

MPN243008050MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPN243008050STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MPN243008050MRGLD 10 3/8 2438 8 MRGLD

MPN250008050STINX 10 3/8 2500 8 1/5" STINX

MPN250008050MRINX 10 3/8 2500 8 1/5" MRINX

MPN243008050SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPN243010050STANT 12 1/2 2438 8

STANT bronze Spigel bronze satin

MPN243010050MRANT 12 1/2 2438 8 MRANT

MPN243010050STBRO 12 1/2 2438 8 STBRO

MPN243010050MRBRO 12 1/2 2438 8 MRBRO

MPN243010050STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPN243010050MRCOP 12 1/2 2438 8 MRCOP

MPN243010050STGLD 12 1/2 2438 8 STGLD

MPN243010050MRGLD 12 1/2 2438 8 MRGLD

MPN250010050STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPN250010050MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MPN243010050SMINX 12 1/2 2438 8 SMINX

MPN243012050STANT 14 9/16 2438 8

STANT

MPN243012050MRANT 14 9/16 2438 8 MRANT

MPN243012050STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPN243012050MRBRO 14 9/16 2438 8 MRBRO

MPN243012050STCOP 14 9/16 2438 8 STCOP

MPN243012050MRCOP 14 9/16 2438 8 MRCOP

MPN243012050STGLD 14 9/16 2438 8 STGLD

MPN243012050MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MPN250012050STINX 14 9/16 2500 8 1/5" STINX

MPN250012050MRINX 14 9/16 2500 8 1/5" MRINX

MPN243012050SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 34

MPS-TB

Edelstol Buedem Profil

Mps-Tb Edelstol Buedem T Iwwergang ass ee vun den haltbarsten Iwwergangsprofiler.

Am Géigesaz zu senge Konkurrenten kann et vu senger Verlängerung ënner dem Buedem installéiert ginn an erfuerdert keng Klebstoff, wat et méi laang dauerhaft mécht.

Et deckt d'Lücken an d'Applikatiounsfehler tëscht Buedemiwwergäng an Dierschwelltransitiounen.

Et gëtt och als Separatorrahmen a Buedemapplikatiounen benotzt.

Mps-Tb huet Spigel, Satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-Tb kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

MAT DER T-FORM, BIERT DE EINFACHEN BLOK VUN TRADITIONELLEN TRANSITIOUNEN

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MTB243010025STANT 8 5/16 2438 8 STANT

MTB243010025MRANT 8 5/16 2438 8 MRANT

MTB243010025STBRO 8 5/16 2438 8 STBRO

MTB243010025MRBRO 8 5/16 2438 8 MRBRO

MTB243010025STCOP 8 5/16 2438 8 STCOP

MTB243010025MRCOP 8 5/16 2438 8 MRCOP 25mm 1"

MTB243010025STGLD 8 5/16 2438 8 STGLD

MTB243010025MRGLD 8 5/16 2438 8 MRGLD

MTB250010025STINX 8 5/16 2500 8 1/5" STINX h

MTB250010025MRINX 8 5/16 2500 8 1/5" MRINX

MTB243010025SMINX 8 5/16 2438 8 SMINX

MTB243012025STANT

10 3/8 2438 8 STANT

MTB243012025MRANT 10 3/8 2438 8 MRANT

MTB243012025STBRO 10 3/8 2438 8 STBRO

MTB243012025MRBRO 10 3/8 2438 8 MRBRO

MTB243012025STCOP 10 3/8 2438 8 STCOP

MTB243012025MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MTB243012025STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MTB243012025MRGLD 10 3/8 2438 8 MRGLD

MTB250012025STINX 10 3/8 2500 8 1/5" STINX

MTB250012025MRINX 10 3/8 2500 8 1/5" MRINX

MTB243012025SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MTB243014025STANT 12 1/2 2438 8

STANT bronze Spigel bronze satin

MTB243014025MRANT 12 1/2 2438 8 MRANT

MTB243014025STBRO 12 1/2 2438 8 STBRO

MTB243014025MRBRO 12 1/2 2438 8 MRBRO

MTB243014025STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MTB243014025MRCOP 12 1/2 2438 8 MRCOP

MTB243014025STGLD 12 1/2 2438 8 STGLD

MTB243014025MRGLD 12 1/2 2438 8 MRGLD

MTB250014025STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MTB250014025MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MTB243014025SMINX 12 1/2 2438 8 SMINX

MTB243008025STANT 14 9/16 2438 8

STANT

MTB243008025MRANT 14 9/16 2438 8 MRANT

MTB243008025STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MTB243008025MRBRO 14 9/16 2438 8 MRBRO

MTB243008025STCOP 14 9/16 2438 8 STCOP

MTB243008025MRCOP 14 9/16 2438 8 MRCOP

MTB243008025STGLD 14 9/16 2438 8 STGLD

MTB243008025MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MTB250008025STINX 14 9/16 2500 8 1/5" STINX

MTB250008025MRINX 14 9/16 2500 8 1/5" MRINX

MTB243008025SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 35

MPS-YD

Edelstol Buedem Profil

Mps-Yd Edelstahl Expansioun Joint Profil bitt déi bescht Léisunge fir Keramik Buedemapplikatiounen besonnesch op Plazen mat grousse Flächen wéi Spideeler, Akafszentren a Schoulen.

Et absorbéiert den Drock deen duerch strukturell Expansioune verursaacht gëtt a bitt Keramik Schutz.

Mps-Yd huet Spigel, Satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-Yd kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

ABSORBS DEN DROCK VUN BAUER EXPANSIONS A BIEDT KERAMIK SCHUTZ

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MYD243014015STANT 8 5/16 2438 8 STANT

MYD243014015MRANT 8 5/16 2438 8 MRANT

MYD243014015STBRO 8 5/16 2438 8 STBRO

MYD243014015MRBRO 8 5/16 2438 8 MRBRO

MYD243014015STCOP 8 5/16 2438 8 STCOP

MYD243014015MRCOP 8 5/16 2438 8 MRCOP

MYD243014015STGLD 8 5/16 2438 8 STGLD 15mm 9/16"

MYD243014015MRGLD 8 5/16 2438 8 MRGLD

MYD250014015STINX 8 5/16 2500 8 1/5" STINX h

MYD250014015MRINX 8 5/16 2500 8 1/5" MRINX

MYD243014015SMINX 8 5/16 2438 8 SMINX

MYD243008015STANT 10 3/8 2438 8 STANT

MYD243008015MRANT 10 3/8 2438 8 MRANT

MYD243008015STBRO 10 3/8 2438 8 STBRO

MYD243008015MRBRO 10 3/8 2438 8 MRBRO

MYD243008015STCOP 10 3/8 2438 8 STCOP

MYD243008015MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MYD243008015STGLD 10 3/8 2438 8 STGLD anthracite Spigel anthracite satin

MYD243008015MRGLD 10 3/8 2438 8 MRGLD

MYD250008015STINX 10 3/8 2500 8 1/5" STINX

MYD250008015MRINX 10 3/8 2500 8 1/5" MRINX

MYD243008015SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MYD243010015STANT 12 1/2 2438 8 STANT bronze Spigel bronze satin

MYD243010015MRANT 12 1/2 2438 8 MRANT

MYD243010015STBRO 12 1/2 2438 8 STBRO

MYD243010015MRBRO 12 1/2 2438 8 MRBRO

MYD243010015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MYD243010015MRCOP 12 1/2 2438 8 MRCOP

MYD243010015STGLD 12 1/2 2438 8 STGLD

MYD243010015MRGLD 12 1/2 2438 8 MRGLD

MYD250010015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MYD250010015MRINX 12 1/2 2500 8 1/5" MRINX Gold Spigel gold satin

MYD243010015SMINX 12 1/2 2438 8 SMINX

MYD243012015STANT 14 9/16 2438 8

STANT

MYD243012015MRANT 14 9/16 2438 8 MRANT

MYD243012015STBRO 14 9/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MYD243012015MRBRO 14 9/16 2438 8 MRBRO

MYD243012015STCOP 14 9/16 2438 8 STCOP

MYD243012015MRCOP 14 9/16 2438 8 MRCOP

MYD243012015STGLD 14 9/16 2438 8 STGLD

MYD243012015MRGLD 14 9/16 2438 8 MRGLD SMINX Super Spigel

MYD250012015STINX 14 9/16 2500 8 1/5" STINX

MYD250012015MRINX 14 9/16 2500 8 1/5" MRINX

MYD243012015SMINX 14 9/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 36

MPS-B

STAINLESS Stol Schrëtt Nues

Mps-B Edelstahl Fliesen Schrëtt Schutzprofil deckt d'Mängel, déi während der Applikatioun verursaacht ginn, a schützt d'Schrëtt Fliesen wéi Marmor a Parkett.

Et schützt Keramik Schrëtt géint Verformung a Fraktur wärend Sécherheet mat sengem rutschlosen Design.

Mps-B huet Spigel, satin, exklusiv Super Spigel Fläch an anthracite, Bronze, Koffer, Gold, inox Faarf Optiounen.

Mps-B kann an onlimitéiert Héicht a Breet Optiounen produzéiert ginn.

ELIMINÉIERT APPLIKATIOUNSFEELER VUN TRAPPEN WEI MARM A PARQUET

Héicht Längt Produkt Nr Uewerfläch mm in mm ft

MPB243010040STANT 10 3/8 2438 8 STANT

MPB243010040MRANT 10 3/8 2438 8 MRANT 40mm

MPB243010040STBRO 10 3/8 2438 8 STBRO 1-9/16"

MPB243010040MRBRO 10 3/8 2438 8 MRBRO

MPB243010040STCOP 10 3/8 2438 8 STCOP h

MPB243010040MRCOP 10 3/8 2438 8 MRCOP

MPB243010040STGLD 10 3/8 2438 8 STGLD

MPB243010040MRGLD 10 3/8 2438 8 MRGLD

MPB250010040STINX 10 3/8 2500 8 1/5" STINX

MPB250010040MRINX 10 3/8 2500 8 1/5" MRINX

MPB243010040SMINX 10 3/8 2438 8 SMINX

MPB243012040STANT 12 1/2 2438 8 STANT

MPB243012040MRANT 12 1/2 2438 8 MRANT

MPB243012040STBRO 12 1/2 2438 8 STBRO

MPB243012040MRBRO 12 1/2 2438 8 MRBRO

MPB243012040STCOP 12 1/2 2438 8 STCOP

MPB243012040MRCOP 12 1/2 2438 8 MRCOP MRANT STANT

MPB243012040STGLD 12 1/2 2438 8 STGLD anthracite Spigel anthracite satin

MPB243012040MRGLD 12 1/2 2438 8 MRGLD

MPB250012040STINX 12 1/2 2500 8 1/5" STINX

MPB250012040MRINX 12 1/2 2500 8 1/5" MRINX

MPB243012040SMINX 12 1/2 2438 8 SMINX MRBRO STBRO

MPB243014040STANT 14 9/16 2438 8 STANT bronze Spigel bronze satin

MPB243014040MRANT 14 9/16 2438 8 MRANT

MPB243014040STBRO 14 9/16 2438 8 STBRO

MPB243014040MRBRO 14 9/16 2438 8 MRBRO

MPB243014040STCOP 14 9/16 2438 8 STCOP MRCOP STCOP Kupferspigel Koffer satin

MPB243014040MRCOP 14 9/16 2438 8 MRCOP

MPB243014040STGLD 14 9/16 2438 8 STGLD

MPB243014040MRGLD 14 9/16 2438 8 MRGLD

MPB250014040STINX 14 9/16 2500 8 1/5" STINX MRGLD STGLD

MPB250014040MRINX 14 9/16 2500 8 1/5" MRINX Gold Spigel gold satin

MPB243014040SMINX 14 9/16 2438 8 SMINX

MPB243020040STANT 20 13/16

2438 8 STANT

MPB243020040MRANT 20 13/16 2438 8 MRANT

MPB243020040STBRO 20 13/16 2438 8 STBRO MRINX STINX inox Spigel inox satin

MPB243020040MRBRO 20 13/16 2438 8 MRBRO

MPB243020040STCOP 20 13/16 2438 8 STCOP

MPB243020040MRCOP 20 13/16 2438 8 MRCOP

MPB243020040STGLD 20 13/16 2438 8 STGLD

MPB243020040MRGLD 20 13/16 2438 8 MRGLD SMINX Super Spigel

MPB250020040STINX 20 13/16 2500 8 1/5" STINX

MPB250020040MRINX 20 13/16 2500 8 1/5" MRINX

MPB243020040SMINX 20 13/16 2438 8 SMINX

Edelstahlprodukter kënnen an all ugefrote Héicht (h) produzéiert ginn.

Längt (L) ka variéieren jee no Uewerflächoptioune vun Edelstahlprodukter.

# Quell Säit 37

Istanbul Office EGS Business Park B1 No 394 Yesilkoy, Istanbul, Tierkei +90 212 559 0636

UK Warehouse 869 High Road Tottenham, London, N17 8EY, UK +44 751 2934322

mox@moxsystems.com moxsystems.com

# Original Zeechnungen an Referenz Säiten



PRODUCT CATALOG

## LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS


LUCEO 10
guiding light source for security purposes, as well as to enjoy the touch of light in design

LEUX 12
brings classical designs and modern lighting together

WISHLED 14
suitable for any environment with unlimited design

LATO 16
ideal for all living spaces with minimal, slim design. practical corner solutions

SOLE 18
designed for all classical, luxurious and prestigious living spaces

CRISPO 20
for areas with large gaps between wall and flooring

SENTIO 22
order cables in areas such as workplaces and put an end to the mess

VELO 24
provides sealing and eliminates joint defects to floor-wall joints in wet areas

GRAVITY 26
complementary element of your interior designs

MPS-F 28
prevents moisture penetration to joints and reduces sound transmission in the impact zone


## CERAMIC BORDERS, TILE TRIM PROFILES CERAMIC PROTECTION PROFILES


MONO-FIX 32
ceramic protection with an elegant appearance

ROUND-FIX 34
elevate your ceramic applications: seamless style, unmatched protection

SQUARE-FIX 36
flawless appearance on ceramic surfaces, wide range of color and effect options to adapt trending ceramic colors and textures

MPS-AG 38
an elegant appearance that softens the transition of the outer corners







MPS-BRD 40
decorative border profile for ceramic surfaces

MPS-C 42
Quality of stainless steel for inner corners of ceramic applications

MPS-D 44
provides perfect appearance to ceramic surfaces and prevents damage to ceramics with the quality of stainless steel

MPS-L 46
Pure and minimal appearance to ceramic combinations with its simple design

MPS-S 48
softens the transition in the inner corners and provides an elegant appearance


## RAMP TRANSITIONS, CARPET EDGE PROTECTION, FLOORING AND RENOVATION, STEP NOSE PROTECTION


ALL IN ONE 52
with its adjustability, it provides a flawless appearance to floor transitions

REVIO 54
designed to enhance the aesthetics and functionality of your flooring

VISIO 56
enhance your flooring transition with a stylish carpet threshold profile

LINE 58
perfect choice for your flooring with its minimalist form

FLEX 60
create imaginative designs for your flooring with its formable form

MPS-E 62
suitable for all architectural designs with its traditional but enhanced appearance

MPS-N 64
softens the transition between different levels

MPS-TB 66
with the T shape, provides the simple look of traditional transitions

MPS-YD 68
absorbs the pressure of building expansions and provides protection to ceramics

MPS-B 70
eliminates application errors of stairs such as marble and parquet

# ABOUT MOX

Orego Metal, one of the main suppliers of well known international brands, has entered the Turkey market with Mox Profile Systems by maintaining high quality raw material, correct operation and perfect surfaces which led it to become a favorite brand for many customers in the World and especially in Europe.

We assure that your application places will be both aesthetically pleasing and distinguishable, with our wide range of products including skirting boards, tile trims, stair nose profiles, flooring transition and ramp transition profiles with aluminum and stainless steel materials.

We promise not only to provide quality product and service for applying all processes with the same precision for transforming raw material to aluminum decorative profile, but also best prices by means of our manufacturing capabilities.

Always prioritizing customer satisfaction and respecting their feedback plays the most important role in increasing our growth figures every year in the European, American, Middle Eastern and African markets.





**DESIGN**


We are here with our technical team to be your solution partner for your application areas. We offer both our standard products or if required non-standard products that are customized according to your need. With being a manufacturer and having nearly 3,000 existing molds, we can offer non-standard solutions.

**MOLDING**

If our existing products do not provide the solution you need, our design team will work in coordination with you to design a product according to your request and provide complete technical details. According to your annual consumption numbers and your surface type and quality expectation, we optimize and produce the mold in our own workshop so that the design is not shared with any third parties.

**PROJECT MANAGEMENT**

We offer and deliver custom profiles up to 6m length, in order to save you from cutting work and cost of waste. We have the capability of producing unlimited RAL color in our own integrated powder coating facility, and silver, yellow, bronze, inox and black color options for matte and bright surfaces in our anodizing facility. Chrome plating and nickel colors in profiles up to 3 meters are also among our production capabilities.







## LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES **SKIRTING BOARDS**

Mox skirting boards cover the defects in floor and wall joints. They prevent dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.


# LUCEO

## Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LCE250100013MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LCE250100013R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LCE250100013R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LCE250100013R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LCEEXT100013COLOR - External Corner | | | | | |
| LCEINT100013COLOR - Internal Corner | | | | | |
| LCEEND100013COLOR - End Cap | | | | | |




## BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# LEUX

## Aluminum LED Skirting Board

Leux aluminum LED skirting board is mostly preferred in exclusive classical design projects through its decorative lighting feature and Victorian design. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Leux brings classical appearance and modern lighting together. Leux is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.




BRINGS CLASSICAL DESIGNS AND MODERN LIGHTING TOGETHER







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LUX250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LUX250100020RR9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LUX250100020R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LUX250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LUXEXT100020COLOR - External Corner | | | | | |
| LUXINT100020COLOR - Internal Corner | | | | | |
| LUXEND100020COLOR - End Cap | | | | | |




## BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# WISHLED

## Aluminum LED Skirting Board

Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.



SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| WSL250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| WSL250100020R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| WSL250100020R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| WSL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| WSLEXT100020COLOR - External Corner | | | | | |
| WSLINT100020COLOR - Internal Corner | | | | | |
| WSLEND100020COLOR - End Cap | | | | | |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# LATO

## Aluminum Skirting Board

Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LAT250080014MEGMS | 83 | 3-1/4 | 2500 | 8 1/5" | MEGMS |
| LAT250080014R9005 | 83 | 3-1/4 | 2500 | 8 1/5" | R9005 |
| LAT250080014R9016 | 83 | 3-1/4 | 2500 | 8 1/5" | R9016 |
| LAT250080014R7016 | 83 | 3-1/4 | 2500 | 8 1/5" | R7016 |
| LAT250100014MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LAT250100014R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LAT250100014R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LAT250100014R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LAT250120014MEGMS | 120 | 4-3/4 | 2500 | 8 1/5" | MEGMS |
| LAT250120014R9005 | 120 | 4-3/4 | 2500 | 8 1/5" | R9005 |
| LAT250120014R9016 | 120 | 4-3/4 | 2500 | 8 1/5" | R9016 |
| LAT250120014R7016 | 120 | 4-3/4 | 2500 | 8 1/5" | R7016 |
| LAT250150014MEGMS | 150 | 5-7/8 | 2500 | 8 1/5" | MEGMS |
| LAT250150014R9005 | 150 | 5-7/8 | 2500 | 8 1/5" | R9005 |
| LAT250150014R9016 | 150 | 5-7/8 | 2500 | 8 1/5" | R9016 |
| LAT250150014R7016 | 150 | 5-7/8 | 2500 | 8 1/5" | R7016 |
| LAT250180014MEGMS | 180 | 7-1/16 | 2500 | 8 1/5" | MEGMS |
| LAT250180014R9005 | 180 | 7-1/16 | 2500 | 8 1/5" | R9005 |
| LAT250180014R9016 | 180 | 7-1/16 | 2500 | 8 1/5" | R9016 |
| LAT250180014R7016 | 180 | 7-1/16 | 2500 | 8 1/5" | R7016 |




MEGMS
matte silver, anodized


R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated

CORNER SOLUTIONS







# SOLE

## Aluminum Skirting Board



Sole aluminum skirting board is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SOL250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| SOL250100020R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| SOL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| SOL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS







# CRISPO

## Aluminum Skirting Board



Crispo aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Crispo provides unity with its oval transition appearance and is compatible with both classical and modern architecture.

Crispo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options.

While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FOR AREAS WITH LARGE GAPS BETWEEN
WALL AND FLOORING








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| CRS250070025MEGMS | 70 | 2-3/4 | 2500 | 8 1/5" | MEGMS |
| CRS250070025R9005 | 70 | 2-3/4 | 2500 | 8 1/5" | R9005 |
| CRS250070025R9016 | 70 | 2-3/4 | 2500 | 8 1/5" | R9016 |
| CRS250070025R7016 | 70 | 2-3/4 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# SENTIO

## Aluminum Skirting Board



Sentio aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. With the extended hollow area in its design, it collects the telephone, electricity and internet cables to organize environments such as workplaces and offices. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. Sentio has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.


ORDER CABLES IN AREAS SUCH AS
WORKPLACES AND PUT AN END TO THE MESS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SNT250080023MEGMS | 80 | 3-1/8 | 2500 | 8 1/5" | MEGMS |
| SNT250080023R9005 | 80 | 3-1/8 | 2500 | 8 1/5" | R9005 |
| SNT250080023R9016 | 80 | 3-1/8 | 2500 | 8 1/5" | R9016 |
| SNT250080023R7016 | 80 | 3-1/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# VELO

## Aluminum Skirting Board



Velo aluminum skirting board provides skirting solutions especially for wet areas like bathrooms and kitchens. It takes up less space and offers ease of installation. It provides leak proofing as well as aesthetics by covering the wall-floor joint defects especially on wet areas. Velo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

PROVIDES SEALING AND ELIMINATES JOINT
DEFECTS TO FLOOR-WALL JOINTS IN WET AREAS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| VLO250060012MEGMS | 60 | 2-3/8 | 2500 | 8 1/5" | MEGMS |
| VLO250060012R9005 | 60 | 2-3/8 | 2500 | 8 1/5" | R9005 |
| VLO250060012R9016 | 60 | 2-3/8 | 2500 | 8 1/5" | R9016 |
| VLO250060012R7016 | 60 | 2-3/8 | 2500 | 8 1/5" | R7016 |
| VLO250100012MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| VLO250100012R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| VLO250100012R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| VLO250100012R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# GRAVITY

## Aluminum Skirting Board



Gravity aluminum skirting board is a specially designed profile that is attached to the lower edges of the wall and provide a neat and clean appearance to carpeted areas. Gravity aluminum skirting board not only provides a seamless transition between the floor and the wall, but also provides protection for carpet edges.

Gravity aluminum skirting board has a matte anodized coating option in silver color.

COMPLEMENTARY ELEMENT OF YOUR INTERIOR DESIGNS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| GRV250100010MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |






MEGMS
matte silver, anodized

# MPS-F

## Stainless Steel Skirting Board

MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension. MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-F can be produced in unlimited height and width options.




PREVENTS MOISTURE PENETRATION TO JOINTS AND
REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPF2430400XXSTANT | 40 | 1-9/16 | 2438 | 8 | STANT |
| MPF2430400XXMRANT | 40 | 1-9/16 | 2438 | 8 | MRANT |
| MPF2430400XXSTBRO | 40 | 1-9/16 | 2438 | 8 | STBRO |
| MPF2430400XXMRBRO | 40 | 1-9/16 | 2438 | 8 | MRBRO |
| MPF2430400XXSTCOP | 40 | 1-9/16 | 2438 | 8 | STCOP |
| MPF2430400XXMRCOP | 40 | 1-9/16 | 2438 | 8 | MRCOP |
| MPF2430400XXSTGLD | 40 | 1-9/16 | 2438 | 8 | STGLD |
| MPF2430400XXMRGLD | 40 | 1-9/16 | 2438 | 8 | MRGLD |
| MPF2500400XXSTINX | 40 | 1-9/16 | 2500 | 8 1/5" | STINX |
| MPF2500400XXMRINX | 40 | 1-9/16 | 2500 | 8 1/5" | MRINX |
| MPF2430400XXSMINX | 40 | 1-9/16 | 2438 | 8 | SMINX |
| MPF2430600XXSTANT | 70 | 2-3/4 | 2438 | 8 | STANT |
| MPF2430600XXMRANT | 70 | 2-3/4 | 2438 | 8 | MRANT |
| MPF2430600XXSTBRO | 70 | 2-3/4 | 2438 | 8 | STBRO |
| MPF2430600XXMRBRO | 70 | 2-3/4 | 2438 | 8 | MRBRO |
| MPF2430600XXSTCOP | 70 | 2-3/4 | 2438 | 8 | STCOP |
| MPF2430600XXMRCOP | 70 | 2-3/4 | 2438 | 8 | MRCOP |
| MPF2430600XXSTGLD | 70 | 2-3/4 | 2438 | 8 | STGLD |
| MPF2430600XXMRGLD | 70 | 2-3/4 | 2438 | 8 | MRGLD |
| MPF2500600XXSTINX | 70 | 2-3/4 | 2500 | 8 1/5" | STINX |
| MPF2500600XXMRINX | 70 | 2-3/4 | 2500 | 8 1/5" | MRINX |
| MPF2430600XXSMINX | 70 | 2-3/4 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).


Lengths (L) may vary according to surface options of stainless steel products.

## CERAMIC BORDERS, **TILE TRIM PROFILES**
## CERAMIC PROTECTION PROFILES

Mox tile trim profiles will eliminate joint and application flaws and prevent damage to ceramics while providing aesthetics to your living spaces. They prevent deformations in applied areas by preventing any leakage.







# MONO-FIX

## Aluminum Tile Trim



Mono Fix aluminium tile trim edge adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage.

Mono Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CERAMIC PROTECTION WITH AN ELEGANT APPEARANCE








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MNF250010003MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| MNF250010003MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| MNF250010003MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| MNF250010003MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| MNF250010003PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| MNF250010003PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| MNF250010003PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| MNF250010003PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| MNF250010003R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| MNF250010003R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# ROUND-FIX

## Aluminum Tile Trim

Round Fix aluminium tile trim round external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

Round Fix has matte anodized, bright anodized electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




ELEVATE YOUR CERAMIC APPLICATIONS:
SEAMLESS STYLE, UNMATCHED PROTECTION








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| RNF250010009MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| RNF250010009MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| RNF250010009MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| RNF250010009MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| RNF250010009PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| RNF250010009PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| RNF250010009PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| RNF250010009PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| RNF250010009R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| RNF250010009R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# SQUARE-FIX

## Aluminum Tile Trim



Square Fix aluminium tile trim square external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

Square Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FLAWLESS APPEARANCE ON CERAMIC SURFACES,
WIDE RANGE OF COLOR AND EFFECT OPTIONS TO
ADAPT TRENDING CERAMIC COLORS AND TEXTURES








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SQF250010009MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| SQF250010009MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| SQF250010009MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| SQF250010009MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| SQF250010009PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| SQF250010009PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| SQF250010009PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| SQF250010009PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| SQF250010009R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| SQF250010009R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized


PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# MPS-AG

## Stainless Steel Tile Trim



MPS-AG stainless steel tile trim round external corner profile stands out with its ceramic protection feature and elegant appearance, especially in bathrooms and kitchens with ceramic surfaces. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-AG has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-AG can be produced in unlimited height and width options.


AN ELEGANT APPEARANCE THAT SOFTENS THE TRANSITION OF THE OUTER CORNERS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MAG243010008STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MAG243010008MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MAG243010008STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MAG243010008MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MAG243010008STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MAG243010008MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MAG243010008STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MAG243010008MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MAG250010008STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MAG250010008MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MAG243010008SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MAG243012008STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MAG243012008MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MAG243012008STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MAG243012008MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MAG243012008STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MAG243012008MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MAG243012008STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MAG243012008MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MAG250012008STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MAG250012008MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MAG243012008SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MAG243014008STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MAG243014008MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MAG243014008STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MAG243014008MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MAG243014008STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MAG243014008MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MAG243014008STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MAG243014008MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MAG250014008STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MAG250014008MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MAG243014008SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MAG243010008STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MAG243010008MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MAG243010008STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MAG243010008MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MAG243010008STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MAG243010008MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MAG243010008STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MAG243010008MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MAG250010008STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MAG250010008MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MAG243010008SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


# MPS-BRD

## Stainless Steel Border



MPS-BRD stainless steel tile trim border is mostly used as a decorative divider for ceramics. Being compatible with other tile trim profiles is one of its advantages. MPS-BRD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-BRD can be produced in unlimited height and width options.


DECORATIVE BORDER PROFILE FOR CERAMIC SURFACES







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MBD2430XX023STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MBD2430XX023MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MBD2430XX023STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MBD2430XX023MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MBD2430XX023STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MBD2430XX023MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MBD2430XX023STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MBD2430XX023MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MBD2500XX023STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MBD2500XX023MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MBD2430XX023SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MBD2430XX010STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MBD2430XX010MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MBD2430XX010STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MBD2430XX010MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MBD2430XX010STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MBD2430XX010MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MBD2430XX010STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MBD2430XX010MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MBD2500XX010STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MBD2500XX010MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MBD2430XX010SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MBD2430XX015STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MBD2430XX015MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MBD2430XX015STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MBD2430XX015MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MBD2430XX015STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MBD2430XX015MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MBD2430XX015STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MBD2430XX015MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MBD2500XX015STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MBD2500XX015MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MBD2430XX015SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MBD2430XX020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MBD2430XX020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MBD2430XX020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MBD2430XX020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MBD2430XX020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MBD2430XX020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MBD2430XX020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MBD2430XX020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MBD2500XX020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MBD2500XX020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MBD2430XX020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-C

## Stainless Steel Tile Trim




MPS-C stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-C has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-C can be produced in unlimited height and width options.


QUALITY OF STAINLESS STEEL FOR INNER CORNERS OF CERAMIC APPLICATIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPC243010009STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPC243010009MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPC243010009STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPC243010009MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPC243010009STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPC243010009MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPC243010009STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPC243010009MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPC250010009STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPC250010009MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPC243010009SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPC243012009STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPC243012009MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPC243012009STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPC243012009MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPC243012009STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPC243012009MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPC243012009STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPC243012009MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPC250012009STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPC250012009MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPC243012009SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPC243014009STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPC243014009MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPC243014009STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPC243014009MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPC243014009STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPC243014009MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPC243014009STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPC243014009MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPC250014009STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPC250014009MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPC243014009SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPC243008009STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPC243008009MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPC243008009STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPC243008009MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPC243008009STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPC243008009MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPC243008009STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPC243008009MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPC250008009STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPC250008009MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPC243008009SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-D

## Stainless Steel Tile Trim



MPS-D stainless steel tile trim square external corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-D has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-D can be produced in unlimited height and width options.


PROVIDES PERFECT APPEARANCE TO CERAMIC SURFACES AND PREVENTS DAMAGE TO CERAMICS WITH THE QUALITY OF STAINLESS STEEL







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPD243014008STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPD243014008MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPD243014008STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPD243014008MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPD243014008STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPD243014008MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPD243014008STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPD243014008MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPD250014008STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPD250014008MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPD243014008SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPD243008008STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPD243008008MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPD243008008STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPD243008008MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPD243008008STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPD243008008MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPD243008008STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPD243008008MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPD250008008STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPD250008008MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPD243008008SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPD243010008STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPD243010008MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPD243010008STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPD243010008MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPD243010008STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPD243010008MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPD243010008STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPD243010008MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPD250010008STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPD250010008MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPD243010008SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPD243012008STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPD243012008MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPD243012008STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPD243012008MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPD243012008STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPD243012008MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPD243012008STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPD243012008MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPD250012008STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPD250012008MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPD243012008SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-L

## Stainless Steel Tile Trim



MPS-L stainless steel tile trim edge profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage. MPS-L has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-L can be produced in unlimited height and width options.


PURE AND MINIMAL APPEARANCE TO CERAMIC COMBINATIONS WITH ITS SIMPLE DESIGN







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPL243010003STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPL243010003MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPL243010003STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPL243010003MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPL243010003STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPL243010003MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPL243010003STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPL243010003MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPL250010003STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPL250010003MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPL243010003SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPL243012003STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPL243012003MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPL243012003STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPL243012003MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPL243012003STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPL243012003MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPL243012003STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPL243012003MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPL250012003STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPL250012003MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPL243012003SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPL243014003STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPL243014003MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPL243014003STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPL243014003MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPL243014003STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPL243014003MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPL243014003STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPL243014003MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPL250014003STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPL250014003MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPL243014003SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPL243008003STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPL243008003MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPL243008003STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPL243008003MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPL243008003STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPL243008003MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPL243008003STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPL243008003MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPL250008003STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPL250008003MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPL243008003SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-S

## Stainless Steel Tile Trim



MPS-S stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-S has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-S can be produced in unlimited height and width options.


SOFTENS THE TRANSITION IN THE INNER CORNERS
AND PROVIDES AN ELEGANT APPEARANCE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPS243014020STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPS243014020MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPS243014020STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPS243014020MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPS243014020STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPS243014020MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPS243014020STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPS243014020MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPS250014020STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPS250014020MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPS243014020SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPS243008020STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPS243008020MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPS243008020STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPS243008020MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPS243008020STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPS243008020MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPS243008020STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPS243008020MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPS250008020STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPS250008020MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPS243008020SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPS243010020STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPS243010020MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPS243010020STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPS243010020MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPS243010020STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPS243010020MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPS243010020STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPS243010020MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPS250010020STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPS250010020MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPS243010020SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPS243012020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPS243012020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPS243012020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPS243012020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPS243012020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPS243012020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPS243012020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPS243012020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPS250012020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPS250012020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPS243012020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.








## RAMP TRANSITIONS, CARPET EDGE PROTECTION, **FLOORING AND RENOVATION**, STEP NOSE PROTECTION

Mox flooring profiles cover the gaps between flooring or door threshold transitions, hiding any application defect. In addition to standard threshold profiles, they also include ramp profiles that eliminate level differences between floors.


# ALL IN ONE

## Aluminum Ramp Transition



All in One aluminium ramp transition profile provides transition by eliminating any level difference between two different flooring materials in floor applications. With its adjustable feature, it adapts to every level difference between floorings. Unlike its competitors it can be installed from its extension beneath the floorings and doesn't require adhesives which makes it more long-lasting. All in One has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.


WITH ITS ADJUSTABILITY, IT PROVIDES A
FLAWLESS APPEARANCE TO FLOOR TRANSITIONS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| AIO25004024MEGMS | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5” | MEGMS |
| AIO25004024MESAR | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MESAR |
| AIO25004024MEINX | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MEINX |
| AIO25004024MESYH | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MESYH |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

# REVIO

## Aluminum Flooring

Revio aluminum carpet edge profile is specially designed to increase the aesthetics and functionality of your floor. Revio aluminum carpet edge profile not only provides a seamless transition between different flooring surfaces, but also protects the edges of your carpet, preventing wear and deformation that may occur over time. These profiles help you reduce repair and replacement costs by extending the life of your carpet.

Revio has a matte anodized coating option in silver, yellow and inox colors.



DESIGNED TO ENHANCE THE AESTHETICS AND FUNCTIONALITY OF YOUR FLOORING








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| RVO25001215MEGMS | 12 | 1/2 | 2500 | 8 1/5” | MEGMS |
| RVO25001215MESAR | 12 | 1/2 | 2500 | 8 1/5" | MESAR |
| RVO25001215MEINX | 12 | 1/2 | 2500 | 8 1/5" | MEINX |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

# VISIO

## Aluminum Flooring



Visio aluminum carpet threshold profile provides safe, aesthetic and long-lasting interior transitions between different flooring materials. It creates a safe environment, especially for children and the elderly, by providing a smooth transition between different flooring heights. Visio aluminum carpet threshold profile is designed to close gaps between carpet and other floor coverings. It provides a smooth transition between carpet and other floor covering types, eliminating any irregularities or tripping hazards that may occur. It also prolongs the life of carpets by protecting them against wear and tear. Visio, which has an aesthetic appearance as well as functional advantages, improves the overall appearance of your interior design. Visio aluminum carpet threshold profile has a matte anodized coating option in silver, yellow and inox colors.

ENHANCE YOUR FLOORING TRANSITION WITH A STYLISH CARPET THRESHOLD PROFILE








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| VSO25000927MEGMS | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5” | MEGMS |
| VSO25000927MESAR | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5" | MESAR |
| VSO25000927MEINX | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5" | MEINX |
| VSO09000927MEGMS | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MEGMS |
| VSO09000927MESAR | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MESAR |
| VSO09000927MEINX | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MEINX |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

# LINE

## Aluminum Flooring



Line aluminum flooring edge profile is an excellent choice for various projects with its versatile, durable and lightweight structure that closes the gap between floorings. Line aluminum flooring edge profile is designed to close the gaps between floor tiles of the same height. Line aluminum flooring edge profile has a bright anodized coating option in silver and yellow colors.

PERFECT CHOICE FOR YOUR FLOORING WITH ITS MINIMALIST FORM








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LIN25001004PEGMS | 10 | 3/8 | 2500 | 8 1/5” | PEGMS |
| LIN25001004PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |








PEGMS
bright silver, anodized



PESAR
bright yellow, anodized

# FLEX

## Aluminum Flooring



Flex aluminum formable flooring edge profile is used in parquet or ceramic applications as a frame that conceals the floor section, replacing joints. In addition to correcting joint and installation mistakes and improving aesthetics, it also prevents damage to the floor coverings. Flex aluminum formable flooring edge profile is designed to facilitate the transition of flooring materials. Its flexible design allows it to be bent into the desired shape. In addition to its functional advantages, its minimal appearance enhances the overall look of your designs.

Flex has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CREATE IMAGINATIVE DESIGNS FOR YOUR
FLOORING WITH ITS FORMABLE FORM








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| FLX250010003MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| FLX250010003MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| FLX250010003MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| FLX250010003MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| FLX250010003PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| FLX250010003PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| FLX250010003PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| FLX250010003PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| FLX250010003R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| FLX250010003R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# MPS-E

## Stainless Steel Flooring Profile



MPS-E stainless steel floor transition profile is one of the most preferred transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It is used as a transition border in flooring applications. MPS-E has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-E can be produced in unlimited height and width options.


SUITABLE FOR ALL ARCHITECTURAL DESIGNS WITH
ITS TRADITIONAL BUT ENHANCED APPEARANCE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPE243010020STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPE243010020MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPE243010020STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPE243010020MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPE243010020STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPE243010020MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPE243010020STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPE243010020MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPE250010020STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPE250010020MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPE243010020SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPE243012020STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPE243012020MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPE243012020STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPE243012020MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPE243012020STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPE243012020MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPE243012020STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPE243012020MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPE250012020STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPE250012020MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPE243012020SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPE243014020STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPE243014020MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPE243014020STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPE243014020MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPE243014020STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPE243014020MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPE243014020STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPE243014020MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPE250014020STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPE250014020MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPE243014020SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPE243008020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPE243008020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPE243008020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPE243008020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPE243008020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPE243008020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPE243008020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPE243008020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPE250008020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPE250008020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPE243008020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-N

## Stainless Steel Flooring Profile



MPS-N stainless steel ramp transition profile is used as a separating border and transition profile between floors of different levels in floor applications. It can be produced in custom heights for any level difference.

MPS-N has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-N can be produced in unlimited height and width options.


SOFTENS THE TRANSITION BETWEEN DIFFERENT LEVELS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPN243014050STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPN243014050MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPN243014050STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPN243014050MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPN243014050STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPN243014050MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPN243014050STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPN243014050MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPN250014050STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPN250014050MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPN243014050SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPN243008050STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPN243008050MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPN243008050STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPN243008050MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPN243008050STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPN243008050MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPN243008050STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPN243008050MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPN250008050STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPN250008050MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPN243008050SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPN243010050STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPN243010050MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPN243010050STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPN243010050MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPN243010050STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPN243010050MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPN243010050STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPN243010050MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPN250010050STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPN250010050MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPN243010050SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPN243012050STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPN243012050MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPN243012050STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPN243012050MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPN243012050STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPN243012050MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPN243012050STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPN243012050MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPN250012050STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPN250012050MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPN243012050SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-TB

## Stainless Steel Flooring Profile



MPS-TB stainless steel floor T transition is one of the most durable transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It covers the gaps and application flaws between floor transitions and door threshold transitions. It is also used as a separator frame in floor applications. MPS-TB has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-TB can be produced in unlimited height and width options.


WITH THE T SHAPE, PROVIDES THE SIMPLE
LOOK OF TRADITIONAL TRANSITIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MTB243010025STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MTB243010025MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MTB243010025STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MTB243010025MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MTB243010025STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MTB243010025MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MTB243010025STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MTB243010025MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MTB250010025STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MTB250010025MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MTB243010025SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MTB243012025STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MTB243012025MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MTB243012025STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MTB243012025MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MTB243012025STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MTB243012025MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MTB243012025STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MTB243012025MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MTB250012025STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MTB250012025MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MTB243012025SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MTB243014025STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MTB243014025MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MTB243014025STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MTB243014025MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MTB243014025STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MTB243014025MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MTB243014025STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MTB243014025MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MTB250014025STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MTB250014025MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MTB243014025SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MTB243008025STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MTB243008025MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MTB243008025STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MTB243008025MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MTB243008025STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MTB243008025MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MTB243008025STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MTB243008025MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MTB250008025STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MTB250008025MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MTB243008025SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-YD

## Stainless Steel Flooring Profile



MPS-YD stainless steel expansion joint profile provides the best solutions for ceramic floor applications especially in places with large areas such as hospitals, shopping malls and schools. It absorbs the pressure caused by structural expansions and provides protection to ceramics. MPS-YD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-YD can be produced in unlimited height and width options.


ABSORBS THE PRESSURE OF BUILDING EXPANSIONS
AND PROVIDES PROTECTION TO CERAMICS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MYD243014015STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MYD243014015MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MYD243014015STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MYD243014015MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MYD243014015STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MYD243014015MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MYD243014015STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MYD243014015MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MYD250014015STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MYD250014015MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MYD243014015SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MYD243008015STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MYD243008015MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MYD243008015STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MYD243008015MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MYD243008015STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MYD243008015MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MYD243008015STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MYD243008015MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MYD250008015STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MYD250008015MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MYD243008015SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MYD243010015STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MYD243010015MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MYD243010015STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MYD243010015MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MYD243010015STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MYD243010015MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MYD243010015STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MYD243010015MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MYD250010015STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MYD250010015MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MYD243010015SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MYD243012015STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MYD243012015MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MYD243012015STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MYD243012015MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MYD243012015STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MYD243012015MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MYD243012015STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MYD243012015MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MYD250012015STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MYD250012015MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MYD243012015SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


# MPS-B

## Stainless Steel Step Nose



MPS-B stainless steel tile step protection profile covers the defects caused during application and protects the step tiles such as marble and parquet. It protects ceramic steps against deformation and fracture while providing safety with its non-slip design. MPS-B has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-B can be produced in unlimited height and width options.


ELIMINATES APPLICATION ERRORS OF
STAIRS SUCH AS MARBLE AND PARQUET







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPB243010040STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPB243010040MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPB243010040STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPB243010040MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPB243010040STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPB243010040MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPB243010040STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPB243010040MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPB250010040STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPB250010040MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPB243010040SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPB243012040STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPB243012040MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPB243012040STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPB243012040MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPB243012040STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPB243012040MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPB243012040STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPB243012040MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPB250012040STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPB250012040MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPB243012040SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPB243014040STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPB243014040MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPB243014040STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPB243014040MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPB243014040STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPB243014040MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPB243014040STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPB243014040MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPB250014040STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPB250014040MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPB243014040SMINX | 14 | 9/16 | 2438 | 8 | SMINX |
| MPB243020040STANT | 20 | 13/16 | 2438 | 8 | STANT |
| MPB243020040MRANT | 20 | 13/16 | 2438 | 8 | MRANT |
| MPB243020040STBRO | 20 | 13/16 | 2438 | 8 | STBRO |
| MPB243020040MRBRO | 20 | 13/16 | 2438 | 8 | MRBRO |
| MPB243020040STCOP | 20 | 13/16 | 2438 | 8 | STCOP |
| MPB243020040MRCOP | 20 | 13/16 | 2438 | 8 | MRCOP |
| MPB243020040STGLD | 20 | 13/16 | 2438 | 8 | STGLD |
| MPB243020040MRGLD | 20 | 13/16 | 2438 | 8 | MRGLD |
| MPB250020040STINX | 20 | 13/16 | 2500 | 8 1/5" | STINX |
| MPB250020040MRINX | 20 | 13/16 | 2500 | 8 1/5" | MRINX |
| MPB243020040SMINX | 20 | 13/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

Istanbul Office
EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey
+90 212 559 0636

UK Warehouse
869 High Road Tottenham,
London, N17 8EY, UK
+44 751 2934322

mox@moxsystems.com
moxsystems.com