

MOX Systems - techninė dokumentacija

product-luceo-en.pdf

Techninis vertimas: matmenis rasite originaliuose brėžiniuose ir nuorodų puslapiuose.

Šaltinio puslapis 1

LUCEO

Aliumininė grindjuostė su LED

Luceo aliuminio LED grindjuostės dažniausiai teikiamos išskirtiniuose projektuose dėl dekoratyvinio apšvietimo.

Jis taip pat gali būti naudojamas kaip orientyras tamsiose vietose.

Be apšvietimo funkcijos, jis taip pat padengia grindų ir sienų sujungimų defektus.

Jis apsaugo nuo nešvarumų kaupimosi ir kenksmingų organizmų, kad būtų galima naudoti higieniškai ir sveikai daugelį metų.

Su tuščiaaviduriu dizainu jis surenka telefono, elektros ir interneto laidus, kad sutvarkytų jūsų aplinką.

Luceo yra paprastos ir minimalios išvaizdos dėl savo plonos formos.

Luceo turi matinio anoduoto, ryškiai anoduoto, atlasinio cheminio ryškiai anoduoto ir elektrostatinio miltelinio dažymo galimybes.

Nors yra sidabrinės, geltonos, inoksinės, bronzinės ir juodos spalvos anoduotos dangos, ją taip pat galima nudažyti pagal norimą RAL kodą naudojant elektrostatinį miltelinį dažymą.

VADOVAS ŠVIESOS ŠALTINIS SAUGUMO TIKSLAIS, TAIP PAT MĖGAUTIS ŠVIESOS PRISILIETIMAI DIZAINUOSE

Aukštis Ilgis Gaminio Nr Paviršius mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Išorinis kampas h

LCEINT100013COLOR - Vidinis kampas

LCEEND100013COLOR - Galinis dangtelis

ĮSTATYMAS PASIRINKIMAS

Naudojant įmontuotus arba pagrindinius taikymo būdus, jis gali būti 13 mm lygyje su siena arba naudojamas kaip tradicinė grindjuostė. 1/2"

MEGMS R9005 matinis sidabras, anoduota juoda, pusiau blizgus, padengtas milteliniu būdu

R9016 R7016 baltas, pusiau blizgus, antracitas, pusiau blizgus, padengtas milteliniu būdu, padengtas milteliniu būdu

RGB24R ir RGB24P tvarkyklė su patvariu, plono dizaino metaliniu dėklu.

LED-STL RGB Led Strip šviestuvai 5m

RGB24R ir RGB24P Suderinamas su nuotolinio valdymo pultu arba sieniniu valdymo skydeliu.

KAMPINIAI SPRENDIMAI

Su įmontuotais arba pagrindiniais naudojimo būdais jis gali būti lygus su siena arba naudojamas kaip tradicinė grindjuostė.

Originalūs brēžiniai ir informaciniai puslapiai

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN




Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

