

MOX Systems - techninė dokumentacija

product-wishled-en.pdf

Techninis vertimas: matmenis rasite originaliuose brėžiniuose ir nuorodų puslapiuose.

Šaltinio puslapis 1

WISHLED

Aliumininė grindjuostė su LED

Wishled aliuminio LED grindjuostės gali derėti prie bet kokios aplinkos dėl savo neribotų raštų dizaino galimybių.

Jis dažniausiai naudojamas kaip naktinis apšvietimas vaikų kambariuose su keičiamo dizaino spausdintu viršeliu.

Jis taip pat gali būti naudojamas reklamai ir įmonės tapatybės pristatymui viešose vietose.

Be apšvietimo funkcijos, jis taip pat padengia grindų ir sienų sujungimų defektus.

Taikymas bus baigtas pritvirtinus priekinio dizaino spausdintą difuzoriaus skydelį su užrakinimo sistema.

Su vidiniais, išoriniais ir galiniais dengiančiais dangteliais, kurie yra tokios pat spalvos kaip ir profiliai, galima lengvai uždėti sklandų kampų posūkį, nereikalaujant kampinio pjūvio.

Wishled turi matinio anoduoto, ryškiai anoduoto, atlasinio cheminio ryškiai anoduoto ir elektrostatinio miltelinio dažymo galimybes.

Nors yra sidabrinės, geltonos, inoksinės, bronzinės ir juodos spalvos anoduotos dangos, ją taip pat galima nudažyti pagal norimą RAL kodą naudojant elektrostatinį miltelinį dažymą.

Be esamų modelių dizaino, kurį siūlome apšvietimo skydai, taip pat gali būti pritaikyti individualūs dizainai.

TINKA BETKOJE APLINKOJE SU NERIBOTU DIZAINU

Aukštis Ilgis Gaminio Nr Paviršius mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Išorinis kampas h

WSLINT100020COLOR - Vidinis kampas

WSLEND100020COLOR - Galinis dangtelis

MEGMS R9005 matinis sidabras, anoduota juoda, pusiau blizgus, padengtas milteliniu būdu

R9016 R7016 baltas, pusiau blizgus, antracitas, pusiau blizgus, padengtas milteliniu būdu, padengtas milteliniu būdu

RGB24R ir RGB24P tvarkyklė su patvariu, plono dizaino metaliniu dėklu.

LED-STL RGB Led Strip šviestuvai 5m

RGB24R ir RGB24P Suderinamas su nuotolinio valdymo pultu arba sieniniu valdymo skydeliu.

KAMPINIAI SPRENDIMAI

Su įmontuotais arba pagrindiniais naudojimo būdais jis gali būti lygus su siena arba naudojamas kaip tradicinė grindjuostė.

Originalūs brēžiniai ir informaciniai puslapiai


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

