

MOX Systems - tehniskā dokumentācija

product-luceo-en.pdf

Tehniskais tulkojums: izmērus skatiet oriģinālajos rasējumos un atsaucēs lapās.

Avota lapa 1

LUCEO

Alumīnija grīdlīste ar LED

Luceo alumīnija LED grīdlīstes galvenokārt tiek dotas ekskluzīvos projektos, pateicoties tās dekoratīvā apgaismojuma funkcijai.

To var izmantot arī kā virzošo gaismu tumšās vietās.

Papildus apgaismojuma funkcijai tas aptver arī grīdas un sienu savienojumu defektus.

Tas novērš netīrumu uzkrāšanos un kaitīgos organismus, nodrošinot higiēnisku un veselīgu lietošanu daudzus gadus.

Tā dizainā ir laba zona, kurā tiek savākti tālruna, elektrības un interneta kabeļi, lai sakārtotu jūsu vidi.

Luceo ir vienkāršs un minimāls izskats ar savu slaido formu.

Luceo ir matētas anodētas, spilgti anodētas, satīna ķīmiski spilgti anodētas un elektrostātiskās pulverkrāsošanas iespējas.

Lai gan ir pieejami sudraba, dzeltena, inox, bronzas un melni anodēti krāsu pārklājumi, to var arī krāsot pēc vēlamā RAL koda ar elektrostātisko pulverkrāsošanu.

VADĪGAIS GAISMAS AVOTS DROŠĪBAS MĒRĶIEM, KĀ ARĪ IZBAUDĪT GAISMAS PISKIENU DIZAINĀ

Augstums Garums Produkta Nr Virsma mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Ārējais stūris h

LCEINT100013COLOR - Iekšējais stūris

LCEEND100013COLOR - Gala vāciņš

IEBŪVĒTA IESPĒJA

Pateicoties iebūvētajām vai pamata pielietošanas metodēm, to var pielīdzināt 13 mm pie sienas vai izmantot kā tradicionālu grīdlīstes. 1/2"

MEGMS R9005 matēts sudrabs, anodēts melns, daļēji spīdīgs, pulverkrāsots

R9016 R7016 balts, daļēji spīdīgs, antracīts, daļēji spīdīgs, pulverkrāsots ar pulvera pārklājumu

RGB24R un RGB24P draiveris ar izturīgu, plāna dizaina metāla korpusu.

LED-STL RGB Led Strip gaisma 5m

RGB24R & RGB24P Savietojams ar tālvadības pulti vai sienas vadības paneli.

STŪRA RISINĀJUMI

Pateicoties iebūvētajām vai pamata pielietošanas metodēm, to var pielīdzināt pie sienas vai izmantot kā tradicionālu grīdlīsti.

Originālie rasējumi un atsauces lapas

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN




Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

