# MOX Systems - tehniskā dokumentācija

product-mps-f-en.pdf

Tehniskais tulkojums: izmērus skatiet oriģinālajos rasējumos un atsauces lapās.

# Avota lapa 1

MPS-F

Nerūsējošā tērauda grīdlīste

Mps-F nerūsējošā tērauda grīdlīstes profils ir paredzēts grīdlīstes nodrošināšanai keramikas lietojumos.

Tas novērš mitrumu lietošanas zonās un samazina trieciena skaņas pārraidi.

Piešķir estētisku izskatu, slēpjot pielietojuma defektus grīdas un sienu pārejās.

Tas ir īpaši izturīgs, ilgmūžīgs un izturīgs pret koroziju, jo ir ražots no 304L kvalitātes nerūsējošā tērauda. Pieejama arī 201 kvalitātes nerūsējošā tērauda alternatīva.

Mps-F nodrošina līdzenu izskatu ar savienojuma pagarinājumu.

Mps-F ir spoguļa, satīna, ekskluzīvas superspoguļa virsmas un antracīta, bronzas, vara, zelta, inox krāsu iespējas.

Mps-F var ražot neierobežotās augstuma un platuma opcijās.

NOVĒRSTA MITRUMA IEKĻŪŠANU LOCĪTAVĀS UN SAMAZINA SKAŅAS PĀRRAIDĪBU TRIECIENA ZONĀ

Augstums Garums Produkta Nr Virsma mm in mm ft

MPF2430400XXSTANT 40 1-9/16 2438 8 STANT

MPF2430400XXMRANT 40 1-9/16 2438 8 MRANT

MPF2430400XXSTBRO 40 1-9/16 2438 8 STBRO

MPF2430400XXMRBRO 40 1-9/16 2438 8 MRBRO

MPF2430400XXSTCOP 40 1-9/16 2438 8 STCOP

MPF2430400XXMRCOP 40 1-9/16 2438 8 MRCOP

MPF2430400XXSTGLD 40 1-9/16 2438 8 STGLD

MPF2430400XXMRGLD 40 1-9/16 2438 8 MRGLD h

MPF2500400XXSTINX 40 1-9/16 2500 8 1/5" STINX

MPF2500400XXMRINX 40 1-9/16 2500 8 1/5" MRINX

MPF2430400XXSMINX 40 1-9/16 2438

8 SMINX 8-10-12-14mm

MPF2430600XXSTANT 70 2-3/4 2438 8 STANT 5/16"-3/8"-1/2"-9/16"

MPF2430600XXMRANT 70 2-3/4 2438 8 MRANT

MPF2430600XXSTBRO 70 2-3/4 2438 8 STBRO

MPF2430600XXMRBRO 70 2-3/4 2438 8 MRBRO

MPF2430600XXSTCOP 70 2-3/4 2438 8 STCOP

MPF2430600XXMRCOP 70 2-3/4 2438 8 MRCOP MRANT STANT

MPF2430600XXSTGLD 70 2-3/4 2438 8 STGLD antracīta spogulis antracīta satīns

MPF2430600XXMRGLD 70 2-3/4 2438 8 MRGLD

MPF2500600XXSTINX 70 2-3/4 2500 8 1/5" STINX

MPF2500600XXMRINX 70 2-3/4 2500 8 1/5" MRINX

MPF2430600XXSMINX 70 2-3/4 2438 8 SMINX MRBRO STBRO bronzas spogulis bronzas satīns

MRCOP STCOP vara spogulis vara satīns

MRGLD STGLD zelta spogulis zelta satīns

MRINX STINX inox spogulis inox satīns

SMINX super spogulis

Nerūsējošā tērauda izstrādājumus var ražot jebkurā vēlamajā augstumā (h).

Garumi (L) var atšķirties atkarībā no nerūsējošā tērauda izstrādājumu virsmas iespējām.

# Oriģinālie rasējumi un atsauces lapas

# MPS-F

## Stainless Steel Skirting Board

MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension. MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-F can be produced in unlimited height and width options.

PREVENTS MOISTURE PENETRATION TO JOINTS AND
REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE

| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPF2430400XXSTANT | 40 | 1-9/16 | 2438 | 8 | STANT |
| MPF2430400XXMRANT | 40 | 1-9/16 | 2438 | 8 | MRANT |
| MPF2430400XXSTBRO | 40 | 1-9/16 | 2438 | 8 | STBRO |
| MPF2430400XXMRBRO | 40 | 1-9/16 | 2438 | 8 | MRBRO |
| MPF2430400XXSTCOP | 40 | 1-9/16 | 2438 | 8 | STCOP |
| MPF2430400XXMRCOP | 40 | 1-9/16 | 2438 | 8 | MRCOP |
| MPF2430400XXSTGLD | 40 | 1-9/16 | 2438 | 8 | STGLD |
| MPF2430400XXMRGLD | 40 | 1-9/16 | 2438 | 8 | MRGLD |
| MPF2500400XXSTINX | 40 | 1-9/16 | 2500 | 8 1/5" | STINX |
| MPF2500400XXMRINX | 40 | 1-9/16 | 2500 | 8 1/5" | MRINX |
| MPF2430400XXSMINX | 40 | 1-9/16 | 2438 | 8 | SMINX |
| MPF2430600XXSTANT | 70 | 2-3/4 | 2438 | 8 | STANT |
| MPF2430600XXMRANT | 70 | 2-3/4 | 2438 | 8 | MRANT |
| MPF2430600XXSTBRO | 70 | 2-3/4 | 2438 | 8 | STBRO |
| MPF2430600XXMRBRO | 70 | 2-3/4 | 2438 | 8 | MRBRO |
| MPF2430600XXSTCOP | 70 | 2-3/4 | 2438 | 8 | STCOP |
| MPF2430600XXMRCOP | 70 | 2-3/4 | 2438 | 8 | MRCOP |
| MPF2430600XXSTGLD | 70 | 2-3/4 | 2438 | 8 | STGLD |
| MPF2430600XXMRGLD | 70 | 2-3/4 | 2438 | 8 | MRGLD |
| MPF2500600XXSTINX | 70 | 2-3/4 | 2500 | 8 1/5" | STINX |
| MPF2500600XXMRINX | 70 | 2-3/4 | 2500 | 8 1/5" | MRINX |
| MPF2430600XXSMINX | 70 | 2-3/4 | 2438 | 8 | SMINX |



MRANT
anthracite mirror

STANT
anthracite satin

MRBRO
bronze mirror

STBRO
bronze satin

MRCOP
copper mirror

STCOP
copper satin

MRGLD
gold mirror

STGLD
gold satin



MRINX
inox mirror

STINX
inox satin

SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.