

MOYU



MOX

LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS

LUCEO	10
guiding light source for security purposes, as well as to enjoy the touch of light in design	
LEUX	12
brings classical designs and modern lighting together	
WISHLED	16
suitable for any environment with unlimited design options	
LATO	18
ideal for all living spaces with minimal, slim design. practical corner solutions	
WISH	20
with unlimited pattern options completely custom designs	
SOLE	22
designed for all classical, luxurious and prestigious living spaces	
CRISPO	26
for areas with large gaps between wall and flooring	
SENTIO	28
order cables in areas such as workplaces and put an end to the mess	
VELO	30
provides sealing and eliminates joint defects to floor-wall joints in wet areas	
VINO	32
provides limitless flexibility in your applications	
MPS-F	34
prevents moisture penetration to joints and reduces sound transmission in the impact zone	

CERAMIC BORDERS, TILE TRIM PROFILES CERAMIC PROTECTION PROFILES

MPS-AG	38
an elegant appearance that softens the transition of the outer corners	
MPS-BRD	42
decorative border profile for ceramic surfaces	
MPS-C	44
quality of stainless steel for inner corners of ceramic applications	
MPS-D	46
provides perfect appearance to ceramic surfaces and prevents damage to ceramics with the quality of stainless steel	
MPS-L	48
pure and minimal appearance to ceramic combinations with its simple design	
MPS-S	50
softens the transition in the inner corners and provides an elegant appearance	

RAMP TRANSITIONS, FLOORING AND RENOVATION, STEP NOSE PROTECTION

MPS-E	54
suitable for all architectural designs with its traditional but enhanced appearance	
MPS-N	58
softens the transition between different levels	
MPS-TB	60
with the T shape, provides the simple look of traditional transitions	
MPS-YD	62
absorbs the pressure of building expansions and provides protection to ceramics	
MPS-B	64
eliminates application errors of stairs such as marble and parquet	

ABOUT MOX

Orego Metal, one of the main suppliers of well known international brands, has entered the Turkey market with Mox Profile Systems by maintaining high quality raw material, correct operation and perfect surfaces which led it to become a favorite brand for many customers in the World and especially in Europe.

We assure that your application places will be both aesthetically pleasing and distinguishable, with our wide range of products including skirting boards, tile trims, stair nose profiles, flooring transition and ramp transition profiles with aluminum and stainless steel materials.

We promise not only to provide quality product and service for applying all processes with the same precision for transforming raw material to aluminum decorative profile, but also best prices by means of our manufacturing capabilities.

Always prioritizing customer satisfaction and respecting their feedback plays the most important role in increasing our growth figures every year in the European, American, Middle Eastern and African markets.



CONSULTATION



DESIGN



DEVELOPMENT



MOLDING



PRODUCTION



SURFACE OPTIONS



PACKAGING



DELIVERY

DESIGN

We are here with our technical team to be your solution partner for your application areas. We offer both our standard products or if required non-standard products that are customized according to your need. With being a manufacturer and having nearly 3,000 existing molds, we can offer non-standard solutions.

MOLDING

If our existing products do not provide the solution you need, our design team will work in coordination with you to design a product according to your request and provide complete technical details. According to your annual consumption numbers and your surface type and quality expectation, we optimize and produce the mold in our own workshop so that the design is not shared with any third parties.

PROJECT MANAGEMENT


We offer and deliver custom profiles up to 6m length, in order to save you from cutting work and cost of waste. We have the capability of producing unlimited RAL color in our own integrated powder coating facility, and silver, yellow, bronze, inox and black color options for matte and bright surfaces in our anodizing facility. Chrome plating and nickel colors in profiles up to 3 meters are also among our production capabilities.



LED LIGHTING, CABLE ORGANIZATORS,
STYLISH AND CUSTOMIZABLE PROFILES
SKIRTING BOARDS

Mox skirting boards cover the defects in floor and wall joints. They prevent dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.

LUCEO




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form.




- 
ALUMINUM
- 
HYGIENIC
- 
WARRANTY
- 
LIGHTING







TWO VARIATIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



Technical details page 68

Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

- 
CORNER
- 
RGB LED
- 
DIMMER
- 
DRIVER

LEUX

Leux aluminum LED skirting board is mostly preferred in exclusive classical design projects through its decorative lighting feature and Victorian design. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Leux brings classical appearance and modern lighting together.

BRINGS CLASSICAL DESIGNS AND
MODERN LIGHTING TOGETHER



- 
ALUMINUM
- 
HYGIENIC
- 
WARRANTY
- 
LIGHTING
- 
ECLIPSE



TWO VARIATIONS


With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



Leux is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

- 
RGB LED
- 
DIMMER
- 
DRIVER






WISHLED

SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN OPTIONS





Wished aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut.

- 
 ALUMINUM
- 
 HYGIENIC
- 
 WARRANTY
- 
 LIGHTING
- 
 CUSTOM



Technical details page 69

Wished has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.


- 
 CORNER
- 
 RGB LED
- 
 DIMMER
- 
 DRIVER




LATO

Lato aluminum skirting board profile is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment.


IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS



- 
 ALUMINUM
- 
 HYGIENIC
- 
 WARRANTY



Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.






WISH

WITH UNLIMITED PATTERN OPTIONS
COMPLETELY CUSTOM DESIGNS


Wish patterned aluminum skirting board profile can match with any environment due to its unlimited pattern designs options. It is widely preferred in children's rooms and kindergartens. It can also be used for advertising and to present corporate identity in public areas. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment.

- 
 ALUMINUM
- 
 HYGIENIC
- 
 WARRANTY
- 
 CUSTOM



Technical details page 70

In addition to existing pattern designs we offer, personalized designs can also be applied to Wish patterned aluminum skirting board.







CORNER


SOLE

Sole aluminum skirting board profile is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES



- 
ALUMINUM
- 
HYGIENIC
- 
WARRANTY
- 
ECLIPSE



Technical details page 71

Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.




CORNER




CRISPO

Crispo aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Crispo provides unity with its oval transition appearance and is compatible with both classical and modern architecture.

FOR AREAS WITH LARGE GAPS BETWEEN
WALL AND FLOORING




ALUMINUM



HYGIENIC



WARRANTY



Technical details page 71

Crispo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.





SENTIO

ORDER CABLES IN AREAS SUCH AS WORKPLACES AND PUT AN END TO THE MESS

Sentio aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. With the extended hollow area in its design, it collects the telephone, electricity and internet cables to organize environments such as workplaces and offices. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.

- 
 ALUMINUM
- 
 HYGIENIC
- 
 WARRANTY



Technical details page 71

Sentio has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.





VELO

PROVIDES SEALING AND ELIMINATES JOINT DEFECTS TO FLOOR-WALL JOINTS IN WET AREAS


Velo aluminum skirting board provides skirting solutions especially for wet areas like bathrooms and kitchens. It takes up less space and offers ease of installation. It provides leak proofing as well as aesthetics by covering the wall-floor joint defects especially on wet areas.

- 
 ALUMINUM
- 
 HYGIENIC
- 
 WARRANTY



Technical details page 72


Velo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



VINO

PROVIDES LIMITLESS FLEXIBILITY
IN YOUR APPLICATIONS

Vino vinyl cove base provides limitless flexibility to your applications. It takes up less space and offers ease of installation. It provides aesthetics by covering the wall-floor joint defects. It can be used in oval wall applications as it is suitable for bending. It is made a PVC compound called Plasmerit 176 NS. Plasmerit 176 NS is a non-smelling product developed for the applications where unpleasant odor of tin-based stabilizer is unwanted. It is produced with non-toxic stabilizer system and phthalate-free plasticizer. Vino can be easily installed by directly applying adhesive.



Technical details page 72

Vino is an eclipse series product. PVC products with eclipse marker have black and white color options.


MPS-F

MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension.

PREVENTS MOISTURE PENETRATION TO JOINTS AND REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE




-  304L STEEL
-  201 STEEL
-  HYGIENIC
-  WARRANTY
-  UNLIMITED SIZE



Technical details page 73

MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.


MPS-F can be produced in unlimited height and width options.



CERAMIC BORDERS, **TILE TRIM PROFILES**
CERAMIC PROTECTION PROFILES

Mox tile trim profiles will eliminate joint and application flaws and prevent damage to ceramics while providing aesthetics to your living spaces. They prevent deformations in applied areas by preventing any leakage.


MPS-AG



AN ELEGANT APPEARANCE THAT SOFTENS THE TRANSITION OF THE OUTER CORNERS

MPS-AG stainless steel tile trim round external corner profile stands out with its ceramic protection feature and elegant appearance, especially in bathrooms and kitchens with ceramic surfaces. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 5
 WARRANTY
- 
 UNLIMITED SIZE



Technical details page 74-75

MPS-AG has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-AG can be produced in unlimited height and width options.






MPS-BRD

DECORATIVE BORDER PROFILE
FOR CERAMIC SURFACES

MPS-BRD stainless steel tile trim border is mostly used as a decorative divider for ceramics. Being compatible with other tile trim profiles is one of its advantages.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY
- 
 UNLIMITED SIZE



Technical details page 75-76

MPS-BRD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-BRD can be produced in unlimited height and width options.


MPS-C

MPS-C stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

QUALITY OF STAINLESS STEEL FOR INNER CORNERS OF CERAMIC APPLICATIONS



- 
304L STEEL
- 
201 STEEL
- 
HYGIENIC
- 
WARRANTY
- 
UNLIMITED SIZE



Technical details page 77-78

MPS-C has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.


MPS-C can be produced in unlimited height and width options.


MPS-D



PROVIDES PERFECT APPEARANCE TO CERAMIC SURFACES AND PREVENTS DAMAGE TO CERAMICS WITH THE QUALITY OF STAINLESS STEEL

MPS-D stainless steel tile trim square external corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY



Technical details page 78-79

MPS-D has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-D can be produced in unlimited height and width options.




MPS-L

PURE AND MINIMAL APPEARANCE TO CERAMIC COMBINATIONS WITH ITS SIMPLE DESIGN

MPS-L stainless steel tile trim edge profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY
- 
 UNLIMITED SIZE



Technical details page 80-81

MPS-L has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-L can be produced in unlimited height and width options.



MPS-S

MPS-S stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

SOFTENS THE TRANSITION IN THE INNER CORNERS AND PROVIDES AN ELEGANT APPEARANCE




- 
304L STEEL
- 
201 STEEL
- 
HYGIENIC
- 
WARRANTY
- 
UNLIMITED SIZE



Technical details page 81-82

MPS-S has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-S can be produced in unlimited height and width options.



RAMP TRANSITIONS, **FLOORING AND RENOVATION**, STEP NOSE PROTECTION

Mox flooring profiles cover the gaps between flooring or door threshold transitions, hiding any application defect. In addition to standard threshold profiles, they also include ramp profiles that eliminate level differences between floors.



MPS-E



SUITABLE FOR ALL ARCHITECTURAL DESIGNS WITH ITS TRADITIONAL BUT ENHANCED APPEARANCE

MPS-E stainless steel floor transition profile is one of the most preferred transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It is used as a transition border in flooring applications.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY
- 
 UNLIMITED SIZE



Technical details page 83-84

MPS-E has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-E can be produced in unlimited height and width options.







MPS-N

SOFTENS THE TRANSITION
BETWEEN DIFFERENT LEVELS

MPS-N stainless steel ramp transition profile is used as a separating border and transition profile between floors of different levels in floor applications. It can be produced in custom heights for any level difference.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY
- 
 UNLIMITED SIZE



Technical details page 84-85

MPS-N has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-N can be produced in unlimited height and width options.



MPS-TB

MPS-TB stainless steel floor T transition is one of the most durable transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It covers the gaps and application flaws between floor transitions and door threshold transitions. It is also used as a separator frame in floor applications.

WITH THE T SHAPE, PROVIDES THE SIMPLE LOOK OF TRADITIONAL TRANSITIONS



- 
304L STEEL
- 
201 STEEL
- 
HYGIENIC
- 
WARRANTY
- 
UNLIMITED SIZE



Technical details page 86-87

MPS-TB has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-TB can be produced in unlimited height and width options.

MPS-YD



ABSORBS THE PRESSURE OF BUILDING EXPANSIONS
AND PROVIDES PROTECTION TO CERAMICS

MPS-YD stainless steel expansion joint profile provides the best solutions for ceramic floor applications especially in places with large areas such as hospitals, shopping malls and schools. It absorbs the pressure caused by structural expansions and provides protection to ceramics.



304L STEEL



201 STEEL





HYGIENIC



WARRANTY



UNLIMITED SIZE



Technical details page 87-88

MPS-YD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-YD can be produced in unlimited height and width options.



MPS-B



ELIMINATES APPLICATION ERRORS OF STAIRS SUCH AS MARBLE AND PARQUET

MPS-B stainless steel tile step protection profile covers the defects caused during application and protects the step tiles such as marble and parquet. It protects ceramic steps against deformation and fracture while providing safety with its non-slip design.

- 
 304L STEEL
- 
 201 STEEL
- 
 HYGIENIC
- 
 WARRANTY
- 
 UNLIMITED SIZE




Technical details page 89-90

MPS-B has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options.

MPS-AG can be produced in unlimited height and width options.


ALUMINUM, ANODIZED

Anodized coating provides great protection against oxidation. In order to avoid stains on the surface, it is recommended to be cleaned after installation. Anodized surfaces are sensitive against scratches, attention should be paid during installation. It can be produced with matte, glossy and satin surface effect options and the following colors. **For custom production, any anodized color other than matte silver must be ordered in quantities of more than 500m.**




ALUMINUM, POWDER COATED

Products with this surface are coated with powder paint after pre-treatment against corrosion and then heat treated. Electrostatic powder coating process adds a protective layer to the profiles with its high coating thickness. Unlimited color options are available in the RAL catalog. Following colors are standard.




PLASMERIT 176 NS

Our vinyl cove base products are made of soft PVC compound called Plasmerit 176 NS. Plasmerit 176 NS is a non-smelling product developed for the applications where unpleasant odor of tin-based stabilizer is unwanted. It is produced with non-toxic stabilizer system and phthalate-free plasticizer.




STAINLESS STEEL

The chromium oxide layer on the surface provides the abrasion resistance of stainless steel profiles. When the layer is damaged, it repairs itself in the presence of oxygen, it can be shaped and colored by chemical and mechanical processes. Stainless steel profiles are especially preferred outdoors.



WISH PATTERNS


The high-resolution, special UV print coated on the profiles is not affected by sun and moisture for many years, preserving its vitality. In addition to standard available designs, personalized custom designs can also be applied.



LUCEO
Aluminum Led Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	Matte Anodized	Silver
LCE250100013R9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016

LCEEXT100013COLOR - External Corner
LCEINT100013COLOR - Internal Corner
LCEEND100013COLOR - End Cap



LEUX
Aluminum Led Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
LUX250100020MEGMS	100	3-15/16	2500	8 1/5"	Matte Anodized	Silver
LUX250100020RR9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
LUX250100020R9016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
LUX250100020R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016

LUXEXT100020COLOR - External Corner
LUXINT100020COLOR - Internal Corner
LUXEND100020COLOR - End Cap



RGB24R & RGB24P
Driver with
durable, slim-
design metal case.



LED-STL
RGB Led Strip light
5m



RGB24R & RGB24P
Compatible with
remote control or
wall control panel.

WISHLED
Aluminum Led Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	Matte Anodized	Silver
WSL250100020R9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016

WSLEXT100020COLOR - External Corner
WSLINT100020COLOR - Internal Corner
WSLEND100020COLOR - End Cap




LATO
Aluminum Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
LAT250080014MEGMS	83	3-1/4	2500	8 1/5"	Matte Anodized	Silver
LAT250080014R9005	83	3-1/4	2500	8 1/5"	Powder Coated	RAL9005
LAT250080014R9016	83	3-1/4	2500	8 1/5"	Powder Coated	RAL9016
LAT250080014R7016	83	3-1/4	2500	8 1/5"	Powder Coated	RAL7016


LAT250100014MEGMS	100	3-15/16	2500	8 1/5"	Matte Anodized	Silver
LAT250100014R9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
LAT250100014R9016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
LAT250100014R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016

LAT250120014MEGMS	120	4-3/4	2500	8 1/5"	Matte Anodized	Silver
LAT250120014R9005	120	4-3/4	2500	8 1/5"	Powder Coated	RAL9005
LAT250120014R9016	120	4-3/4	2500	8 1/5"	Powder Coated	RAL9016
LAT250120014R7016	120	4-3/4	2500	8 1/5"	Powder Coated	RAL7016



LATO
Aluminum Skirting Board


Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
LAT250150014MEGMS	150	5-7/8	2500	8 1/5"	Matte Anodized	Silver
LAT250150014R9005	150	5-7/8	2500	8 1/5"	Powder Coated	RAL9005
LAT250150014R9016	150	5-7/8	2500	8 1/5"	Powder Coated	RAL9016
LAT250150014R7016	150	5-7/8	2500	8 1/5"	Powder Coated	RAL7016
LAT250180014MEGMS	180	7-1/16	2500	8 1/5"	Matte Anodized	Silver
LAT250180014R9005	180	7-1/16	2500	8 1/5"	Powder Coated	RAL9005
LAT250180014R9016	180	7-1/16	2500	8 1/5"	Powder Coated	RAL9016
LAT250180014R7016	180	7-1/16	2500	8 1/5"	Powder Coated	RAL7016



WISH
Aluminum Custom Overlay Skirting Board


Product No	Height		Length		Surface
	mm	in	mm	ft	
WIS250100014PRINT	100	3-15/16	2500	8 1/5"	UV Print Overlay

LATEXX0014COLOR - External Corner
 LATINTXX0014COLOR - Internal Corner
 LATENDXX0014COLOR - End Cap




SOLE
Aluminum Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
SOL250100020MEGMS	100	3-15/16	2500	8 1/5"	Powder Coated	Silver
SOL250100020R9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
SOL250100020R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
SOL250100020R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016



CRISPO
Aluminum Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
CRS250070025MEGMS	70	2-3/4	2500	8 1/5"	Matte Anodized	Silver
CRS250070025R9005	70	2-3/4	2500	8 1/5"	Powder Coated	RAL9005
CRS250070025R9016	70	2-3/4	2500	8 1/5"	Powder Coated	RAL9016
CRS250070025R7016	70	2-3/4	2500	8 1/5"	Powder Coated	RAL7016



SENTIO
Aluminum Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
SNT250080023MEGMS	80	3-1/8	2500	8 1/5"	Matte Anodized	Silver
SNT250080023R9005	80	3-1/8	2500	8 1/5"	Powder Coated	RAL9016
SNT250080023R9016	80	3-1/8	2500	8 1/5"	Powder Coated	RAL9016
SNT250080023R7016	80	3-1/8	2500	8 1/5"	Powder Coated	RAL7016




VELO
Aluminum Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
VLO250060012MEGMS	60	2-3/8	2500	8 1/5"	Matte Anodized	Silver
VLO250060012R9005	60	2-3/8	2500	8 1/5"	Powder Coated	RAL9005
VLO250060012R9016	60	2-3/8	2500	8 1/5"	Powder Coated	RAL9016
VLO250060012R7016	60	2-3/8	2500	8 1/5"	Powder Coated	RAL7016
VLO250100012MEGMS	100	3-15/16	2500	8 1/5"	Matte Anodized	Silver
VLO250100012R9005	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9005
VLO250100012R9016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL9016
VLO250100012R7016	100	3-15/16	2500	8 1/5"	Powder Coated	RAL7016




VINO
Vinyl Cove Base

Product No	Height		Pack Quantity		Color
	mm	in	m	ft	
VIN100100015WHITE	100	3-15/16	18.3	60	White
VIN100100015BLACK	100	3-15/16	18.3	60	Black



MPS-F
Stainless Steel Skirting Board

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPF2430400XXSTANT	40	1-9/16	2438	8	Satin	Anthracite
MPF2430400XXMRANT	40	1-9/16	2438	8	Mirror	Anthracite
MPF2430400XXSTBRO	40	1-9/16	2438	8	Satin	Bronze
MPF2430400XXMRBRO	40	1-9/16	2438	8	Mirror	Bronze
MPF2430400XXSTCOP	40	1-9/16	2438	8	Satin	Copper
MPF2430400XXMRCOP	40	1-9/16	2438	8	Mirror	Copper
MPF2430400XXSTGLD	40	1-9/16	2438	8	Satin	Gold
MPF2430400XXMRGLD	40	1-9/16	2438	8	Mirror	Gold
MPF2500400XXSTINX	40	1-9/16	2500	8 1/5"	Satin	Inox
MPF2500400XXMRINX	40	1-9/16	2500	8 1/5"	Mirror	Inox
MPF2430400XXSMINX	40	1-9/16	2438	8	Super Mirror	Inox
MPF2430600XXSTANT	70	2-3/4	2438	8	Matte Anodized	Anthracite
MPF2430600XXMRANT	70	2-3/4	2438	8	Matte Anodized	Anthracite
MPF2430600XXSTBRO	70	2-3/4	2438	8	Matte Anodized	Bronze
MPF2430600XXMRBRO	70	2-3/4	2438	8	Matte Anodized	Bronze
MPF2430600XXSTCOP	70	2-3/4	2438	8	Matte Anodized	Copper
MPF2430600XXMRCOP	70	2-3/4	2438	8	Bright Anodized	Copper
MPF2430600XXSTGLD	70	2-3/4	2438	8	Bright Anodized	Gold
MPF2430600XXMRGLD	70	2-3/4	2438	8	Bright Anodized	Gold
MPF2500600XXSTINX	70	2-3/4	2500	8 1/5"	Bright Anodized	Inox
MPF2500600XXMRINX	70	2-3/4	2500	8 1/5"	Bright Anodized	Inox
MPF2430600XXSMINX	70	2-3/4	2438	8	Powder Coated	Inox




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-AG

Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MAG243010008STANT	8	5/16	2438	8	Satin	Anthracite	
MAG243010008MRANT	8	5/16	2438	8	Mirror	Anthracite	
MAG243010008STBRO	8	5/16	2438	8	Satin	Bronze	
MAG243010008MRBRO	8	5/16	2438	8	Mirror	Bronze	
MAG243010008STCOP	8	5/16	2438	8	Satin	Copper	
MAG243010008MRCOP	8	5/16	2438	8	Mirror	Copper	
MAG243010008STGLD	8	5/16	2438	8	Satin	Gold	
MAG243010008MRGLD	8	5/16	2438	8	Mirror	Gold	
MAG250010008STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MAG250010008MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MAG243010008SMINX	8	5/16	2438	8	Super Mirror	Inox	
MAG243012008STANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MAG243012008MRANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MAG243012008STBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MAG243012008MRBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MAG243012008STCOP	10	3/8	2438	8	Matte Anodized	Copper	
MAG243012008MRCOP	10	3/8	2438	8	Bright Anodized	Copper	
MAG243012008STGLD	10	3/8	2438	8	Bright Anodized	Gold	
MAG243012008MRGLD	10	3/8	2438	8	Bright Anodized	Gold	
MAG250012008STINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MAG250012008MRINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MAG243012008SMINX	10	3/8	2438	8	Powder Coated	Inox	
MAG243014008STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MAG243014008MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MAG243014008STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MAG243014008MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MAG243014008STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MAG243014008MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MAG243014008STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MAG243014008MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MAG250014008STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MAG250014008MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MAG243014008SMINX	12	1/2	2438	8	Powder Coated	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-AG

Stainless Steel Tile Trim


Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MAG243010008STANT	14	9/16	2438	8	Satin	Anthracite	
MAG243010008MRANT	14	9/16	2438	8	Mirror	Anthracite	
MAG243010008STBRO	14	9/16	2438	8	Satin	Bronze	
MAG243010008MRBRO	14	9/16	2438	8	Mirror	Bronze	
MAG243010008STCOP	14	9/16	2438	8	Satin	Copper	
MAG243010008MRCOP	14	9/16	2438	8	Mirror	Copper	
MAG243010008STGLD	14	9/16	2438	8	Satin	Gold	
MAG243010008MRGLD	14	9/16	2438	8	Mirror	Gold	
MAG250010008STINX	14	9/16	2500	8 1/5"	Satin	Inox	
MAG250010008MRINX	14	9/16	2500	8 1/5"	Mirror	Inox	
MAG243010008SMINX	14	9/16	2438	8	Super Mirror	Inox	



MPS-BRD

Stainless Steel Border

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MBD2430XX023STANT	8	5/16	2438	8	Satin	Anthracite	
MBD2430XX023MRANT	8	5/16	2438	8	Mirror	Anthracite	
MBD2430XX023STBRO	8	5/16	2438	8	Satin	Bronze	
MBD2430XX023MRBRO	8	5/16	2438	8	Mirror	Bronze	
MBD2430XX023STCOP	8	5/16	2438	8	Satin	Copper	
MBD2430XX023MRCOP	8	5/16	2438	8	Mirror	Copper	
MBD2430XX023STGLD	8	5/16	2438	8	Satin	Gold	
MBD2430XX023MRGLD	8	5/16	2438	8	Mirror	Gold	
MBD2500XX023STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MBD2500XX023MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MBD2430XX023SMINX	8	5/16	2438	8	Super Mirror	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-BRD
Stainless Steel Border

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MBD2430XX010STANT	10	3/8	2438	8	Satin	Anthracite	■
MBD2430XX010MRANT	10	3/8	2438	8	Mirror	Anthracite	■
MBD2430XX010STBRO	10	3/8	2438	8	Satin	Bronze	■
MBD2430XX010MRBRO	10	3/8	2438	8	Mirror	Bronze	■
MBD2430XX010STCOP	10	3/8	2438	8	Satin	Copper	■
MBD2430XX010MRCOP	10	3/8	2438	8	Mirror	Copper	■
MBD2430XX010STGLD	10	3/8	2438	8	Satin	Gold	■
MBD2430XX010MRGLD	10	3/8	2438	8	Mirror	Gold	■
MBD2500XX010STINX	10	3/8	2500	8 1/5"	Satin	Inox	■
MBD2500XX010MRINX	10	3/8	2500	8 1/5"	Mirror	Inox	■
MBD2430XX010SMINX	10	3/8	2438	8	Super Mirror	Inox	■
MBD2430XX015STANT	12	1/2	2438	8	Matte Anodized	Anthracite	■
MBD2430XX015MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	■
MBD2430XX015STBRO	12	1/2	2438	8	Matte Anodized	Bronze	■
MBD2430XX015MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	■
MBD2430XX015STCOP	12	1/2	2438	8	Matte Anodized	Copper	■
MBD2430XX015MRCOP	12	1/2	2438	8	Bright Anodized	Copper	■
MBD2430XX015STGLD	12	1/2	2438	8	Bright Anodized	Gold	■
MBD2430XX015MRGLD	12	1/2	2438	8	Bright Anodized	Gold	■
MBD2500XX015STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	■
MBD2500XX015MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	■
MBD2430XX015SMINX	12	1/2v	2438	8	Powder Coated	Inox	■
MBD2430XX020STANT	14	9/16	2438	8	Matte Anodized	Anthracite	■
MBD2430XX020MRANT	14	9/16	2438	8	Matte Anodized	Anthracite	■
MBD2430XX020STBRO	14	9/16	2438	8	Matte Anodized	Bronze	■
MBD2430XX020MRBRO	14	9/16	2438	8	Matte Anodized	Bronze	■
MBD2430XX020STCOP	14	9/16	2438	8	Matte Anodized	Copper	■
MBD2430XX020MRCOP	14	9/16	2438	8	Bright Anodized	Copper	■
MBD2430XX020STGLD	14	9/16	2438	8	Bright Anodized	Gold	■
MBD2430XX020MRGLD	14	9/16	2438	8	Bright Anodized	Gold	■
MBD2500XX020STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	■
MBD2500XX020MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	■
MBD2430XX020SMINX	14	9/16	2438	8	Powder Coated	Inox	■




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-C
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPC243010009STANT	8	5/16	2438	8	Satin	Anthracite	■
MPC243010009MRANT	8	5/16	2438	8	Mirror	Anthracite	■
MPC243010009STBRO	8	5/16	2438	8	Satin	Bronze	■
MPC243010009MRBRO	8	5/16	2438	8	Mirror	Bronze	■
MPC243010009STCOP	8	5/16	2438	8	Satin	Copper	■
MPC243010009MRCOP	8	5/16	2438	8	Mirror	Copper	■
MPC243010009STGLD	8	5/16	2438	8	Satin	Gold	■
MPC243010009MRGLD	8	5/16	2438	8	Mirror	Gold	■
MPC250010009STINX	8	5/16	2500	8 1/5"	Satin	Inox	■
MPC250010009MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	■
MPC243010009SMINX	8	5/16	2438	8	Super Mirror	Inox	■
MPC243012009STANT	10	3/8	2438	8	Matte Anodized	Anthracite	■
MPC243012009MRANT	10	3/8	2438	8	Matte Anodized	Anthracite	■
MPC243012009STBRO	10	3/8	2438	8	Matte Anodized	Bronze	■
MPC243012009MRBRO	10	3/8	2438	8	Matte Anodized	Bronze	■
MPC243012009STCOP	10	3/8	2438	8	Matte Anodized	Copper	■
MPC243012009MRCOP	10	3/8	2438	8	Bright Anodized	Copper	■
MPC243012009STGLD	10	3/8	2438	8	Bright Anodized	Gold	■
MPC243012009MRGLD	10	3/8	2438	8	Bright Anodized	Gold	■
MPC250012009STINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	■
MPC250012009MRINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	■
MPC243012009SMINX	10	3/8	2438	8	Powder Coated	Inox	■
MPC243014009STANT	12	1/2	2438	8	Matte Anodized	Anthracite	■
MPC243014009MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	■
MPC243014009STBRO	12	1/2	2438	8	Matte Anodized	Bronze	■
MPC243014009MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	■
MPC243014009STCOP	12	1/2	2438	8	Matte Anodized	Copper	■
MPC243014009MRCOP	12	1/2	2438	8	Bright Anodized	Copper	■
MPC243014009STGLD	12	1/2	2438	8	Bright Anodized	Gold	■
MPC243014009MRGLD	12	1/2	2438	8	Bright Anodized	Gold	■
MPC250014009STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	■
MPC250014009MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	■
MPC243014009SMINX	12	1/2v	2438	8	Powder Coated	Inox	■




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-C
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPC243008009STANT	14	9/16	2438	8	Satin	Anthracite
MPC243008009MRANT	14	9/16	2438	8	Mirror	Anthracite
MPC243008009STBRO	14	9/16	2438	8	Satin	Bronze
MPC243008009MRBRO	14	9/16	2438	8	Mirror	Bronze
MPC243008009STCOP	14	9/16	2438	8	Satin	Copper
MPC243008009MRCOP	14	9/16	2438	8	Mirror	Copper
MPC243008009STGLD	14	9/16	2438	8	Satin	Gold
MPC243008009MRGLD	14	9/16	2438	8	Mirror	Gold
MPC250008009STINX	14	9/16	2500	8 1/5"	Satin	Inox
MPC250008009MRINX	14	9/16	2500	8 1/5"	Mirror	Inox
MPC243008009SMINX	14	9/16	2438	8	Super Mirror	Inox



MPS-D
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPD243014008STANT	8	5/16	2438	8	Satin	Anthracite
MPD243014008MRANT	8	5/16	2438	8	Mirror	Anthracite
MPD243014008STBRO	8	5/16	2438	8	Satin	Bronze
MPD243014008MRBRO	8	5/16	2438	8	Mirror	Bronze
MPD243014008STCOP	8	5/16	2438	8	Satin	Copper
MPD243014008MRCOP	8	5/16	2438	8	Mirror	Copper
MPD243014008STGLD	8	5/16	2438	8	Satin	Gold
MPD243014008MRGLD	8	5/16	2438	8	Mirror	Gold
MPD250014008STINX	8	5/16	2500	8 1/5"	Satin	Inox
MPD250014008MRINX	8	5/16	2500	8 1/5"	Mirror	Inox
MPD243014008SMINX	8	5/16	2438	8	Super Mirror	Inox




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-D
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPD243008008STANT	10	3/8	2438	8	Satin	Anthracite
MPD243008008MRANT	10	3/8	2438	8	Mirror	Anthracite
MPD243008008STBRO	10	3/8	2438	8	Satin	Bronze
MPD243008008MRBRO	10	3/8	2438	8	Mirror	Bronze
MPD243008008STCOP	10	3/8	2438	8	Satin	Copper
MPD243008008MRCOP	10	3/8	2438	8	Mirror	Copper
MPD243008008STGLD	10	3/8	2438	8	Satin	Gold
MPD243008008MRGLD	10	3/8	2438	8	Mirror	Gold
MPD250008008STINX	10	3/8	2500	8 1/5"	Satin	Inox
MPD250008008MRINX	10	3/8	2500	8 1/5"	Mirror	Inox
MPD243008008SMINX	10	3/8	2438	8	Super Mirror	Inox
MPD243010008STANT	12	1/2	2438	8	Matte Anodized	Anthracite
MPD243010008MRANT	12	1/2	2438	8	Matte Anodized	Anthracite
MPD243010008STBRO	12	1/2	2438	8	Matte Anodized	Bronze
MPD243010008MRBRO	12	1/2	2438	8	Matte Anodized	Bronze
MPD243010008STCOP	12	1/2	2438	8	Matte Anodized	Copper
MPD243010008MRCOP	12	1/2	2438	8	Bright Anodized	Copper
MPD243010008STGLD	12	1/2	2438	8	Bright Anodized	Gold
MPD243010008MRGLD	12	1/2	2438	8	Bright Anodized	Gold
MPD250010008STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox
MPD250010008MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox
MPD243010008SMINX	12	1/2	2438	8	Powder Coated	Inox
MPD243012008STANT	14	9/16	2438	8	Matte Anodized	Anthracite
MPD243012008MRANT	14	9/16	2438	8	Matte Anodized	Anthracite
MPD243012008STBRO	14	9/16	2438	8	Matte Anodized	Bronze
MPD243012008MRBRO	14	9/16	2438	8	Matte Anodized	Bronze
MPD243012008STCOP	14	9/16	2438	8	Matte Anodized	Copper
MPD243012008MRCOP	14	9/16	2438	8	Bright Anodized	Copper
MPD243012008STGLD	14	9/16	2438	8	Bright Anodized	Gold
MPD243012008MRGLD	14	9/16	2438	8	Bright Anodized	Gold
MPD250012008STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox
MPD250012008MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox
MPD243012008SMINX	14	9/16	2438	8	Powder Coated	Inox




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-L
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPL243010003STANT	8	5/16	2438	8	Satin	Anthracite	
MPL243010003MRANT	8	5/16	2438	8	Mirror	Anthracite	
MPL243010003STBRO	8	5/16	2438	8	Satin	Bronze	
MPL243010003MRBRO	8	5/16	2438	8	Mirror	Bronze	
MPL243010003STCOP	8	5/16	2438	8	Satin	Copper	
MPL243010003MRCOP	8	5/16	2438	8	Mirror	Copper	
MPL243010003STGLD	8	5/16	2438	8	Satin	Gold	
MPL243010003MRGLD	8	5/16	2438	8	Mirror	Gold	
MPL250010003STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MPL250010003MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MPL243010003SMINX	8	5/16	2438	8	Super Mirror	Inox	
MPL243012003STANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MPL243012003MRANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MPL243012003STBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MPL243012003MRBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MPL243012003STCOP	10	3/8	2438	8	Matte Anodized	Copper	
MPL243012003MRCOP	10	3/8	2438	8	Bright Anodized	Copper	
MPL243012003STGLD	10	3/8	2438	8	Bright Anodized	Gold	
MPL243012003MRGLD	10	3/8	2438	8	Bright Anodized	Gold	
MPL250012003STINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MPL250012003MRINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MPL243012003SMINX	10	3/8	2438	8	Powder Coated	Inox	
MPL243014003STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPL243014003MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPL243014003STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPL243014003MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPL243014003STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MPL243014003MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MPL243014003STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPL243014003MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPL250014003STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPL250014003MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPL243014003SMINX	12	1/2	2438	8	Powder Coated	Inox	




MPS-L
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPL243008003STANT	14	9/16	2438	8	Satin	Anthracite	
MPL243008003MRANT	14	9/16	2438	8	Mirror	Anthracite	
MPL243008003STBRO	14	9/16	2438	8	Satin	Bronze	
MPL243008003MRBRO	14	9/16	2438	8	Mirror	Bronze	
MPL243008003STCOP	14	9/16	2438	8	Satin	Copper	
MPL243008003MRCOP	14	9/16	2438	8	Mirror	Copper	
MPL243008003STGLD	14	9/16	2438	8	Satin	Gold	
MPL243008003MRGLD	14	9/16	2438	8	Mirror	Gold	
MPL250008003STINX	14	9/16	2500	8 1/5"	Satin	Inox	
MPL250008003MRINX	14	9/16	2500	8 1/5"	Mirror	Inox	
MPL243008003SMINX	14	9/16	2438	8	Super Mirror	Inox	



MPS-S
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPS243014020STANT	8	5/16	2438	8	Satin	Anthracite	
MPS243014020MRANT	8	5/16	2438	8	Mirror	Anthracite	
MPS243014020STBRO	8	5/16	2438	8	Satin	Bronze	
MPS243014020MRBRO	8	5/16	2438	8	Mirror	Bronze	
MPS243014020STCOP	8	5/16	2438	8	Satin	Copper	
MPS243014020MRCOP	8	5/16	2438	8	Mirror	Copper	
MPS243014020STGLD	8	5/16	2438	8	Satin	Gold	
MPS243014020MRGLD	8	5/16	2438	8	Mirror	Gold	
MPS250014020STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MPS250014020MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MPS243014020SMINX	8	5/16	2438	8	Super Mirror	Inox	



Stainless steel products can be produced in any requested height (h).


Lengths (L) may vary according to surface options of stainless steel products.

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-S
Stainless Steel Tile Trim

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPS243008020STANT	10	3/8	2438	8	Satin	Anthracite	
MPS243008020MRANT	10	3/8	2438	8	Mirror	Anthracite	
MPS243008020STBRO	10	3/8	2438	8	Satin	Bronze	
MPS243008020MRBRO	10	3/8	2438	8	Mirror	Bronze	
MPS243008020STCOP	10	3/8	2438	8	Satin	Copper	
MPS243008020MRCOP	10	3/8	2438	8	Mirror	Copper	
MPS243008020STGLD	10	3/8	2438	8	Satin	Gold	
MPS243008020MRGLD	10	3/8	2438	8	Mirror	Gold	
MPS250008020STINX	10	3/8	2500	8 1/5"	Satin	Inox	
MPS250008020MRINX	10	3/8	2500	8 1/5"	Mirror	Inox	
MPS243008020SMINX	10	3/8	2438	8	Super Mirror	Inox	
MPS243010020STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPS243010020MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPS243010020STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPS243010020MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPS243010020STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MPS243010020MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MPS243010020STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPS243010020MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPS250010020STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPS250010020MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPS243010020SMINX	12	1/2	2438	8	Powder Coated	Inox	
MPS243012020STANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MPS243012020MRANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MPS243012020STBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MPS243012020MRBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MPS243012020STCOP	14	9/16	2438	8	Matte Anodized	Copper	
MPS243012020MRCOP	14	9/16	2438	8	Bright Anodized	Copper	
MPS243012020STGLD	14	9/16	2438	8	Bright Anodized	Gold	
MPS243012020MRGLD	14	9/16	2438	8	Bright Anodized	Gold	
MPS250012020STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MPS250012020MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MPS243012020SMINX	14	9/16	2438	8	Powder Coated	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-E
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MPE243010020STANT	8	5/16	2438	8	Satin	Anthracite	
MPE243010020MRANT	8	5/16	2438	8	Mirror	Anthracite	
MPE243010020STBRO	8	5/16	2438	8	Satin	Bronze	
MPE243010020MRBRO	8	5/16	2438	8	Mirror	Bronze	
MPE243010020STCOP	8	5/16	2438	8	Satin	Copper	
MPE243010020MRCOP	8	5/16	2438	8	Mirror	Copper	
MPE243010020STGLD	8	5/16	2438	8	Satin	Gold	
MPE243010020MRGLD	8	5/16	2438	8	Mirror	Gold	
MPE250010020STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MPE250010020MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MPE243010020SMINX	8	5/16	2438	8	Super Mirror	Inox	
MPE243012020STANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MPE243012020MRANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MPE243012020STBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MPE243012020MRBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MPE243012020STCOP	10	3/8	2438	8	Matte Anodized	Copper	
MPE243012020MRCOP	10	3/8	2438	8	Bright Anodized	Copper	
MPE243012020STGLD	10	3/8	2438	8	Bright Anodized	Gold	
MPE243012020MRGLD	10	3/8	2438	8	Bright Anodized	Gold	
MPE250012020STINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MPE250012020MRINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MPE243012020SMINX	10	3/8	2438	8	Powder Coated	Inox	
MPE243014020STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPE243014020MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MPE243014020STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPE243014020MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MPE243014020STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MPE243014020MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MPE243014020STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPE243014020MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MPE250014020STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPE250014020MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MPE243014020SMINX	12	1/2	2438	8	Powder Coated	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-E
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPE243008020STANT	14	9/16	2438	8	Satin	Anthracite
MPE243008020MRANT	14	9/16	2438	8	Mirror	Anthracite
MPE243008020STBRO	14	9/16	2438	8	Satin	Bronze
MPE243008020MRBRO	14	9/16	2438	8	Mirror	Bronze
MPE243008020STCOP	14	9/16	2438	8	Satin	Copper
MPE243008020MRCOP	14	9/16	2438	8	Mirror	Copper
MPE243008020STGLD	14	9/16	2438	8	Satin	Gold
MPE243008020MRGLD	14	9/16	2438	8	Mirror	Gold
MPE250008020STINX	14	9/16	2500	8 1/5"	Satin	Inox
MPE250008020MRINX	14	9/16	2500	8 1/5"	Mirror	Inox
MPE243008020SMINX	14	9/16	2438	8	Super Mirror	Inox



MPS-N
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPN243014050STANT	8	5/16	2438	8	Satin	Anthracite
MPN243014050MRANT	8	5/16	2438	8	Mirror	Anthracite
MPN243014050STBRO	8	5/16	2438	8	Satin	Bronze
MPN243014050MRBRO	8	5/16	2438	8	Mirror	Bronze
MPN243014050STCOP	8	5/16	2438	8	Satin	Copper
MPN243014050MRCOP	8	5/16	2438	8	Mirror	Copper
MPN243014050STGLD	8	5/16	2438	8	Satin	Gold
MPN243014050MRGLD	8	5/16	2438	8	Mirror	Gold
MPN250014050STINX	8	5/16	2500	8 1/5"	Satin	Inox
MPN250014050MRINX	8	5/16	2500	8 1/5"	Mirror	Inox
MPN243014050SMINX	8	5/16	2438	8	Super Mirror	Inox




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-N
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MPN243008050STANT	10	3/8	2438	8	Satin	Anthracite
MPN243008050MRANT	10	3/8	2438	8	Mirror	Anthracite
MPN243008050STBRO	10	3/8	2438	8	Satin	Bronze
MPN243008050MRBRO	10	3/8	2438	8	Mirror	Bronze
MPN243008050STCOP	10	3/8	2438	8	Satin	Copper
MPN243008050MRCOP	10	3/8	2438	8	Mirror	Copper
MPN243008050STGLD	10	3/8	2438	8	Satin	Gold
MPN243008050MRGLD	10	3/8	2438	8	Mirror	Gold
MPN250008050STINX	10	3/8	2500	8 1/5"	Satin	Inox
MPN250008050MRINX	10	3/8	2500	8 1/5"	Mirror	Inox
MPN243008050SMINX	10	3/8	2438	8	Super Mirror	Inox
MPN243010050STANT	12	1/2	2438	8	Matte Anodized	Anthracite
MPN243010050MRANT	12	1/2	2438	8	Matte Anodized	Anthracite
MPN243010050STBRO	12	1/2	2438	8	Matte Anodized	Bronze
MPN243010050MRBRO	12	1/2	2438	8	Matte Anodized	Bronze
MPN243010050STCOP	12	1/2	2438	8	Matte Anodized	Copper
MPN243010050MRCOP	12	1/2	2438	8	Bright Anodized	Copper
MPN243010050STGLD	12	1/2	2438	8	Bright Anodized	Gold
MPN243010050MRGLD	12	1/2	2438	8	Bright Anodized	Gold
MPN250010050STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox
MPN250010050MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox
MPN243010050SMINX	12	1/2	2438	8	Powder Coated	Inox
MPN243012050STANT	14	9/16	2438	8	Matte Anodized	Anthracite
MPN243012050MRANT	14	9/16	2438	8	Matte Anodized	Anthracite
MPN243012050STBRO	14	9/16	2438	8	Matte Anodized	Bronze
MPN243012050MRBRO	14	9/16	2438	8	Matte Anodized	Bronze
MPN243012050STCOP	14	9/16	2438	8	Matte Anodized	Copper
MPN243012050MRCOP	14	9/16	2438	8	Bright Anodized	Copper
MPN243012050STGLD	14	9/16	2438	8	Bright Anodized	Gold
MPN243012050MRGLD	14	9/16	2438	8	Bright Anodized	Gold
MPN250012050STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox
MPN250012050MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox
MPN243012050SMINX	14	9/16	2438	8	Powder Coated	Inox




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-TB
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MTB243010025STANT	8	5/16	2438	8	Satin	Anthracite	
MTB243010025MRANT	8	5/16	2438	8	Mirror	Anthracite	
MTB243010025STBRO	8	5/16	2438	8	Satin	Bronze	
MTB243010025MRBRO	8	5/16	2438	8	Mirror	Bronze	
MTB243010025STCOP	8	5/16	2438	8	Satin	Copper	
MTB243010025MRCOP	8	5/16	2438	8	Mirror	Copper	
MTB243010025STGLD	8	5/16	2438	8	Satin	Gold	
MTB243010025MRGLD	8	5/16	2438	8	Mirror	Gold	
MTB250010025STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MTB250010025MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MTB243010025SMINX	8	5/16	2438	8	Super Mirror	Inox	
MTB243012025STANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MTB243012025MRANT	10	3/8	2438	8	Matte Anodized	Anthracite	
MTB243012025STBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MTB243012025MRBRO	10	3/8	2438	8	Matte Anodized	Bronze	
MTB243012025STCOP	10	3/8	2438	8	Matte Anodized	Copper	
MTB243012025MRCOP	10	3/8	2438	8	Bright Anodized	Copper	
MTB243012025STGLD	10	3/8	2438	8	Bright Anodized	Gold	
MTB243012025MRGLD	10	3/8	2438	8	Bright Anodized	Gold	
MTB250012025STINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MTB250012025MRINX	10	3/8	2500	8 1/5"	Bright Anodized	Inox	
MTB243012025SMINX	10	3/8	2438	8	Powder Coated	Inox	
MTB243014025STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MTB243014025MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MTB243014025STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MTB243014025MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MTB243014025STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MTB243014025MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MTB243014025STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MTB243014025MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MTB250014025STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MTB250014025MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MTB243014025SMINX	12	1/2	2438	8	Powder Coated	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-TB
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MTB243008025STANT	14	9/16	2438	8	Satin	Anthracite	
MTB243008025MRANT	14	9/16	2438	8	Mirror	Anthracite	
MTB243008025STBRO	14	9/16	2438	8	Satin	Bronze	
MTB243008025MRBRO	14	9/16	2438	8	Mirror	Bronze	
MTB243008025STCOP	14	9/16	2438	8	Satin	Copper	
MTB243008025MRCOP	14	9/16	2438	8	Mirror	Copper	
MTB243008025STGLD	14	9/16	2438	8	Satin	Gold	
MTB243008025MRGLD	14	9/16	2438	8	Mirror	Gold	
MTB250008025STINX	14	9/16	2500	8 1/5"	Satin	Inox	
MTB250008025MRINX	14	9/16	2500	8 1/5"	Mirror	Inox	
MTB243008025SMINX	14	9/16	2438	8	Super Mirror	Inox	



MPS-YD
Stainless Steel Flooring Profile

Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MYD243014015STANT	8	5/16	2438	8	Satin	Anthracite	
MYD243014015MRANT	8	5/16	2438	8	Mirror	Anthracite	
MYD243014015STBRO	8	5/16	2438	8	Satin	Bronze	
MYD243014015MRBRO	8	5/16	2438	8	Mirror	Bronze	
MYD243014015STCOP	8	5/16	2438	8	Satin	Copper	
MYD243014015MRCOP	8	5/16	2438	8	Mirror	Copper	
MYD243014015STGLD	8	5/16	2438	8	Satin	Gold	
MYD243014015MRGLD	8	5/16	2438	8	Mirror	Gold	
MYD250014015STINX	8	5/16	2500	8 1/5"	Satin	Inox	
MYD250014015MRINX	8	5/16	2500	8 1/5"	Mirror	Inox	
MYD243014015SMINX	8	5/16	2438	8	Super Mirror	Inox	




Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-YD


Stainless Steel Flooring Profile



Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MYD243008015STANT	10	3/8	2438	8	Satin	Anthracite	
MYD243008015MRANT	10	3/8	2438	8	Mirror	Anthracite	
MYD243008015STBRO	10	3/8	2438	8	Satin	Bronze	
MYD243008015MRBRO	10	3/8	2438	8	Mirror	Bronze	
MYD243008015STCOP	10	3/8	2438	8	Satin	Copper	
MYD243008015MRCOP	10	3/8	2438	8	Mirror	Copper	
MYD243008015STGLD	10	3/8	2438	8	Satin	Gold	
MYD243008015MRGLD	10	3/8	2438	8	Mirror	Gold	
MYD250008015STINX	10	3/8	2500	8 1/5"	Satin	Inox	
MYD250008015MRINX	10	3/8	2500	8 1/5"	Mirror	Inox	
MYD243008015SMINX	10	3/8	2438	8	Super Mirror	Inox	
MYD243010015STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MYD243010015MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MYD243010015STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MYD243010015MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MYD243010015STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MYD243010015MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MYD243010015STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MYD243010015MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MYD250010015STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MYD250010015MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MYD243010015SMINX	12	1/2	2438	8	Powder Coated	Inox	
MYD243012015STANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MYD243012015MRANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MYD243012015STBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MYD243012015MRBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MYD243012015STCOP	14	9/16	2438	8	Matte Anodized	Copper	
MYD243012015MRCOP	14	9/16	2438	8	Bright Anodized	Copper	
MYD243012015STGLD	14	9/16	2438	8	Bright Anodized	Gold	
MYD243012015MRGLD	14	9/16	2438	8	Bright Anodized	Gold	
MYD250012015STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MYD250012015MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MYD243012015SMINX	14	9/16	2438	8	Powder Coated	Inox	

MPS-B

Stainless Steel Step Nose




Product No	Height		Length		Surface	Color	
	mm	in	mm	ft			
MYD243010040STANT	10	3/8	2438	8	Satin	Anthracite	
MYD243010040MRANT	10	3/8	2438	8	Mirror	Anthracite	
MYD243010040STBRO	10	3/8	2438	8	Satin	Bronze	
MYD243010040MRBRO	10	3/8	2438	8	Mirror	Bronze	
MYD243010040STCOP	10	3/8	2438	8	Satin	Copper	
MYD243010040MRCOP	10	3/8	2438	8	Mirror	Copper	
MYD243010040STGLD	10	3/8	2438	8	Satin	Gold	
MYD243010040MRGLD	10	3/8	2438	8	Mirror	Gold	
MYD250010040STINX	10	3/8	2500	8 1/5"	Satin	Inox	
MYD250010040MRINX	10	3/8	2500	8 1/5"	Mirror	Inox	
MYD243010040SMINX	10	3/8	2438	8	Super Mirror	Inox	
MYD243012040STANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MYD243012040MRANT	12	1/2	2438	8	Matte Anodized	Anthracite	
MYD243012040STBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MYD243012040MRBRO	12	1/2	2438	8	Matte Anodized	Bronze	
MYD243012040STCOP	12	1/2	2438	8	Matte Anodized	Copper	
MYD243012040MRCOP	12	1/2	2438	8	Bright Anodized	Copper	
MYD243012040STGLD	12	1/2	2438	8	Bright Anodized	Gold	
MYD243012040MRGLD	12	1/2	2438	8	Bright Anodized	Gold	
MYD250012040STINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MYD250012040MRINX	12	1/2	2500	8 1/5"	Bright Anodized	Inox	
MYD243012040SMINX	12	1/2	2438	8	Powder Coated	Inox	
MYD243014040STANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MYD243014040MRANT	14	9/16	2438	8	Matte Anodized	Anthracite	
MYD243014040STBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MYD243014040MRBRO	14	9/16	2438	8	Matte Anodized	Bronze	
MYD243014040STCOP	14	9/16	2438	8	Matte Anodized	Copper	
MYD243014040MRCOP	14	9/16	2438	8	Bright Anodized	Copper	
MYD243014040STGLD	14	9/16	2438	8	Bright Anodized	Gold	
MYD243014040MRGLD	14	9/16	2438	8	Bright Anodized	Gold	
MYD250014040STINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MYD250014040MRINX	14	9/16	2500	8 1/5"	Bright Anodized	Inox	
MYD243014040SMINX	14	9/16	2438	8	Powder Coated	Inox	


Stainless steel products can be produced in any requested height (h).


Lengths (L) may vary according to surface options of stainless steel products.

MPS-B
Stainless Steel Step Nose

Product No	Height		Length		Surface	Color
	mm	in	mm	ft		
MYD243020040STANT	20	13/16	2438	8	Satin	Anthracite
MYD243020040MRANT	20	13/16	2438	8	Mirror	Anthracite
MYD243020040STBRO	20	13/16	2438	8	Satin	Bronze
MYD243020040MRBRO	20	13/16	2438	8	Mirror	Bronze
MYD243020040STCOP	20	13/16	2438	8	Satin	Copper
MYD243020040MRCOP	20	13/16	2438	8	Mirror	Copper
MYD243020040STGLD	20	13/16	2438	8	Satin	Gold
MYD243020040MRGLD	20	13/16	2438	8	Mirror	Gold
MYD250020040STINX	20	13/16	2500	8 1/5"	Satin	Inox
MYD250020040MRINX	20	13/16	2500	8 1/5"	Mirror	Inox
MYD243020040SMINX	20	13/16	2438	8	Super Mirror	Inox



 Stainless steel products can be produced in any requested height (h).

 Lengths (L) may vary according to surface options of stainless steel products.

EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey

Phone: +90 212 559 0636
Email: mox@moxsystems.com
moxsystems.com



EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey

Phone: +90 212 559 0636
Email: mox@moxsystems.com
moxsystems.com