

MOX Systems - техничка документација

product-luceo-en.pdf

Технички превод: консултирајте ги оригиналните цртежи и референтните страници за димензии.

Изворна страница 1

LUCEO

Алуминиумска LED подна лајсна

Luceo алуминиумски LED первази најчесто се претпочитаат во ексклузивни проекти преку неговата карактеристика за украсно осветлување.

Може да се користи и како водечко светло на темни места.

Покрај неговата осветлена карактеристика, ги покрива и дефектите на спојниците на подот и сидот.

Спречува акумулација на нечистотија и штетни организми за да обезбеди хигиенска и здрава употреба долги години.

Со шупливиот дел во неговиот дизајн, ги собира телефонските, електричните и интернет каблите за да ја организира вашата околина.

Luceo има обичен и минимален изглед со својата тенка форма.

Luceo има мат елоксирани, светло елоксирани, сатенски хемиски светло анодизирани и електростатско боење во прав.

Додека се достапни сребрени, жолти, инокс, бронзени и црни елоксирани облоги во боја, исто така може да се обои до саканиот RAL код со електростатско боење во прав.

ВОДЕЧКИ ИЗВОР НА СВЕТЛИНА ЗА БЕЗБЕДНОСНИ ЦЕЛИ, КАКО И ЗА УЖИВАЊЕ ВО ДОПИРОТ НА СВЕТЛИНАТА ВО ДИЗАЈН

Висина Должина Производ бр Површина mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Надворешен агол h

LCEINT100013COLOR - Внатрешно катче

LCEEND100013COLOR - Крајна капа

Вградена ОПЦИЈА

Со своите вградени или основни методи на примена, може да биде рамно до сид од 13 mm или да се користи како традиционална даска за первази. 1/2"

MEGMS R9005 мат сребро, елоксирана црна боја, полусјај, обложена во прав

R9016 R7016 бела, полусјајна, антрацит, полусјајна, премачкана со прашкаст прав

Возач RGB24R и RGB24P со издржливо метално куќиште со тенок дизајн.

LED-STL RGB Led Strip светло 5m

RGB24R & RGB24P Компатибилен со далечински управувач или сиден контролен панел.

РЕШЕНИЈА НА ЌОШЕ

Со своите вградени или основни методи на примена, може да се рамни до сид или да се користи како традиционална даска за первази.

Оригинални цртежи и референтни страници

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

RGB24R & RGB24P
Driver with durable, slim-design metal case.

LED-STL
RGB Led Strip light 5m

RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

