Sistemi MOX - dokumentazzjoni teknika

mox_profile_systems_catalog_new.pdf

Traduzzjoni teknika: ikkonsulta t-tpinġijiet oriġinali u l-paġni ta’ referenza għad-dimensjonijiet.

Paġna tas-sors 1

Paġna tas-sors 2

KATALOGU TAL-PRODOTT

Paġna tas-sors 3

DAWL LED, ORGANIZZATURI TAL-CABLE, SKIRTING BORDS TA’ PROFILI STILI U PERSONALIZZABBILI

Luceo 10 sors tad-dawl ta 'gwida għal skopijiet ta' sigurtà, kif ukoll biex igawdu l-mess tad-dawl fid-disinn Leux 12 iġib flimkien disinji klassiċi u dawl modern Wishled 14 adattat għal kull ambjent b'disinn illimitat Lato 16 ideali għall-ispazji kollha tal-għajxien b'disinn minimu u slim. soluzzjonijiet prattiċi tal-kantunieri Sole 18 iddisinjat għall-ispazji kollha tal-għajxien klassiċi, lussużi u prestiġjużi Crispo 20 għal żoni b'lakuni kbar bejn il-ħajt u l-art Sentio 22 ordni kejbils f'żoni bħal

postijiet tax-xogħol u ttemm il-mess Velo 24 jipprovdi siġillar u jelimina d-difetti tal-ġogi għall-ġonot tal-ħajt tal-art f'żoni mxarrba Gravity 26 element kumplimentari tad-disinji interni tiegħek Mps-F 28 jipprevjeni l-penetrazzjoni tal-umdità fil-ġogi u jnaqqas it-trasmissjoni tal-ħoss fiż-żona tal-impatt

FRUNTIERI ĊERAMIĊI, PROFILI TRIMM TA' MADUMI PROFILI TA' PROTEZZJONI ĊERAMIKA

Mono-Fix 32 protezzjoni taċ-ċeramika b'dehra eleganti Round-Fix 34 jgħolli l-applikazzjonijiet taċ-ċeramika tiegħek: stil mingħajr saldatura, protezzjoni mhux imqabbla Square-Fix 36 dehra bla difetti fuq uċuħ taċ-ċeramika, firxa wiesgħa ta 'għażliet ta' kulur u effett biex tadatta kuluri u nisġa taċ-ċeramika trending Mps-Ag 38 dehra eleganti li ttaffi l-kantunieri ta 'barra

MPS-BRD 40: profil dekorattiv tat-tarf għal uċuħ taċ-ċeramika. MPS-C 42: azzar li ma jissaddadx għall-kantunieri ta’ ġewwa f’applikazzjonijiet taċ-ċeramika. MPS-D 44: jagħti dehra perfetta lill-uċuħ taċ-ċeramika u jipproteġi ċ-ċeramika bl-azzar li ma jissaddadx. MPS-L 46: dehra nadifa u minimalista għall-kombinazzjonijiet taċ-ċeramika bid-disinn sempliċi tiegħu. MPS-S 48: itaffi t-tranżizzjoni fil-kantunieri ta’ ġewwa u jagħti dehra eleganti.

TRANSIZZJONIJIET TA' RAMPA, PROTEZZJONI TA' TAT-TAPIT, PAVAR U RNOVAZZJONI, PROTEZZJONI TA' L-IMNEĦĦIR TA' STEP

ALL IN ONE 52: il-possibbiltà ta’ aġġustament tagħti dehra bla difetti lit-tranżizzjonijiet tal-art. REVIO 54: iddisinjat biex itejjeb l-estetika u l-funzjonalità tal-art. VISIO 56: profil eleganti tal-għatba għal tranżizzjonijiet lejn it-tapit. LINE 58: għażla perfetta għall-art bil-forma minimalista tiegħu. FLEX 60: oħloq disinji immaġinattivi tal-art bi profil li jista’ jingħata forma. MPS-E 62: adattat għad-disinni arkitettoniċi kollha bid-dehra tradizzjonali iżda mtejba tiegħu. MPS-N 64.

ittaffi t-tranżizzjoni bejn livelli differenti Mps-Tb 66 bil-forma T, jipprovdi l-ħarsa sempliċi ta 'transizzjonijiet tradizzjonali Mps-Yd 68 jassorbi l-pressjoni ta' espansjonijiet tal-bini u jipprovdi protezzjoni għaċ-ċeramika Mps-B 70 jelimina żbalji ta 'applikazzjoni ta' taraġ bħall-irħam u parkè

Paġna tas-sors 4

DWAR MOX

Orego Metal, wieħed mill-forniturі ewlenin ta 'marki internazzjonali magħrufa sew, daħal fis-suq tat-Turkija b'Mox Profile Systems billi żamm materja prima ta' kwalità għolja, tħaddim korrett u uċuħ perfetti li wassluha biex issir marka favorita għal ħafna klijenti fid-Dinja u speċjalment fl-Ewropa.

Aħna nassiguraw li l-postijiet tal-applikazzjoni tiegħek se jkunu kemm estetikament pjaċevoli kif ukoll distingwibbli, bil-firxa wiesgħa tagħna ta 'prodotti inklużi skirting boards, trims tal-madum, profili tal-imnieħer tat-turġien, transizzjoni tal-art u profili ta' transizzjoni tar-rampa b'materjali tal-aluminju u l-istainless steel.

Aħna nwiegħdu mhux biss li nipprovdu prodott u servizz ta 'kwalità għall-applikazzjoni tal-proċessi kollha bl-istess preċiżjoni għat-trasformazzjoni tal-materja prima għal profil dekorattiv tal-aluminju, iżda wkoll l-aħjar prezzijiet permezz tal-kapaċitajiet ta' manifattura tagħna.

Dejjem il-prijoritizzazzjoni tas-sodisfazzjon tal-klijent u r-rispett tar-rispons tagħhom għandu l-aktar rwol importanti fiż-żieda taċ-ċifri tat-tkabbir tagħna kull sena fis-swieq Ewropej, Amerikani, tal-Lvant Nofsani u Afrikani.

DISINN

Aħna qegħdin hawn mat-tim tekniku tagħna biex inkunu s-sieħeb tas-soluzzjoni tiegħek għall-oqsma tal-applikazzjoni tiegħek.

Noffru kemm il-prodotti standard tagħna jew jekk meħtieġ prodotti mhux standard li huma personalizzati skond il-ħtieġa tiegħek.

Billi nkunu manifattur u li għandna kważi 3,000 forom eżistenti, nistgħu noffru soluzzjonijiet mhux standard.

L-iffurmar

Jekk il-prodotti eżistenti tagħna ma jipprovdux is-soluzzjoni li għandek bżonn, it-tim tad-disinn tagħna se jaħdem f'koordinazzjoni miegħek biex jiddisinja prodott skont it-talba tiegħek u jipprovdi dettalji tekniċi kompluti.

Skont in-numri tal-konsum annwali tiegħek u t-tip tal-wiċċ u l-aspettattiva tal-kwalità tiegħek, aħna nottimizzaw u nipproduċu l-moffa fil-workshop tagħna stess sabiex id-disinn ma jkunx kondiviż ma 'partijiet terzi.

ĠESTJONI TAL-PROĠETT

Noffru u nwasslu profili tad-dwana sa tul ta '6m, sabiex niffrankaw milli tnaqqas ix-xogħol u l-ispiża tal-iskart.

Għandna l-kapaċità li nipproduċu kulur RAL illimitat fil-faċilità integrata tal-kisi tat-trab tagħna stess, u għażliet ta 'kulur tal-fidda, isfar, bronż, inox u iswed għal uċuħ matte u jleqqu fil-faċilità ta' anodizzazzjoni tagħna.

Kisi tal-kromju u kuluri tan-nikil fi profili sa 3 metri huma wkoll fost il-kapaċitajiet ta 'produzzjoni tagħna.

Paġna tas-sors 5

DAWL LED, ORGANIZZATURI TAL-CABLE, SKIRTING BORDS TA’ PROFILI STILI U PERSONALIZZABBILI

Il-bordijiet ta 'skirting Mox ikopru d-difetti fil-ġonot tal-art u tal-ħajt.

Huma jipprevjenu l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdu użu iġjeniku u b'saħħtu għal ħafna snin.

Paġna tas-sors 6

LUCEO

Skirting tal-aluminju b’LED

Il-bord ta 'skirting LED ta' l-aluminju Luceo huwa l-aktar preferut fi proġetti esklussivi permezz tal-karatteristika tad-dawl dekorattiv tiegħu.

Jista 'jintuża wkoll bħala dawl ta' gwida f'postijiet mudlama.

Minbarra l-karatteristika ta 'illuminazzjoni tagħha, tkopri wkoll id-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Luceo għandu dehra sempliċi u minima bil-forma rqiqa tiegħu.

Luceo għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

SORS TA’ DAWL TA’ GWIDA GĦAL GĦANIJIET TA’ SIGURTÀ, KIF UKOLL BIEX JIGWAW IL-MESS TAD-DAWL FID-DISINN

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Rokna Esterna h

LCEINT100013COLOR - Rokna Interna

LCEEND100013COLOR - Tmiem Kap

GĦAŻLA MIBUTA

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tagħha, jista' jkun 13mm flush mal-ħajt jew użat bħala skirting board tradizzjonali. 1/2"

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Sewwieq RGB24R & RGB24P b'kaxxa tal-metall durabbli u rqiqa.

LED-STL RGB Led Strip dawl 5m

RGB24R & RGB24P Kompatibbli mal-kontroll mill-bogħod jew mal-pannell tal-kontroll tal-ħajt.

SOLUZZJONIJIET TA’ rokna

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tiegħu, jista' jkun flush mal-ħajt jew użat bħala skirting board tradizzjonali.

Paġna tas-sors 7

LEUX

Skirting tal-aluminju b’LED

Il-bord ta 'skirting LED ta' l-aluminju Leux huwa l-aktar preferut fi proġetti esklussivi ta 'disinn klassiku permezz tal-karatteristika tad-dawl dekorattiv tiegħu u d-disinn Victoria.

Jista 'jintuża wkoll bħala dawl ta' gwida f'postijiet mudlama.

Minbarra l-karatteristika ta 'illuminazzjoni tagħha, tkopri wkoll id-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Leux iġib flimkien dehra klassika u dawl modern.

Leux huwa prodott tas-serje eclipse.

Prodotti tal-aluminju b'markatur tal-eclipse għandhom għażliet ta 'kulur RAL7016 u RAL9016.

IĠIB DISINNI KLASSIĊI U DAWL MODERN FLIMKIEN

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

LUX250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LUX250100020RR9005 100 3-15/16 2500 8 1/5" R9005

LUX250100020R9016 100 3-15/16 2500 8 1/5" R9016

LUX250100020R7016 100 3-15/16 2500 8 1/5" R7016

LUXEXT100020COLOR - Rokna Esterna h

LUXINT100020COLOR - Rokna Interna

LUXEND100020COLOR - Tmiem Kap

GĦAŻLA MIBUTA

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tagħha, jista' jkun 20mm flush mal-ħajt jew użat bħala skirting board tradizzjonali. 13/16"

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Sewwieq RGB24R & RGB24P b'kaxxa tal-metall durabbli u rqiqa.

LED-STL RGB Led Strip dawl 5m

RGB24R & RGB24P Kompatibbli mal-kontroll mill-bogħod jew mal-pannell tal-kontroll tal-ħajt.

SOLUZZJONIJIET TA’ rokna

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tiegħu, jista' jkun flush mal-ħajt jew użat bħala skirting board tradizzjonali.

Paġna tas-sors 8

WISHLED

Skirting tal-aluminju b’LED

Bord ta 'skirting LED ta' l-aluminju Wishled jista 'jaqbel ma' kwalunkwe ambjent minħabba l-għażliet ta 'disinji tal-mudell illimitat tiegħu.

Huwa l-aktar preferut bħala dawl bil-lejl fil-kmamar tat-tfal bil-qoxra stampata tad-disinn sostitwibbli tagħha.

Jista 'jintuża wkoll għar-reklamar u biex tippreżenta identità korporattiva f'żoni pubbliċi.

Minbarra l-karatteristika ta 'illuminazzjoni tagħha, tkopri wkoll id-difetti fil-ġonot tal-art u tal-ħajt.

L-applikazzjoni se titlesta billi jiġi mmuntat il-pannell tad-diffużur stampat tad-disinn ta 'quddiem bis-sistema ta' snap lock tiegħu.

Bit-tappijiet ta 'ġewwa, ta' barra u tat-tarf, li huma l-istess kulur bħall-profili, dawriet tal-kantunieri lixxi jistgħu jiġu applikati faċilment mingħajr il-ħtieġa ta 'qatgħa angolata.

Wishled għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

Minbarra disinji tal-mudell eżistenti li noffru għall-pannell tal-illuminazzjoni, disinji personalizzati jistgħu jiġu applikati wkoll.

ADATT GĦAL KULL AMBJENT B'DISINN ILLIMITAT

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Rokna Esterna h

WSLINT100020COLOR - Rokna Interna

WSLEND100020COLOR - Tmiem Kap

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Sewwieq RGB24R & RGB24P b'kaxxa tal-metall durabbli u rqiqa.

LED-STL RGB Led Strip dawl 5m

RGB24R & RGB24P Kompatibbli mal-kontroll mill-bogħod jew mal-pannell tal-kontroll tal-ħajt.

SOLUZZJONIJIET TA’ rokna

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tiegħu, jista' jkun flush mal-ħajt jew użat bħala skirting board tradizzjonali.

Paġna tas-sors 9

LATO

Skirting tal-aluminju

Il-bord ta 'skirting tal-aluminju Lato huwa l-aktar preferut fiż-żoni kollha tal-għajxien u ż-żoni pubbliċi bħal uffiċċji, lukandi, sptarijiet, skejjel, ċentri tax-xiri u terminals.

Għandu biċċiet tal-kantunieri tal-aluminju b'għażliet tal-wiċċ u tal-kulur identiċi għall-profili.

Ikopri d-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Lato għandu għażliet ta 'pittura ta' trab anodizzat matte, anodizzat qawwi, kimiċi satin anodizzat qawwi u trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

IDEALI GĦALL-ISPAZJI TAL-ĦAJJA KOLLHA B'DISINN MINIMALI, SLIM.

SOLUZZJONIJIET PRATTIĊI TA' rokna

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

SOLUZZJONIJIET TA’ rokna

Paġna tas-sors 10

SOLE

Skirting tal-aluminju

Il-bord ta 'skirting tal-aluminju Sole huwa l-aktar preferut fiż-żoni kollha tal-għajxien u ż-żoni pubbliċi b'kunċetti ta' disinn klassiku.

Ikopri d-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Sole huwa prodott tas-serje eclipse.

Prodotti tal-aluminju b'markatur tal-eclipse għandhom għażliet ta 'kulur RAL7016 u RAL9016.

IDDISINJAT GĦALL-ISPAZJI KOLLHA TA' ĦAJJIN KLASSIĊI, LUSSUŻI U PRESTIĠJUŻI

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

SOL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

SOL250100020R9005 100 3-15/16 2500 8 1/5" R9005

SOL250100020R7016 100 3-15/16 2500 8 1/5" R9016

SOL250100020R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

SOLUZZJONIJIET TA’ rokna

Paġna tas-sors 11

CRISPO

Skirting tal-aluminju

Il-bord ta 'skirting tal-aluminju Crispo huwa l-aktar preferut f'żoni b'lakuni kbar bejn il-ħajt u l-art minħabba l-forma wiesgħa tiegħu.

Ikopri d-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Crispo jipprovdi unità bid-dehra ta 'transizzjoni ovali tiegħu u huwa kompatibbli kemm mal-arkitettura klassika kif ukoll moderna.

Crispo għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

GĦAL ŻONAJIET B’LAQSI KBIR BEJN IL-ĦAJN U L-ART

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

CRS250070025MEGMS 70 2-3/4 2500 8 1/5" MEGMS

CRS250070025R9005 70 2-3/4 2500 8 1/5" R9005

CRS250070025R9016 70 2-3/4 2500 8 1/5" R9016

CRS250070025R7016 70 2-3/4 2500 8 1/5" R7016

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 12

SENTIO

Skirting tal-aluminju

Il-bord ta 'skirting tal-aluminju Sentio huwa l-aktar preferut f'żoni b'lakuni kbar bejn il-ħajt u l-art minħabba l-forma wiesgħa tiegħu.

Biż-żona vojta estiża fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza ambjenti bħal postijiet tax-xogħol u uffiċċji.

Ikopri d-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta 'ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Sentio għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

ORDNNA KEJBILS F'OQSMA BĦAL POSTIJIET XOGĦOL U TMIEM IL-MESS

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

SNT250080023MEGMS 80 3-1/8 2500 8 1/5" MEGMS

SNT250080023R9005 80 3-1/8 2500 8 1/5" R9005

SNT250080023R9016 80 3-1/8 2500 8 1/5" R9016

SNT250080023R7016 80 3-1/8 2500 8 1/5" R7016

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 13

VELO

Skirting tal-aluminju

Il-bord ta 'skirting ta' l-aluminju Velo jipprovdi soluzzjonijiet ta 'skirting speċjalment għal żoni mxarrba bħal kmamar tal-banju u kċejjen.

Huwa jieħu inqas spazju u joffri faċilità ta 'installazzjoni.

Tipprovdi tnixxija proofing kif ukoll estetika billi tkopri d-difetti tal-ġonta tal-ħajt-art speċjalment fuq żoni mxarrba.

Velo għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

JIPPROVDI IS-SIĠILL U JELIMINA ID-DIFETTI TAL-ĠUNTA GĦALL-ĠONTI TA’ L-ART-ĦAJN F’ŻONI MxarDA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

VLO250060012MEGMS 60 2-3/8 2500 8 1/5" MEGMS

VLO250060012R9005 60 2-3/8 2500 8 1/5" R9005

VLO250060012R9016 60 2-3/8 2500 8 1/5" R9016

VLO250060012R7016 60 2-3/8 2500 8 1/5" R7016

VLO250100012MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

VLO250100012R9005 100 3-15/16 2500 8 1/5" R9005

VLO250100012R9016 100 3-15/16 2500 8 1/5" R9016

VLO250100012R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 14

GRAVITÀ MOX

Skirting tal-aluminju

Il-bord ta 'skirting tal-aluminju Gravity huwa profil iddisinjat apposta li huwa mwaħħal mat-truf t'isfel tal-ħajt u jipprovdi dehra pulita u nadifa għal żoni bit-twapet.

Bord ta 'skirting ta' l-aluminju Gravity mhux biss jipprovdi transizzjoni bla xkiel bejn l-art u l-ħajt, iżda jipprovdi wkoll protezzjoni għat-truf tat-twapet.

Bord ta 'skirting ta' l-aluminju Gravity għandu għażla ta 'kisi anodizzat matt bil-kulur tal-fidda.

ELEMENT KUMPLEMENTARI TAD-DISINJI TA' INTERNI TIEGĦEK

Għoli Tul 10mm Nru tal-Prodott Wiċċ 3/8" mm in mm ft

GRV250100010MEGMS 100 3-15/16 2500 8 1/5" MEGMS

MEGMS fidda matta, anodized

Paġna tas-sors 15

MPS-F

Skirting tal-azzar li ma jissaddadx

Il-profil tal-bord tal-istainless steel Mps-F huwa ddisinjat biex jipprovdi skirting f'applikazzjonijiet taċ-ċeramika.

Jipprevjeni l-umdità fiż-żoni tal-applikazzjoni u jnaqqas it-trażmissjoni tal-ħoss tal-impatt.

Jagħti dehra estetika billi jaħbi d-difetti tal-applikazzjoni fit-transizzjonijiet tal-art u tal-ħajt.

Huwa estremament durabbli, fit-tul u reżistenti għall-korrużjoni peress li huwa prodott minn azzar inossidabbli ta 'kwalità 304L. 201 alternattiva ta 'l-istainless steel ta' kwalità disponibbli wkoll.

Mps-F jipprovdi dehra flush bl-estensjoni konġunta tiegħu.

Mps-F għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-F jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

JIPPROVjeni IL-PENETRAZZJONI TA' L-UMIDITÀ FIL-ĠONDI U TNAQQAS IT-TRASMISSION TAL-ĦOSS FIŻ-ŻONA TA' L-IMPATT

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPF2430400XXSTANT 40 1-9/16 2438 8 STANT

MPF2430400XXMRANT 40 1-9/16 2438 8 MRANT

MPF2430400XXSTBRO 40 1-9/16 2438 8 STBRO

MPF2430400XXMRBRO 40 1-9/16 2438 8 MRBRO

MPF2430400XXSTCOP 40 1-9/16 2438 8 STCOP

MPF2430400XXMRCOP 40 1-9/16 2438 8 MRCOP

MPF2430400XXSTGLD 40 1-9/16 2438 8 STGLD

MPF2430400XXMRGLD 40 1-9/16 2438 8 MRGLD h

MPF2500400XXSTINX 40 1-9/16 2500 8 1/5" STINX

MPF2500400XXMRINX 40 1-9/16 2500 8 1/5" MRINX

MPF2430400XXSMINX 40 1-9/16 2438

8 SMINX 8-10-12-14mm

MPF2430600XXSTANT 70 2-3/4 2438 8 STANT 5/16"-3/8"-1/2"-9/16"

MPF2430600XXMRANT 70 2-3/4 2438 8 MRANT

MPF2430600XXSTBRO 70 2-3/4 2438 8 STBRO

MPF2430600XXMRBRO 70 2-3/4 2438 8 MRBRO

MPF2430600XXSTCOP 70 2-3/4 2438 8 STCOP

MPF2430600XXMRCOP 70 2-3/4 2438 8 MRCOP MRANT STANT

MPF2430600XXSTGLD 70 2-3/4 2438 8 STGLD mera antraċite satin antraċite

MPF2430600XXMRGLD 70 2-3/4 2438 8 MRGLD

MPF2500600XXSTINX 70 2-3/4 2500 8 1/5" STINX

MPF2500600XXMRINX 70 2-3/4 2500 8 1/5" MRINX

MPF2430600XXSMINX 70 2-3/4 2438 8 SMINX MRBRO STBRO mera tal-bronż satin tal-bronż

MRCOP STCOP mera tar-ram satin tar-ram

MRGLD STGLD mera tad-deheb satin tad-deheb

MRINX STINX mera inox satin inox

SMINX super mera

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 16

FRUNTIERI ĊERAMIĊI, PROFILI TRIMM TA' MADUMI PROFILI TA' PROTEZZJONI ĊERAMIKA

Il-profili tat-trim tal-madum Mox se jeliminaw id-difetti tal-ġogi u tal-applikazzjoni u jipprevjenu ħsara liċ-ċeramika filwaqt li jipprovdu estetika lill-ispazji tal-għajxien tiegħek.

Huma jipprevjenu deformazzjonijiet f'żoni applikati billi jipprevjenu kwalunkwe tnixxija.

Paġna tas-sors 17

Mono-Fix

Aluminju Tile Trim

It-tarf tat-trim tal-madum tal-aluminju Mono Fix iżżid l-estetika mal-applikazzjonijiet taċ-ċeramika tiegħek bil-firxa wiesgħa ta 'għażliet tal-wiċċ tagħha kompatibbli mal-kuluri u n-nisġa taċ-ċeramika tat-tendenza.

Jintuża bħala qafas li jaħbi s-sezzjoni taċ-ċeramika fit-truf tal-applikazzjonijiet tal-ħajt taċ-ċeramika jew bħala ġonot tal-parkè.

Filwaqt li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll iċ-ċeramika milli tieħu ħsara.

Mono Fix għandu għażliet ta 'pittura ta' trab anodizzat matte, anodizzat qawwi u elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

PROTEZZJONI ĊERAMIKA B'DEhra ELEGANTI

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MNF250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS 2.5mm

MNF250010003MESAR 10 3/8 2500 8 1/5" MESAR 1/8"

MNF250010003MEINX 10 3/8 2500 8 1/5" MEINX

MNF250010003MESYH 10 3/8 2500 8 1/5" MESYH

MNF250010003PEGMS 10 3/8 2500 8 1/5" PEGMS h

MNF250010003PESAR 10 3/8 2500 8 1/5" PESAR

MNF250010003PEINX 10 3/8 2500 8 1/5" PEINX

MNF250010003PESYH 10 3/8 2500 8 1/5" PESYH

MNF250010003R9016 10 3/8 2500 8 1/5" R9016

MNF250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX MESYH inox matte, anodizzat iswed matte, anodizzat

PEGMS PESAR fidda qawwi, anodizzat isfar jgħajjat, anodizzat

PEINX PESYH inox qawwi, anodizzat iswed qawwi, anodizzat

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 18

MOX ROUND-WISS

Aluminju Tile Trim

Round Waħħal madum ta 'l-aluminju trim kantuniera esterna tonda żżid l-estetika għall-applikazzjonijiet taċ-ċeramika tiegħek mal-firxa wiesgħa ta' għażliet tal-wiċċ tagħha kompatibbli ma 'kuluri u nisġa taċ-ċeramika trending.

Jintuża f'ġonot tal-kantuniera ta 'barra ta' 90 grad ta 'applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Round Fix għandu għażliet ta 'pittura ta' trab elettrostatiku anodizzat matte, anodizzat qawwi.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

ELEVA L-APPLIKAZZJONIJIET TAĊ-ĊERAMIKA TIEGĦEK: STIL MINGĦAJR GĦAJR, PROTEZZJONI MHUX IMPARATT

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

RNF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

RNF250010009MESAR 10 3/8 2500 8 1/5" MESAR

RNF250010009MEINX 10 3/8 2500 8 1/5" MEINX

RNF250010009MESYH 10 3/8 2500 8 1/5" MESYH

RNF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

RNF250010009PESAR 10 3/8 2500 8 1/5" PESAR

RNF250010009PEINX 10 3/8 2500 8 1/5" PEINX

RNF250010009PESYH 10 3/8 2500 8 1/5" PESYH

RNF250010009R9016 10 3/8 2500 8 1/5" R9016

RNF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX MESYH inox matte, anodizzat iswed matte, anodizzat

PEGMS PESAR fidda qawwi, anodizzat isfar jgħajjat, anodizzat

PEINX PESYH inox qawwi, anodizzat iswed qawwi, anodizzat

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 19

MOX QUARE-WISS

Aluminju Tile Trim

Il-kantuniera esterna kwadra tat-trim tal-madum tal-aluminju Waħħal Pjazza żżid l-estetika mal-applikazzjonijiet taċ-ċeramika tiegħek mal-firxa wiesgħa ta 'għażliet tal-wiċċ tagħha kompatibbli ma' kuluri u nisġa taċ-ċeramika trending.

Jintuża f'ġonot tal-kantuniera ta 'barra ta' 90 grad ta 'applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Square Fix għandha għażliet ta 'pittura ta' trab anodizzat matte, anodizzat qawwi u elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

DEHRU MINGĦAJR FUQ L-UċUĊI ĊERAMIKA, FIRXA WIESA’ TA’ KULUR U GĦAŻLIET TA’ EFFETT BIEX ADATTA L-KULURI U TESSUTI ĊERAMIKA TA’ TENDENZA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

SQF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

SQF250010009MESAR 10 3/8 2500 8 1/5" MESAR

SQF250010009MEINX 10 3/8 2500 8 1/5" MEINX

SQF250010009MESYH 10 3/8 2500 8 1/5" MESYH

SQF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

SQF250010009PESAR 10 3/8 2500 8 1/5" PESAR

SQF250010009PEINX 10 3/8 2500 8 1/5" PEINX

SQF250010009PESYH 10 3/8 2500 8 1/5" PESYH

SQF250010009R9016 10 3/8 2500 8 1/5" R9016

SQF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX MESYH inox matte, anodizzat iswed matte, anodizzat

PEGMS PESAR fidda qawwi, anodizzat isfar jgħajjat, anodizzat

PEINX PESYH inox qawwi, anodizzat iswed qawwi, anodizzat

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 20

MPS-AG

Stainless Steel Tile Trim

Mps-Ag tal-madum tal-istainless steel trim profil tal-kantuniera esterna tonda jispikka bil-karatteristika ta 'protezzjoni taċ-ċeramika u d-dehra eleganti, speċjalment fil-kmamar tal-banju u kċejjen b'uċuħ taċ-ċeramika.

Jintuża f'ġonot tal-kantuniera ta 'barra ta' 90 grad ta 'applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Mps-Ag għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-Ag jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

DEHAR ELEGANTI LI JRATTA T-TRANŻIZZJONI TAL-IRKANUNI TA ' BARRA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MAG243010008STANT 8 5/16 2438 8 STANT 8mm

MAG243010008MRANT 8 5/16 2438 8 MRANT 5/16"

MAG243010008STBRO 8 5/16 2438 8 STBRO

MAG243010008MRBRO 8 5/16 2438 8 MRBRO

MAG243010008STCOP 8 5/16 2438 8 STCOP h

MAG243010008MRCOP 8 5/16 2438 8 MRCOP

MAG243010008STGLD 8 5/16 2438 8 STGLD

MAG243010008MRGLD 8 5/16 2438 8 MRGLD

MAG250010008STINX 8 5/16 2500 8 1/5" STINX

MAG250010008MRINX 8 5/16 2500 8 1/5" MRINX

MAG243010008SMINX 8 5/16 2438 8 SMINX

MAG243012008STANT 10 3/8 2438 8 STANT

MAG243012008MRANT 10 3/8 2438 8 MRANT

MAG243012008STBRO 10 3/8 2438 8 STBRO

MAG243012008MRBRO 10 3/8 2438 8 MRBRO

MAG243012008STCOP 10 3/8 2438 8 STCOP

MAG243012008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MAG243012008STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MAG243012008MRGLD 10 3/8 2438 8 MRGLD

MAG250012008STINX 10 3/8 2500 8 1/5" STINX

MAG250012008MRINX 10 3/8 2500 8 1/5" MRINX

MAG243012008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MAG243014008STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MAG243014008MRANT 12 1/2 2438 8 MRANT

MAG243014008STBRO 12 1/2 2438 8 STBRO

MAG243014008MRBRO 12 1/2 2438 8 MRBRO

MAG243014008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MAG243014008MRCOP 12 1/2 2438 8 MRCOP

MAG243014008STGLD 12 1/2 2438 8 STGLD

MAG243014008MRGLD 12 1/2 2438 8 MRGLD

MAG250014008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MAG250014008MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MAG243014008SMINX 12 1/2 2438 8 SMINX

MAG243010008STANT 14 9/16 2438 8

STANT

MAG243010008MRANT 14 9/16 2438 8 MRANT

MAG243010008STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MAG243010008MRBRO 14 9/16 2438 8 MRBRO

MAG243010008STCOP 14 9/16 2438 8 STCOP

MAG243010008MRCOP 14 9/16 2438 8 MRCOP

MAG243010008STGLD 14 9/16 2438 8 STGLD

MAG243010008MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MAG250010008STINX 14 9/16 2500 8 1/5" STINX

MAG250010008MRINX 14 9/16 2500 8 1/5" MRINX

MAG243010008SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 21

MPS-BRD

Bordur ta 'l-Azzar li ma jsaddadx

Il-fruntiera tat-trim tal-madum tal-istainless steel Mps-Brd tintuża l-aktar bħala diviżur dekorattiv għaċ-ċeramika.

Li tkun kompatibbli ma 'profili oħra tat-trim tal-madum huwa wieħed mill-vantaġġi tiegħu.

Mps-Brd għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-Brd jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

PROFIL TAL-FRUNTIERA DEKORATIVA GĦAL UĊĊI ĊERAMIKA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MBD2430XX023STANT 8 5/16 2438 8 STANT

MBD2430XX023MRANT 8 5/16 2438 8 MRANT

MBD2430XX023STBRO 8 5/16 2438 8 STBRO

MBD2430XX023MRBRO 8 5/16 2438 8 MRBRO

MBD2430XX023STCOP 8 5/16 2438 8 STCOP

MBD2430XX023MRCOP 8 5/16 2438 8 MRCOP

MBD2430XX023STGLD 8 5/16 2438 8 STGLD 10-15-20-23mm

MBD2430XX023MRGLD 8 5/16 2438 8 MRGLD 3/8"-9/16"-13/16"-7/8"

MBD2500XX023STINX 8 5/16 2500 8 1/5" STINX

MBD2500XX023MRINX 8 5/16 2500 8 1/5" MRINX h

MBD2430XX023SMINX 8 5/16

2438 8 SMINX

MBD2430XX010STANT 10 3/8 2438 8 STANT

MBD2430XX010MRANT 10 3/8 2438 8 MRANT

MBD2430XX010STBRO 10 3/8 2438 8 STBRO

MBD2430XX010MRBRO 10 3/8 2438 8 MRBRO

MBD2430XX010STCOP 10 3/8 2438 8 STCOP

MBD2430XX010MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MBD2430XX010STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MBD2430XX010MRGLD 10 3/8 2438 8 MRGLD

MBD2500XX010STINX 10 3/8 2500 8 1/5" STINX

MBD2500XX010MRINX 10 3/8 2500 8 1/5" MRINX

MBD2430XX010SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MBD2430XX015STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MBD2430XX015MRANT 12 1/2 2438 8 MRANT

MBD2430XX015STBRO 12 1/2 2438 8 STBRO

MBD2430XX015MRBRO 12 1/2 2438 8 MRBRO

MBD2430XX015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MBD2430XX015MRCOP 12 1/2 2438 8 MRCOP

MBD2430XX015STGLD 12 1/2 2438 8 STGLD

MBD2430XX015MRGLD 12 1/2 2438 8 MRGLD

MBD2500XX015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MBD2500XX015MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MBD2430XX015SMINX 12 1/2 2438 8 SMINX

MBD2430XX020STANT 14 9/16 2438 8

STANT

MBD2430XX020MRANT 14 9/16 2438 8 MRANT

MBD2430XX020STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MBD2430XX020MRBRO 14 9/16 2438 8 MRBRO

MBD2430XX020STCOP 14 9/16 2438 8 STCOP

MBD2430XX020MRCOP 14 9/16 2438 8 MRCOP

MBD2430XX020STGLD 14 9/16 2438 8 STGLD

MBD2430XX020MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MBD2500XX020STINX 14 9/16 2500 8 1/5" STINX

MBD2500XX020MRINX 14 9/16 2500 8 1/5" MRINX

MBD2430XX020SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 22

MPS-C

Stainless Steel Tile Trim

Il-profil tal-kantuniera intern tat-trim tal-madum tal-istainless steel Mps-C jadatta għal kuluri u nisġa taċ-ċeramika tat-tendenza filwaqt li jżid l-estetika għall-applikazzjonijiet taċ-ċeramika tiegħek bil-firxa wiesgħa ta 'għażliet tal-wiċċ.

Jintuża f'90 grad ġonot tal-kantuniera ta 'ġewwa ta' applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Mps-C għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-C jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

KWALITÀ TA ' L-AZZAR INOX GĦALL-IRKANUNI TA' ĠEWNA TA' APPLIKAZZJONIJIET ĊERAMIKA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPC243010009STANT 8 5/16 2438 8 STANT

MPC243010009MRANT 8 5/16 2438 8 MRANT

MPC243010009STBRO 8 5/16 2438 8 STBRO

MPC243010009MRBRO 8 5/16 2438 8 MRBRO 9mm

MPC243010009STCOP 8 5/16 2438 8 STCOP 3/8"

MPC243010009MRCOP 8 5/16 2438 8 MRCOP

MPC243010009STGLD 8 5/16 2438 8 STGLD

MPC243010009MRGLD 8 5/16 2438 8 MRGLD

MPC250010009STINX 8 5/16 2500 8 1/5" STINX h

MPC250010009MRINX 8 5/16 2500 8 1/5" MRINX

MPC243010009SMINX 8 5/16 2438 8 SMINX

MPC243012009STANT 10 3/8 2438 8 STANT

MPC243012009MRANT 10 3/8 2438 8 MRANT

MPC243012009STBRO 10 3/8 2438 8 STBRO

MPC243012009MRBRO 10 3/8 2438 8 MRBRO

MPC243012009STCOP 10 3/8 2438 8 STCOP

MPC243012009MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPC243012009STGLD 10

3/8 2438 8 STGLD mera antraċite satin antraċite

MPC243012009MRGLD 10 3/8 2438 8 MRGLD

MPC250012009STINX 10 3/8 2500 8 1/5" STINX

MPC250012009MRINX 10 3/8 2500 8 1/5" MRINX

MPC243012009SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPC243014009STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MPC243014009MRANT 12 1/2 2438 8 MRANT

MPC243014009STBRO 12 1/2 2438 8 STBRO

MPC243014009MRBRO 12 1/2 2438 8 MRBRO

MPC243014009STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPC243014009MRCOP 12 1/2 2438 8 MRCOP

MPC243014009STGLD 12 1/2 2438 8 STGLD

MPC243014009MRGLD 12 1/2 2438 8 MRGLD

MPC250014009STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPC250014009MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPC243014009SMINX 12 1/2 2438 8 SMINX

MPC243008009STANT 14 9/16 2438 8

STANT

MPC243008009MRANT 14 9/16 2438 8 MRANT

MPC243008009STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPC243008009MRBRO 14 9/16 2438 8 MRBRO

MPC243008009STCOP 14 9/16 2438 8 STCOP

MPC243008009MRCOP 14 9/16 2438 8 MRCOP

MPC243008009STGLD 14 9/16 2438 8 STGLD

MPC243008009MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPC250008009STINX 14 9/16 2500 8 1/5" STINX

MPC250008009MRINX 14 9/16 2500 8 1/5" MRINX

MPC243008009SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 23

MPS-D

Stainless Steel Tile Trim

Il-profil tal-kantuniera esterna kwadra tat-trim tal-madum tal-istainless steel Mps-D jadatta għal kuluri u nisġa taċ-ċeramika tat-tendenza filwaqt li żżid l-estetika għall-applikazzjonijiet taċ-ċeramika tiegħek bil-firxa wiesgħa ta 'għażliet tal-wiċċ tagħha.

Jintuża f'ġonot tal-kantuniera ta 'barra ta' 90 grad ta 'applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Mps-D għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-D jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

JIPPROVDI DEhra PERFETTA GĦALL-UċUĊI ĊERAMIKA U TIPREVENDI ĦSARA GĦAĊ-ĊERAMIKA BIL-KWALITÀ TA' L-AZZAR INOX.

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPD243014008STANT 8 5/16 2438 8 STANT 8mm

MPD243014008MRANT 8 5/16 2438 8 MRANT 5/16"

MPD243014008STBRO 8 5/16 2438 8 STBRO

MPD243014008MRBRO 8 5/16 2438 8 MRBRO

MPD243014008STCOP 8 5/16 2438 8 STCOP h

MPD243014008MRCOP 8 5/16 2438 8 MRCOP

MPD243014008STGLD 8 5/16 2438 8 STGLD

MPD243014008MRGLD 8 5/16 2438 8 MRGLD

MPD250014008STINX 8 5/16 2500 8 1/5" STINX

MPD250014008MRINX 8 5/16 2500 8 1/5" MRINX

MPD243014008SMINX 8 5/16 2438 8 SMINX

MPD243008008STANT 10 3/8 2438 8 STANT

MPD243008008MRANT 10 3/8 2438 8 MRANT

MPD243008008STBRO 10 3/8 2438 8 STBRO

MPD243008008MRBRO 10 3/8 2438 8 MRBRO

MPD243008008STCOP 10 3/8 2438 8 STCOP

MPD243008008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPD243008008STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MPD243008008MRGLD 10 3/8 2438 8 MRGLD

MPD250008008STINX 10 3/8 2500 8 1/5" STINX

MPD250008008MRINX 10 3/8 2500 8 1/5" MRINX

MPD243008008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPD243010008STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MPD243010008MRANT 12 1/2 2438 8 MRANT

MPD243010008STBRO 12 1/2 2438 8 STBRO

MPD243010008MRBRO 12 1/2 2438 8 MRBRO

MPD243010008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPD243010008MRCOP 12 1/2 2438 8 MRCOP

MPD243010008STGLD 12 1/2 2438 8 STGLD

MPD243010008MRGLD 12 1/2 2438 8 MRGLD

MPD250010008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPD250010008MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPD243010008SMINX 12 1/2 2438 8 SMINX

MPD243012008STANT 14 9/16 2438 8

STANT

MPD243012008MRANT 14 9/16 2438 8 MRANT

MPD243012008STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPD243012008MRBRO 14 9/16 2438 8 MRBRO

MPD243012008STCOP 14 9/16 2438 8 STCOP

MPD243012008MRCOP 14 9/16 2438 8 MRCOP

MPD243012008STGLD 14 9/16 2438 8 STGLD

MPD243012008MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPD250012008STINX 14 9/16 2500 8 1/5" STINX

MPD250012008MRINX 14 9/16 2500 8 1/5" MRINX

MPD243012008SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 24

MPS-L

Stainless Steel Tile Trim

Il-profil tat-tarf tat-trim tal-madum tal-istainless steel Mps-L jadatta għal kuluri u nisġa taċ-ċeramika tat-tendenza filwaqt li jżid l-estetika għall-applikazzjonijiet taċ-ċeramika tiegħek bil-firxa wiesgħa ta 'għażliet tal-wiċċ.

Jintuża bħala qafas li jaħbi s-sezzjoni taċ-ċeramika fit-truf tal-applikazzjonijiet tal-ħajt taċ-ċeramika jew bħala ġonot tal-parkè.

Filwaqt li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll iċ-ċeramika milli tieħu ħsara.

Mps-L għandu mera, satin, super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-L jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

DEhra PURA U MINIMALE GĦAL KOmbinazzjonijiet taċ-ċeramika mad-disinn sempliċi tagħha

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPL243010003STANT 8 5/16 2438 8 STANT 3mm

MPL243010003MRANT 8 5/16 2438 8 MRANT 1/8"

MPL243010003STBRO 8 5/16 2438 8 STBRO

MPL243010003MRBRO 8 5/16 2438 8 MRBRO

MPL243010003STCOP 8 5/16 2438 8 STCOP h

MPL243010003MRCOP 8 5/16 2438 8 MRCOP

MPL243010003STGLD 8 5/16 2438 8 STGLD

MPL243010003MRGLD 8 5/16 2438 8 MRGLD

MPL250010003STINX 8 5/16 2500 8 1/5" STINX

MPL250010003MRINX 8 5/16 2500 8 1/5" MRINX

MPL243010003SMINX 8 5/16 2438 8 SMINX

MPL243012003STANT 10 3/8 2438 8 STANT

MPL243012003MRANT 10 3/8 2438 8 MRANT

MPL243012003STBRO 10 3/8 2438 8 STBRO

MPL243012003MRBRO 10 3/8 2438 8 MRBRO

MPL243012003STCOP 10 3/8 2438 8 STCOP

MPL243012003MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPL243012003STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MPL243012003MRGLD 10 3/8 2438 8 MRGLD

MPL250012003STINX 10 3/8 2500 8 1/5" STINX

MPL250012003MRINX 10 3/8 2500 8 1/5" MRINX

MPL243012003SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPL243014003STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MPL243014003MRANT 12 1/2 2438 8 MRANT

MPL243014003STBRO 12 1/2 2438 8 STBRO

MPL243014003MRBRO 12 1/2 2438 8 MRBRO

MPL243014003STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPL243014003MRCOP 12 1/2 2438 8 MRCOP

MPL243014003STGLD 12 1/2 2438 8 STGLD

MPL243014003MRGLD 12 1/2 2438 8 MRGLD

MPL250014003STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPL250014003MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPL243014003SMINX 12 1/2 2438 8 SMINX

MPL243008003STANT 14 9/16 2438 8

STANT

MPL243008003MRANT 14 9/16 2438 8 MRANT

MPL243008003STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPL243008003MRBRO 14 9/16 2438 8 MRBRO

MPL243008003STCOP 14 9/16 2438 8 STCOP

MPL243008003MRCOP 14 9/16 2438 8 MRCOP

MPL243008003STGLD 14 9/16 2438 8 STGLD

MPL243008003MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPL250008003STINX 14 9/16 2500 8 1/5" STINX

MPL250008003MRINX 14 9/16 2500 8 1/5" MRINX

MPL243008003SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 25

MPS-S

Stainless Steel Tile Trim

Il-profil intern tal-kantuniera interna tat-trim tal-madum tal-istainless steel Mps-S jadatta għal kuluri u nisġa taċ-ċeramika tat-tendenza filwaqt li żżid l-estetika għall-applikazzjonijiet taċ-ċeramika tiegħek bil-firxa wiesgħa ta 'għażliet tal-wiċċ tagħha.

Jintuża f'90 grad ġonot tal-kantuniera ta 'ġewwa ta' applikazzjonijiet taċ-ċeramika.

Minbarra li tipprovdi estetika li telimina d-difetti tal-ġogi u tal-applikazzjoni, tipprevjeni wkoll il-ħsara liċ-ċeramika.

Mps-S għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-S jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

Ittaffi t-tranżizzjoni fir-kantunieri ta 'ġewwa u tipprovdi dehra eleganti

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPS243014020STANT 8 5/16 2438 8 STANT

MPS243014020MRANT 8 5/16 2438 8 MRANT

MPS243014020STBRO 8 5/16 2438 8 STBRO

MPS243014020MRBRO 8 5/16 2438 8 MRBRO

MPS243014020STCOP 8 5/16 2438 8 STCOP m M M P P S S 2 2 4 4 3 3 0 0 1 1 4 4 0 0 2 2 0 0 M ST R G C L O D P 8 8 5 5 / / 1 1 6 6 2 2 4 4 3 3 8 8 8 8 M ST R G C L O D P 2 0 1 m 3/1 6"

MPS243014020MRGLD 8 5/16 2438 8 MRGLD

MPS250014020STINX 8 5/16 2500 8 1/5" STINX h

MPS250014020MRINX 8 5/16 2500 8 1/5" MRINX

MPS243014020SMINX 8 5/16 2438 8 SMINX

MPS243008020STANT 10 3/8 2438 8 STANT

MPS243008020MRANT 10 3/8 2438 8 MRANT

MPS243008020STBRO 10 3/8 2438 8 STBRO

MPS243008020MRBRO 10 3/8 2438 8 MRBRO

MPS243008020STCOP 10 3/8 2438 8 STCOP

MPS243008020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPS243008020STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MPS243008020MRGLD 10

3/8 2438 8 MRGLD

MPS250008020STINX 10 3/8 2500 8 1/5" STINX

MPS250008020MRINX 10 3/8 2500 8 1/5" MRINX

MPS243008020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPS243010020STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MPS243010020MRANT 12 1/2 2438 8 MRANT

MPS243010020STBRO 12 1/2 2438 8 STBRO

MPS243010020MRBRO 12 1/2 2438 8 MRBRO

MPS243010020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPS243010020MRCOP 12 1/2 2438 8 MRCOP

MPS243010020STGLD 12 1/2 2438 8 STGLD

MPS243010020MRGLD 12 1/2 2438 8 MRGLD

MPS250010020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPS250010020MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPS243010020SMINX 12 1/2 2438 8 SMINX

MPS243012020STANT 14 9/16 2438 8

STANT

MPS243012020MRANT 14 9/16 2438 8 MRANT

MPS243012020STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPS243012020MRBRO 14 9/16 2438 8 MRBRO

MPS243012020STCOP 14 9/16 2438 8 STCOP

MPS243012020MRCOP 14 9/16 2438 8 MRCOP

MPS243012020STGLD 14 9/16 2438 8 STGLD

MPS243012020MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPS250012020STINX 14 9/16 2500 8 1/5" STINX

MPS250012020MRINX 14 9/16 2500 8 1/5" MRINX

MPS243012020SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 26

TRANSIZZJONIJIET TA' RAMPA, PROTEZZJONI TA' TAT-TAPIT, PAVAR U RNOVAZZJONI, PROTEZZJONI TA' L-IMNEĦIR TA' STEP

Il-profili tal-art Mox ikopru l-lakuni bejn l-art jew it-tranżizzjonijiet tal-għatba tal-bieb, u jaħbu kwalunkwe difett tal-applikazzjoni.

Minbarra l-profili tal-limitu standard, jinkludu wkoll profili tar-rampa li jeliminaw id-differenzi fil-livell bejn l-artijiet.

Paġna tas-sors 27

KOLLHA F'WAĦDA

Tranżizzjoni tar-Rampa tal-Aluminju

Il-profil tat-tranżizzjoni tar-rampa tal-aluminju All in One jipprovdi tranżizzjoni billi jelimina kwalunkwe differenza fil-livell bejn żewġ materjali tal-art differenti fl-applikazzjonijiet tal-art.

Bil-karatteristika aġġustabbli tagħha, tadatta għal kull differenza ta 'livell bejn l-art.

B'differenza mill-kompetituri tiegħu jista 'jiġi installat mill-estensjoni tiegħu taħt l-art u ma jeħtieġx adeżivi li jagħmilha aktar fit-tul.

Kollha f'wieħed għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

BL-ADĠUSTABILITÀ TAGĦHA, JIPPROVDI DEHRA MINGĦAJR GĦAT-TRANSIZZJONIJIET TA' L-ART

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

AIO25004024MEGMS hmax 24 15/16 2500 8 1/5’’ MEGMS hmin 1.5 1/16

AIO25004024MESAR hmax 24 15/16 2500 8 1/5" MESAR hmin 1.5 1/16

AIO25004024MEINX hmax 24 15/16 2500 8 1/5" MEINX hmin 1.5 1/16

AIO25004024MESYH hmax 24 15/16 2500 8 1/5" MESYH hmin 1.5 1/16

hmax hmin

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX MESYH inox matte, anodizzat iswed matte, anodizzat

Paġna tas-sors 28

REVIO

Paviment tal-Aluminju

Il-profil tat-tarf tat-tapit tal-aluminju Revio huwa ddisinjat apposta biex iżid l-estetika u l-funzjonalità tal-art tiegħek.

Il-profil tat-tarf tat-tapit tal-aluminju Revio mhux biss jipprovdi transizzjoni bla xkiel bejn l-uċuħ tal-art differenti, iżda jipproteġi wkoll it-truf tat-tapit tiegħek, u jipprevjeni xedd u deformazzjoni li jistgħu jseħħu maż-żmien.

Dawn il-profili jgħinuk tnaqqas l-ispejjeż tat-tiswija u s-sostituzzjoni billi testendi l-ħajja tat-tapit tiegħek.

Revio għandu għażla ta 'kisi anodizzat matt fil-kuluri tal-fidda, isfar u inox.

IDDISINJATI BIEX ITEJBU L-ESTETIKA U L-FUNZJONALITÀ TA’ L-ART TIEGĦEK

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

RVO25001215MEGMS 12 1/2 2500 8 1/5’’ MEGMS

RVO25001215MESAR 12 1/2 2500 8 1/5" MESAR

RVO25001215MEINX 12 1/2 2500 8 1/5" MEINX

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX matt inox, anodizzat

Paġna tas-sors 29

VISIO

Paviment tal-Aluminju

Il-profil tal-limitu tat-tapit tal-aluminju Visio jipprovdi tranżizzjonijiet interni sikuri, estetiċi u fit-tul bejn materjali differenti tal-art.

Joħloq ambjent sikur, speċjalment għat-tfal u l-anzjani, billi jipprovdi tranżizzjoni bla xkiel bejn għoli differenti tal-art.

Il-profil tal-limitu tat-tapit tal-aluminju Visio huwa ddisinjat biex jagħlaq il-lakuni bejn it-tapit u kisi tal-art ieħor.

Tipprovdi transizzjoni bla xkiel bejn tapit u tipi oħra ta 'kisi tal-art, u telimina kwalunkwe irregolarità jew perikli ta' tgerbib li jistgħu jseħħu.

Ttawwal ukoll il-ħajja tat-twapet billi tipproteġihom kontra l-użu u l-kedd.

Visio, li għandu dehra estetika kif ukoll vantaġġi funzjonali, itejjeb id-dehra ġenerali tad-disinn interjuri tiegħek.

Il-profil tal-għatba tat-tapit tal-aluminju Visio għandu għażla ta 'kisja anodizzata matta fil-kuluri tal-fidda, isfar u inox.

ITTEBIB IT-TRANŻIZZJONI TA' L-ART TIEGĦEK B'PROFIL TA' LATT TA' TAPIT STYLISH

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

VSO25000927MEGMS h1 9 3/8 2500 8 1/5’’ MEGMS h2 6.3 1/4

VSO25000927MESAR h1 9 3/8 2500 8 1/5" MESAR h2 6.3 1/4

VSO25000927MEINX h1 9 3/8 2500 8 1/5" MEINX h2 6.3 1/4

VSO09000927MEGMS h1 9 3/8 900 2 31/32" MEGMS h2 6.3 1/4

VSO09000927MESAR h1 9 3/8 900 2 31/32" MESAR h2 6.3 1/4

VSO09000927MEINX h1 9 3/8 900 2 31/32" MEINX h2 6.3 1/4

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX matt inox, anodizzat

Paġna tas-sors 30

LINJA MOX

Paviment tal-Aluminju

Il-profil tat-tarf tal-art tal-aluminju Line huwa għażla eċċellenti għal diversi proġetti bl-istruttura versatili, durabbli u ħafifa tagħha li tagħlaq id-distakk bejn l-art.

Il-profil tat-tarf tal-art tal-aluminju Line huwa ddisinjat biex jagħlaq il-lakuni bejn il-madum tal-art tal-istess għoli.

Il-profil tat-tarf tal-art tal-aluminju Line għandu għażla ta 'kisi anodizzat qawwi f'kuluri fidda u isfar.

GĦAŻLA PERFETTA GĦALL-ART TIEGĦEK BIL-FORMA MINIMALE TAGĦHA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

LIN25001004PEGMS 10 3/8 2500 8 1/5’’ PEGMS

LIN25001004PESAR 10 3/8 2500 8 1/5" PESAR

PEGMS PESAR fidda qawwi, anodizzat isfar jgħajjat, anodizzat

Paġna tas-sors 31

FLEX

Paviment tal-Aluminju

Il-profil tat-tarf tal-art formabbli tal-aluminju Flex jintuża f'applikazzjonijiet tal-parkè jew taċ-ċeramika bħala qafas li jaħbi s-sezzjoni tal-art, li tissostitwixxi l-ġonot.

Minbarra li tikkoreġi l-iżbalji tal-ġogi u tal-installazzjoni u ttejjeb l-estetika, tipprevjeni wkoll ħsara lill-kisi tal-art.

Il-profil tat-tarf tal-art formabbli tal-aluminju Flex huwa ddisinjat biex jiffaċilita t-tranżizzjoni tal-materjali tal-art.

Id-disinn flessibbli tiegħu jippermetti li titgħawweġ fil-forma mixtieqa.

Minbarra l-vantaġġi funzjonali tagħha, id-dehra minima tagħha ttejjeb id-dehra ġenerali tad-disinji tiegħek.

Flex għandu għażliet ta 'pittura ta' trab anodizzat matte, anodizzat qawwi u elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox u iswed anodizzati huma disponibbli, jista 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

OĦLOQ DISINNI IMMAĠINATIVI GĦALL-ART TIEGĦEK BIL-FORMA FORMABLI TAGĦHA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

FLX250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS

FLX250010003MESAR 10 3/8 2500 8 1/5" MESAR

FLX250010003MEINX 10 3/8 2500 8 1/5" MEINX

FLX250010003MESYH 10 3/8 2500 8 1/5" MESYH

FLX250010003PEGMS 10 3/8 2500 8 1/5" PEGMS

FLX250010003PESAR 10 3/8 2500 8 1/5" PESAR 2.5mm

FLX250010003PEINX 10 3/8 2500 8 1/5" PEINX 1/8"

FLX250010003PESYH 10 3/8 2500 8 1/5" PESYH

FLX250010003R9016 10 3/8 2500 8 1/5" R9016 h

FLX250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR fidda matta, anodized matte yellow, anodized

MEINX MESYH inox matte, anodizzat iswed matte, anodizzat

PEGMS PESAR fidda qawwi, anodizzat isfar jgħajjat, anodizzat

PEINX PESYH inox qawwi, anodizzat iswed qawwi, anodizzat

R9016 R7016 abjad, semi tleqq, antraċite, semi tleqq, miksi bit-trab miksi bit-trab

Paġna tas-sors 32

MPS-E

Stainless Steel Flooring Profil

Il-profil tat-tranżizzjoni tal-art tal-istainless steel Mps-E huwa wieħed mill-aktar profili ta 'transizzjoni preferuti.

B'differenza mill-kompetituri tiegħu jista 'jiġi installat mill-estensjoni tiegħu taħt l-art u ma jeħtieġx adeżivi li jagħmilha aktar fit-tul.

Jintuża bħala fruntiera ta 'tranżizzjoni fl-applikazzjonijiet tal-art.

Mps-E għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-E jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

ADOTTAT GĦAD-DISINJI ARKITETTONI KOLLHA BL-ID-DEhra TRADIZZJONALI IMMA MIEJBA TAGĦHA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPE243010020STANT 8 5/16 2438 8 STANT

MPE243010020MRANT 8 5/16 2438 8 MRANT

MPE243010020STBRO 8 5/16 2438 8 STBRO

MPE243010020MRBRO 8 5/16 2438 8 MRBRO

MPE243010020STCOP 8 5/16 2438 8 STCOP

MPE243010020MRCOP 8 5/16 2438 8 MRCOP 20mm

MPE243010020STGLD 8 5/16 2438 8 STGLD 13/16"

MPE243010020MRGLD 8 5/16 2438 8 MRGLD

MPE250010020STINX 8 5/16 2500 8 1/5" STINX h

MPE250010020MRINX 8 5/16 2500 8 1/5" MRINX

MPE243010020SMINX 8 5/16 2438 8 SMINX

MPE243012020STANT 10 3/8 2438 8 STANT

MPE243012020MRANT 10 3/8 2438 8 MRANT

MPE243012020STBRO 10 3/8 2438 8 STBRO

MPE243012020MRBRO 10 3/8 2438 8 MRBRO

MPE243012020STCOP 10 3/8 2438 8 STCOP

MPE243012020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPE243012020STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MPE243012020MRGLD 10 3/8 2438 8 MRGLD

MPE250012020STINX 10 3/8 2500 8 1/5" STINX

MPE250012020MRINX 10 3/8 2500 8 1/5" MRINX

MPE243012020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPE243014020STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MPE243014020MRANT 12 1/2 2438 8 MRANT

MPE243014020STBRO 12 1/2 2438 8 STBRO

MPE243014020MRBRO 12 1/2 2438 8 MRBRO

MPE243014020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPE243014020MRCOP 12 1/2 2438 8 MRCOP

MPE243014020STGLD 12 1/2 2438 8 STGLD

MPE243014020MRGLD 12 1/2 2438 8 MRGLD

MPE250014020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPE250014020MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPE243014020SMINX 12 1/2 2438 8 SMINX

MPE243008020STANT 14 9/16 2438 8

STANT

MPE243008020MRANT 14 9/16 2438 8 MRANT

MPE243008020STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPE243008020MRBRO 14 9/16 2438 8 MRBRO

MPE243008020STCOP 14 9/16 2438 8 STCOP

MPE243008020MRCOP 14 9/16 2438 8 MRCOP

MPE243008020STGLD 14 9/16 2438 8 STGLD

MPE243008020MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPE250008020STINX 14 9/16 2500 8 1/5" STINX

MPE250008020MRINX 14 9/16 2500 8 1/5" MRINX

MPE243008020SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 33

MPS-N

Stainless Steel Flooring Profil

Il-profil ta 'transizzjoni tar-rampa ta' l-istainless steel Mps-N jintuża bħala fruntiera ta 'separazzjoni u profil ta' transizzjoni bejn artijiet ta 'livelli differenti f'applikazzjonijiet ta' l-art.

Jista 'jiġi prodott f'għoli tad-dwana għal kwalunkwe differenza fil-livell.

Mps-N għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-N jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

TRATTAB IT-TRANSIZZJONI BEJN LIVELLI DIFFERENTI

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPN243014050STANT 8 5/16 2438 8 STANT

MPN243014050MRANT 8 5/16 2438 8 MRANT

MPN243014050STBRO 8 5/16 2438 8 STBRO

MPN243014050MRBRO 8 5/16 2438 8 MRBRO

MPN243014050STCOP 8 5/16 2438 8 STCOP

MPN243014050MRCOP 8 5/16 2438 8 MRCOP 50mm

MPN243014050STGLD 8 5/16 2438 8 STGLD 2"

MPN243014050MRGLD 8 5/16 2438 8 MRGLD

MPN250014050STINX 8 5/16 2500 8 1/5" STINX h

MPN250014050MRINX 8 5/16 2500 8 1/5" MRINX

MPN243014050SMINX 8 5/16 2438 8 SMINX

MPN243008050STANT

10 3/8 2438 8 STANT

MPN243008050MRANT 10 3/8 2438 8 MRANT

MPN243008050STBRO 10 3/8 2438 8 STBRO

MPN243008050MRBRO 10 3/8 2438 8 MRBRO

MPN243008050STCOP 10 3/8 2438 8 STCOP

MPN243008050MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPN243008050STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MPN243008050MRGLD 10 3/8 2438 8 MRGLD

MPN250008050STINX 10 3/8 2500 8 1/5" STINX

MPN250008050MRINX 10 3/8 2500 8 1/5" MRINX

MPN243008050SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPN243010050STANT 12 1/2 2438 8

STANT mera tal-bronż satin tal-bronż

MPN243010050MRANT 12 1/2 2438 8 MRANT

MPN243010050STBRO 12 1/2 2438 8 STBRO

MPN243010050MRBRO 12 1/2 2438 8 MRBRO

MPN243010050STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPN243010050MRCOP 12 1/2 2438 8 MRCOP

MPN243010050STGLD 12 1/2 2438 8 STGLD

MPN243010050MRGLD 12 1/2 2438 8 MRGLD

MPN250010050STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPN250010050MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPN243010050SMINX 12 1/2 2438 8 SMINX

MPN243012050STANT 14 9/16 2438 8

STANT

MPN243012050MRANT 14 9/16 2438 8 MRANT

MPN243012050STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPN243012050MRBRO 14 9/16 2438 8 MRBRO

MPN243012050STCOP 14 9/16 2438 8 STCOP

MPN243012050MRCOP 14 9/16 2438 8 MRCOP

MPN243012050STGLD 14 9/16 2438 8 STGLD

MPN243012050MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MPN250012050STINX 14 9/16 2500 8 1/5" STINX

MPN250012050MRINX 14 9/16 2500 8 1/5" MRINX

MPN243012050SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 34

MPS-TB

Stainless Steel Flooring Profil

Mps-Tb stainless steel art transizzjoni T hija waħda mill-aktar profili ta 'transizzjoni durabbli.

B'differenza mill-kompetituri tiegħu jista 'jiġi installat mill-estensjoni tiegħu taħt l-art u ma jeħtieġx adeżivi li jagħmilha aktar fit-tul.

Tkopri l-lakuni u d-difetti tal-applikazzjoni bejn it-tranżizzjonijiet tal-art u t-tranżizzjonijiet tal-limitu tal-bieb.

Jintuża wkoll bħala qafas separatur fl-applikazzjonijiet tal-art.

Mps-Tb għandu mera, satin, uċuħ super-mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-Tb jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

BIL-FORMA T, JIPPROVDI L-ĦARSA SEMPLIĊI TA ' TRANSIZZJONIJIET TRADIZZJONALI

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MTB243010025STANT 8 5/16 2438 8 STANT

MTB243010025MRANT 8 5/16 2438 8 MRANT

MTB243010025STBRO 8 5/16 2438 8 STBRO

MTB243010025MRBRO 8 5/16 2438 8 MRBRO

MTB243010025STCOP 8 5/16 2438 8 STCOP

MTB243010025MRCOP 8 5/16 2438 8 MRCOP 25mm 1"

MTB243010025STGLD 8 5/16 2438 8 STGLD

MTB243010025MRGLD 8 5/16 2438 8 MRGLD

MTB250010025STINX 8 5/16 2500 8 1/5" STINX h

MTB250010025MRINX 8 5/16 2500 8 1/5" MRINX

MTB243010025SMINX 8 5/16 2438 8 SMINX

MTB243012025STANT

10 3/8 2438 8 STANT

MTB243012025MRANT 10 3/8 2438 8 MRANT

MTB243012025STBRO 10 3/8 2438 8 STBRO

MTB243012025MRBRO 10 3/8 2438 8 MRBRO

MTB243012025STCOP 10 3/8 2438 8 STCOP

MTB243012025MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MTB243012025STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MTB243012025MRGLD 10 3/8 2438 8 MRGLD

MTB250012025STINX 10 3/8 2500 8 1/5" STINX

MTB250012025MRINX 10 3/8 2500 8 1/5" MRINX

MTB243012025SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MTB243014025STANT 12 1/2 2438 8

STANT mera tal-bronż satin tal-bronż

MTB243014025MRANT 12 1/2 2438 8 MRANT

MTB243014025STBRO 12 1/2 2438 8 STBRO

MTB243014025MRBRO 12 1/2 2438 8 MRBRO

MTB243014025STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MTB243014025MRCOP 12 1/2 2438 8 MRCOP

MTB243014025STGLD 12 1/2 2438 8 STGLD

MTB243014025MRGLD 12 1/2 2438 8 MRGLD

MTB250014025STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MTB250014025MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MTB243014025SMINX 12 1/2 2438 8 SMINX

MTB243008025STANT 14 9/16 2438 8

STANT

MTB243008025MRANT 14 9/16 2438 8 MRANT

MTB243008025STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MTB243008025MRBRO 14 9/16 2438 8 MRBRO

MTB243008025STCOP 14 9/16 2438 8 STCOP

MTB243008025MRCOP 14 9/16 2438 8 MRCOP

MTB243008025STGLD 14 9/16 2438 8 STGLD

MTB243008025MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MTB250008025STINX 14 9/16 2500 8 1/5" STINX

MTB250008025MRINX 14 9/16 2500 8 1/5" MRINX

MTB243008025SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 35

MPS-YD

Stainless Steel Flooring Profil

Il-profil konġunt ta 'espansjoni ta' l-istainless steel Mps-Yd jipprovdi l-aħjar soluzzjonijiet għal applikazzjonijiet ta 'art taċ-ċeramika speċjalment f'postijiet b'żoni kbar bħal sptarijiet, ċentri tax-xiri u skejjel.

Jassorbi l-pressjoni kkawżata minn espansjonijiet strutturali u jipprovdi protezzjoni liċ-ċeramika.

Mps-Yd għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-Yd jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

JASSORBA IL-PRESSJONI TA' ESPANSJONIJIET TAL-BINI U JIPPROVDI PROTEZZJONI GĦAĊ-ĊERAMIKA

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MYD243014015STANT 8 5/16 2438 8 STANT

MYD243014015MRANT 8 5/16 2438 8 MRANT

MYD243014015STBRO 8 5/16 2438 8 STBRO

MYD243014015MRBRO 8 5/16 2438 8 MRBRO

MYD243014015STCOP 8 5/16 2438 8 STCOP

MYD243014015MRCOP 8 5/16 2438 8 MRCOP

MYD243014015STGLD 8 5/16 2438 8 STGLD 15mm 9/16"

MYD243014015MRGLD 8 5/16 2438 8 MRGLD

MYD250014015STINX 8 5/16 2500 8 1/5" STINX h

MYD250014015MRINX 8 5/16 2500 8 1/5" MRINX

MYD243014015SMINX 8 5/16 2438 8 SMINX

MYD243008015STANT 10 3/8 2438 8 STANT

MYD243008015MRANT 10 3/8 2438 8 MRANT

MYD243008015STBRO 10 3/8 2438 8 STBRO

MYD243008015MRBRO 10 3/8 2438 8 MRBRO

MYD243008015STCOP 10 3/8 2438 8 STCOP

MYD243008015MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MYD243008015STGLD 10 3/8 2438 8 STGLD mera antraċite satin antraċite

MYD243008015MRGLD 10 3/8 2438 8 MRGLD

MYD250008015STINX 10 3/8 2500 8 1/5" STINX

MYD250008015MRINX 10 3/8 2500 8 1/5" MRINX

MYD243008015SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MYD243010015STANT 12 1/2 2438 8 STANT mera tal-bronż satin tal-bronż

MYD243010015MRANT 12 1/2 2438 8 MRANT

MYD243010015STBRO 12 1/2 2438 8 STBRO

MYD243010015MRBRO 12 1/2 2438 8 MRBRO

MYD243010015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MYD243010015MRCOP 12 1/2 2438 8 MRCOP

MYD243010015STGLD 12 1/2 2438 8 STGLD

MYD243010015MRGLD 12 1/2 2438 8 MRGLD

MYD250010015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MYD250010015MRINX 12 1/2 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MYD243010015SMINX 12 1/2 2438 8 SMINX

MYD243012015STANT 14 9/16 2438 8

STANT

MYD243012015MRANT 14 9/16 2438 8 MRANT

MYD243012015STBRO 14 9/16 2438 8 STBRO MRINX STINX mera inox satin inox

MYD243012015MRBRO 14 9/16 2438 8 MRBRO

MYD243012015STCOP 14 9/16 2438 8 STCOP

MYD243012015MRCOP 14 9/16 2438 8 MRCOP

MYD243012015STGLD 14 9/16 2438 8 STGLD

MYD243012015MRGLD 14 9/16 2438 8 MRGLD SMINX super mera

MYD250012015STINX 14 9/16 2500 8 1/5" STINX

MYD250012015MRINX 14 9/16 2500 8 1/5" MRINX

MYD243012015SMINX 14 9/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 36

MPS-B

Stainless Steel Pass Imnieħer

Il-profil tal-protezzjoni tal-pass tal-madum tal-istainless steel Mps-B ikopri d-difetti kkawżati waqt l-applikazzjoni u jipproteġi l-madum tal-pass bħall-irħam u l-parkè.

Jipproteġi l-passi taċ-ċeramika kontra d-deformazzjoni u l-ksur filwaqt li jipprovdi sigurtà bid-disinn li ma jiżloqx.

Mps-B għandu mera, satin, uċuħ super mera esklussivi u għażliet ta 'kulur antraċite, bronż, ram, deheb, inox.

Mps-B jista 'jiġi prodott f'għażliet ta' għoli u wisa 'illimitat.

JELIMINA ŻBALJI TA' APPLIKAZZJONI TA' TAGĦRIJ BĦAL IRĦAM U PARQUET

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

MPB243010040STANT 10 3/8 2438 8 STANT

MPB243010040MRANT 10 3/8 2438 8 MRANT 40mm

MPB243010040STBRO 10 3/8 2438 8 STBRO 1-9/16"

MPB243010040MRBRO 10 3/8 2438 8 MRBRO

MPB243010040STCOP 10 3/8 2438 8 STCOP h

MPB243010040MRCOP 10 3/8 2438 8 MRCOP

MPB243010040STGLD 10 3/8 2438 8 STGLD

MPB243010040MRGLD 10 3/8 2438 8 MRGLD

MPB250010040STINX 10 3/8 2500 8 1/5" STINX

MPB250010040MRINX 10 3/8 2500 8 1/5" MRINX

MPB243010040SMINX 10 3/8 2438 8 SMINX

MPB243012040STANT 12 1/2 2438 8 STANT

MPB243012040MRANT 12 1/2 2438 8 MRANT

MPB243012040STBRO 12 1/2 2438 8 STBRO

MPB243012040MRBRO 12 1/2 2438 8 MRBRO

MPB243012040STCOP 12 1/2 2438 8 STCOP

MPB243012040MRCOP 12 1/2 2438 8 MRCOP MRANT STANT

MPB243012040STGLD 12 1/2 2438 8 STGLD mera antraċite satin antraċite

MPB243012040MRGLD 12 1/2 2438 8 MRGLD

MPB250012040STINX 12 1/2 2500 8 1/5" STINX

MPB250012040MRINX 12 1/2 2500 8 1/5" MRINX

MPB243012040SMINX 12 1/2 2438 8 SMINX MRBRO STBRO

MPB243014040STANT 14 9/16 2438 8 STANT mera tal-bronż satin tal-bronż

MPB243014040MRANT 14 9/16 2438 8 MRANT

MPB243014040STBRO 14 9/16 2438 8 STBRO

MPB243014040MRBRO 14 9/16 2438 8 MRBRO

MPB243014040STCOP 14 9/16 2438 8 STCOP MRCOP STCOP mera tar-ram satin tar-ram

MPB243014040MRCOP 14 9/16 2438 8 MRCOP

MPB243014040STGLD 14 9/16 2438 8 STGLD

MPB243014040MRGLD 14 9/16 2438 8 MRGLD

MPB250014040STINX 14 9/16 2500 8 1/5" STINX MRGLD STGLD

MPB250014040MRINX 14 9/16 2500 8 1/5" MRINX mera tad-deheb satin tad-deheb

MPB243014040SMINX 14 9/16 2438 8 SMINX

MPB243020040STANT 20 13/16

2438 8 STANT

MPB243020040MRANT 20 13/16 2438 8 MRANT

MPB243020040STBRO 20 13/16 2438 8 STBRO MRINX STINX mera inox satin inox

MPB243020040MRBRO 20 13/16 2438 8 MRBRO

MPB243020040STCOP 20 13/16 2438 8 STCOP

MPB243020040MRCOP 20 13/16 2438 8 MRCOP

MPB243020040STGLD 20 13/16 2438 8 STGLD

MPB243020040MRGLD 20 13/16 2438 8 MRGLD SMINX super mera

MPB250020040STINX 20 13/16 2500 8 1/5" STINX

MPB250020040MRINX 20 13/16 2500 8 1/5" MRINX

MPB243020040SMINX 20 13/16 2438 8 SMINX

Prodotti tal-istainless steel jistgħu jiġu prodotti fi kwalunkwe għoli mitlub (h).

Tulijiet (L) jistgħu jvarjaw skont l-għażliet tal-wiċċ tal-prodotti tal-istainless steel.

Paġna tas-sors 37

Uffiċċju ta' Istanbul EGS Business Park B1 Nru 394 Yesilkoy, Istanbul, Turkija +90 212 559 0636

UK Warehouse 869 High Road Tottenham, Londra, N17 8EY, UK +44 751 2934322

mox@moxsystems.com moxsystems.com

Tpinġijiet oriġinali u paġni ta' referenza



PRODUCT CATALOG

LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS

LUCEO 10
guiding light source for security purposes, as well as to enjoy the touch of light in design

LEUX 12
brings classical designs and modern lighting together

WISHLED 14
suitable for any environment with unlimited design

LATO 16
ideal for all living spaces with minimal, slim design. practical corner solutions

SOLE 18
designed for all classical, luxurious and prestigious living spaces

CRISPO 20
for areas with large gaps between wall and flooring

SENTIO 22
order cables in areas such as workplaces and put an end to the mess

VELO 24
provides sealing and eliminates joint defects to floor-wall joints in wet areas

GRAVITY 26
complementary element of your interior designs

MPS-F 28
prevents moisture penetration to joints and reduces sound transmission in the impact zone

CERAMIC BORDERS, TILE TRIM PROFILES CERAMIC PROTECTION PROFILES

MONO-FIX 32
ceramic protection with an elegant appearance

ROUND-FIX 34
elevate your ceramic applications: seamless style, unmatched protection

SQUARE-FIX 36
flawless appearance on ceramic surfaces, wide range of color and effect options to adapt trending ceramic colors and textures

MPS-AG 38
an elegant appearance that softens the transition of the outer corners

MPS-BRD 40
decorative border profile for ceramic surfaces

MPS-C 42
Quality of stainless steel for inner corners of ceramic applications

MPS-D 44
provides perfect appearance to ceramic surfaces and prevents damage to ceramics with the quality of stainless steel

MPS-L 46
Pure and minimal appearance to ceramic combinations with its simple design

MPS-S 48
softens the transition in the inner corners and provides an elegant appearance

RAMP TRANSITIONS, CARPET EDGE PROTECTION, FLOORING AND RENOVATION, STEP NOSE PROTECTION

ALL IN ONE 52
with its adjustability, it provides a flawless appearance to floor transitions

REVIO 54
designed to enhance the aesthetics and functionality of your flooring

VISIO 56
enhance your flooring transition with a stylish carpet threshold profile

LINE 58
perfect choice for your flooring with its minimalist form

FLEX 60
create imaginative designs for your flooring with its formable form

MPS-E 62
suitable for all architectural designs with its traditional but enhanced appearance

MPS-N 64
softens the transition between different levels

MPS-TB 66
with the T shape, provides the simple look of traditional transitions

MPS-YD 68
absorbs the pressure of building expansions and provides protection to ceramics

MPS-B 70
eliminates application errors of stairs such as marble and parquet

ABOUT MOX

Orego Metal, one of the main suppliers of well known international brands, has entered the Turkey market with Mox Profile Systems by maintaining high quality raw material, correct operation and perfect surfaces which led it to become a favorite brand for many customers in the World and especially in Europe.

We assure that your application places will be both aesthetically pleasing and distinguishable, with our wide range of products including skirting boards, tile trims, stair nose profiles, flooring transition and ramp transition profiles with aluminum and stainless steel materials.

We promise not only to provide quality product and service for applying all processes with the same precision for transforming raw material to aluminum decorative profile, but also best prices by means of our manufacturing capabilities.

Always prioritizing customer satisfaction and respecting their feedback plays the most important role in increasing our growth figures every year in the European, American, Middle Eastern and African markets.

DESIGN


We are here with our technical team to be your solution partner for your application areas. We offer both our standard products or if required non-standard products that are customized according to your need. With being a manufacturer and having nearly 3,000 existing molds, we can offer non-standard solutions.

MOLDING

If our existing products do not provide the solution you need, our design team will work in coordination with you to design a product according to your request and provide complete technical details. According to your annual consumption numbers and your surface type and quality expectation, we optimize and produce the mold in our own workshop so that the design is not shared with any third parties.

PROJECT MANAGEMENT

We offer and deliver custom profiles up to 6m length, in order to save you from cutting work and cost of waste. We have the capability of producing unlimited RAL color in our own integrated powder coating facility, and silver, yellow, bronze, inox and black color options for matte and bright surfaces in our anodizing facility. Chrome plating and nickel colors in profiles up to 3 meters are also among our production capabilities.



LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES **SKIRTING BOARDS**

Mox skirting boards cover the defects in floor and wall joints. They prevent dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.


LUCEO

Aluminum LED Skirting Board


Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					



BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







LEUX

Aluminum LED Skirting Board


Leux aluminum LED skirting board is mostly preferred in exclusive classical design projects through its decorative lighting feature and Victorian design. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Leux brings classical appearance and modern lighting together. Leux is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.



BRINGS CLASSICAL DESIGNS AND MODERN LIGHTING TOGETHER



Product No	Height		Length		Surface
	mm	in	mm	ft	
LUX250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LUX250100020RR9005	100	3-15/16	2500	8 1/5"	R9005
LUX250100020R9016	100	3-15/16	2500	8 1/5"	R9016
LUX250100020R7016	100	3-15/16	2500	8 1/5"	R7016
LUXEXT100020COLOR - External Corner					
LUXINT100020COLOR - Internal Corner					
LUXEND100020COLOR - End Cap					



BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







WISHLED

Aluminum LED Skirting Board

Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







LATO

Aluminum Skirting Board


Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
LAT250080014MEGMS	83	3-1/4	2500	8 1/5"	MEGMS
LAT250080014R9005	83	3-1/4	2500	8 1/5"	R9005
LAT250080014R9016	83	3-1/4	2500	8 1/5"	R9016
LAT250080014R7016	83	3-1/4	2500	8 1/5"	R7016
LAT250100014MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LAT250100014R9005	100	3-15/16	2500	8 1/5"	R9005
LAT250100014R9016	100	3-15/16	2500	8 1/5"	R9016
LAT250100014R7016	100	3-15/16	2500	8 1/5"	R7016
LAT250120014MEGMS	120	4-3/4	2500	8 1/5"	MEGMS
LAT250120014R9005	120	4-3/4	2500	8 1/5"	R9005
LAT250120014R9016	120	4-3/4	2500	8 1/5"	R9016
LAT250120014R7016	120	4-3/4	2500	8 1/5"	R7016
LAT250150014MEGMS	150	5-7/8	2500	8 1/5"	MEGMS
LAT250150014R9005	150	5-7/8	2500	8 1/5"	R9005
LAT250150014R9016	150	5-7/8	2500	8 1/5"	R9016
LAT250150014R7016	150	5-7/8	2500	8 1/5"	R7016
LAT250180014MEGMS	180	7-1/16	2500	8 1/5"	MEGMS
LAT250180014R9005	180	7-1/16	2500	8 1/5"	R9005
LAT250180014R9016	180	7-1/16	2500	8 1/5"	R9016
LAT250180014R7016	180	7-1/16	2500	8 1/5"	R7016



MEGMS
matte silver, anodized


R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated

CORNER SOLUTIONS







SOLE

Aluminum Skirting Board




Sole aluminum skirting board is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES



Product No	Height		Length		Surface
	mm	in	mm	ft	
SOL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
SOL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R9016
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS







CRISPO

Aluminum Skirting Board



Crispo aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Crispo provides unity with its oval transition appearance and is compatible with both classical and modern architecture.

Crispo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options.


While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FOR AREAS WITH LARGE GAPS BETWEEN
WALL AND FLOORING



Product No	Height		Length		Surface
	mm	in	mm	ft	
CRS250070025MEGMS	70	2-3/4	2500	8 1/5"	MEGMS
CRS250070025R9005	70	2-3/4	2500	8 1/5"	R9005
CRS250070025R9016	70	2-3/4	2500	8 1/5"	R9016
CRS250070025R7016	70	2-3/4	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

SENTIO

Aluminum Skirting Board





Sentio aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. With the extended hollow area in its design, it collects the telephone, electricity and internet cables to organize environments such as workplaces and offices. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. Sentio has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

ORDER CABLES IN AREAS SUCH AS
WORKPLACES AND PUT AN END TO THE MESS



Product No	Height		Length		Surface
	mm	in	mm	ft	
SNT250080023MEGMS	80	3-1/8	2500	8 1/5"	MEGMS
SNT250080023R9005	80	3-1/8	2500	8 1/5"	R9005
SNT250080023R9016	80	3-1/8	2500	8 1/5"	R9016
SNT250080023R7016	80	3-1/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

VELO

Aluminum Skirting Board




Velo aluminum skirting board provides skirting solutions especially for wet areas like bathrooms and kitchens. It takes up less space and offers ease of installation. It provides leak proofing as well as aesthetics by covering the wall-floor joint defects especially on wet areas. Velo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

PROVIDES SEALING AND ELIMINATES JOINT
DEFECTS TO FLOOR-WALL JOINTS IN WET AREAS



Product No	Height		Length		Surface
	mm	in	mm	ft	
VLO250060012MEGMS	60	2-3/8	2500	8 1/5"	MEGMS
VLO250060012R9005	60	2-3/8	2500	8 1/5"	R9005
VLO250060012R9016	60	2-3/8	2500	8 1/5"	R9016
VLO250060012R7016	60	2-3/8	2500	8 1/5"	R7016
VLO250100012MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
VLO250100012R9005	100	3-15/16	2500	8 1/5"	R9005
VLO250100012R9016	100	3-15/16	2500	8 1/5"	R9016
VLO250100012R7016	100	3-15/16	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

GRAVITY

Aluminum Skirting Board



Gravity aluminum skirting board is a specially designed profile that is attached to the lower edges of the wall and provide a neat and clean appearance to carpeted areas. Gravity aluminum skirting board not only provides a seamless transition between the floor and the wall, but also provides protection for carpet edges.


Gravity aluminum skirting board has a matte anodized coating option in silver color.

COMPLEMENTARY ELEMENT OF YOUR INTERIOR DESIGNS



Product No	Height		Length		Surface
	mm	in	mm	ft	
GRV250100010MEGMS	100	3-15/16	2500	8 1/5"	MEGMS





MEGMS
matte silver, anodized

MPS-F

Stainless Steel Skirting Board


MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension. MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-F can be produced in unlimited height and width options.



PREVENTS MOISTURE PENETRATION TO JOINTS AND
REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPF2430400XXSTANT	40	1-9/16	2438	8	STANT
MPF2430400XXMRANT	40	1-9/16	2438	8	MRANT
MPF2430400XXSTBRO	40	1-9/16	2438	8	STBRO
MPF2430400XXMRBRO	40	1-9/16	2438	8	MRBRO
MPF2430400XXSTCOP	40	1-9/16	2438	8	STCOP
MPF2430400XXMRCOP	40	1-9/16	2438	8	MRCOP
MPF2430400XXSTGLD	40	1-9/16	2438	8	STGLD
MPF2430400XXMRGLD	40	1-9/16	2438	8	MRGLD
MPF2500400XXSTINX	40	1-9/16	2500	8 1/5"	STINX
MPF2500400XXMRINX	40	1-9/16	2500	8 1/5"	MRINX
MPF2430400XXSMINX	40	1-9/16	2438	8	SMINX
MPF2430600XXSTANT	70	2-3/4	2438	8	STANT
MPF2430600XXMRANT	70	2-3/4	2438	8	MRANT
MPF2430600XXSTBRO	70	2-3/4	2438	8	STBRO
MPF2430600XXMRBRO	70	2-3/4	2438	8	MRBRO
MPF2430600XXSTCOP	70	2-3/4	2438	8	STCOP
MPF2430600XXMRCOP	70	2-3/4	2438	8	MRCOP
MPF2430600XXSTGLD	70	2-3/4	2438	8	STGLD
MPF2430600XXMRGLD	70	2-3/4	2438	8	MRGLD
MPF2500600XXSTINX	70	2-3/4	2500	8 1/5"	STINX
MPF2500600XXMRINX	70	2-3/4	2500	8 1/5"	MRINX
MPF2430600XXSMINX	70	2-3/4	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

CERAMIC BORDERS, **TILE TRIM PROFILES**
CERAMIC PROTECTION PROFILES

Mox tile trim profiles will eliminate joint and application flaws and prevent damage to ceramics while providing aesthetics to your living spaces. They prevent deformations in applied areas by preventing any leakage.



MONO-FIX

Aluminum Tile Trim



Mono Fix aluminium tile trim edge adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage.


Mono Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CERAMIC PROTECTION WITH AN ELEGANT APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MNF250010003MEGMS	10	3/8	2500	8 1/5”	MEGMS
MNF250010003MESAR	10	3/8	2500	8 1/5"	MESAR
MNF250010003MEINX	10	3/8	2500	8 1/5"	MEINX
MNF250010003MESYH	10	3/8	2500	8 1/5"	MESYH
MNF250010003PEGMS	10	3/8	2500	8 1/5"	PEGMS
MNF250010003PESAR	10	3/8	2500	8 1/5"	PESAR
MNF250010003PEINX	10	3/8	2500	8 1/5"	PEINX
MNF250010003PESYH	10	3/8	2500	8 1/5"	PESYH
MNF250010003R9016	10	3/8	2500	8 1/5"	R9016
MNF250010003R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

ROUND-FIX

Aluminum Tile Trim

Round Fix aluminium tile trim round external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.


Round Fix has matte anodized, bright anodized electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




ELEVATE YOUR CERAMIC APPLICATIONS:
SEAMLESS STYLE, UNMATCHED PROTECTION



Product No	Height		Length		Surface
	mm	in	mm	ft	
RNF250010009MEGMS	10	3/8	2500	8 1/5”	MEGMS
RNF250010009MESAR	10	3/8	2500	8 1/5"	MESAR
RNF250010009MEINX	10	3/8	2500	8 1/5"	MEINX
RNF250010009MESYH	10	3/8	2500	8 1/5"	MESYH
RNF250010009PEGMS	10	3/8	2500	8 1/5"	PEGMS
RNF250010009PESAR	10	3/8	2500	8 1/5"	PESAR
RNF250010009PEINX	10	3/8	2500	8 1/5"	PEINX
RNF250010009PESYH	10	3/8	2500	8 1/5"	PESYH
RNF250010009R9016	10	3/8	2500	8 1/5"	R9016
RNF250010009R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

SQUARE-FIX

Aluminum Tile Trim



Square Fix aluminium tile trim square external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.


Square Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FLAWLESS APPEARANCE ON CERAMIC SURFACES,
WIDE RANGE OF COLOR AND EFFECT OPTIONS TO
ADAPT TRENDING CERAMIC COLORS AND TEXTURES



Product No	Height		Length		Surface
	mm	in	mm	ft	
SQF250010009MEGMS	10	3/8	2500	8 1/5”	MEGMS
SQF250010009MESAR	10	3/8	2500	8 1/5"	MESAR
SQF250010009MEINX	10	3/8	2500	8 1/5"	MEINX
SQF250010009MESYH	10	3/8	2500	8 1/5"	MESYH
SQF250010009PEGMS	10	3/8	2500	8 1/5"	PEGMS
SQF250010009PESAR	10	3/8	2500	8 1/5"	PESAR
SQF250010009PEINX	10	3/8	2500	8 1/5"	PEINX
SQF250010009PESYH	10	3/8	2500	8 1/5"	PESYH
SQF250010009R9016	10	3/8	2500	8 1/5"	R9016
SQF250010009R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized


PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

MPS-AG

Stainless Steel Tile Trim




MPS-AG stainless steel tile trim round external corner profile stands out with its ceramic protection feature and elegant appearance, especially in bathrooms and kitchens with ceramic surfaces. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-AG has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-AG can be produced in unlimited height and width options.

AN ELEGANT APPEARANCE THAT SOFTENS THE TRANSITION OF THE OUTER CORNERS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MAG243010008STANT	8	5/16	2438	8	STANT
MAG243010008MRANT	8	5/16	2438	8	MRANT
MAG243010008STBRO	8	5/16	2438	8	STBRO
MAG243010008MRBRO	8	5/16	2438	8	MRBRO
MAG243010008STCOP	8	5/16	2438	8	STCOP
MAG243010008MRCOP	8	5/16	2438	8	MRCOP
MAG243010008STGLD	8	5/16	2438	8	STGLD
MAG243010008MRGLD	8	5/16	2438	8	MRGLD
MAG250010008STINX	8	5/16	2500	8 1/5"	STINX
MAG250010008MRINX	8	5/16	2500	8 1/5"	MRINX
MAG243010008SMINX	8	5/16	2438	8	SMINX
MAG243012008STANT	10	3/8	2438	8	STANT
MAG243012008MRANT	10	3/8	2438	8	MRANT
MAG243012008STBRO	10	3/8	2438	8	STBRO
MAG243012008MRBRO	10	3/8	2438	8	MRBRO
MAG243012008STCOP	10	3/8	2438	8	STCOP
MAG243012008MRCOP	10	3/8	2438	8	MRCOP
MAG243012008STGLD	10	3/8	2438	8	STGLD
MAG243012008MRGLD	10	3/8	2438	8	MRGLD
MAG250012008STINX	10	3/8	2500	8 1/5"	STINX
MAG250012008MRINX	10	3/8	2500	8 1/5"	MRINX
MAG243012008SMINX	10	3/8	2438	8	SMINX
MAG243014008STANT	12	1/2	2438	8	STANT
MAG243014008MRANT	12	1/2	2438	8	MRANT
MAG243014008STBRO	12	1/2	2438	8	STBRO
MAG243014008MRBRO	12	1/2	2438	8	MRBRO
MAG243014008STCOP	12	1/2	2438	8	STCOP
MAG243014008MRCOP	12	1/2	2438	8	MRCOP
MAG243014008STGLD	12	1/2	2438	8	STGLD
MAG243014008MRGLD	12	1/2	2438	8	MRGLD
MAG250014008STINX	12	1/2	2500	8 1/5"	STINX
MAG250014008MRINX	12	1/2	2500	8 1/5"	MRINX
MAG243014008SMINX	12	1/2	2438	8	SMINX
MAG243010008STANT	14	9/16	2438	8	STANT
MAG243010008MRANT	14	9/16	2438	8	MRANT
MAG243010008STBRO	14	9/16	2438	8	STBRO
MAG243010008MRBRO	14	9/16	2438	8	MRBRO
MAG243010008STCOP	14	9/16	2438	8	STCOP
MAG243010008MRCOP	14	9/16	2438	8	MRCOP
MAG243010008STGLD	14	9/16	2438	8	STGLD
MAG243010008MRGLD	14	9/16	2438	8	MRGLD
MAG250010008STINX	14	9/16	2500	8 1/5"	STINX
MAG250010008MRINX	14	9/16	2500	8 1/5"	MRINX
MAG243010008SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-BRD

Stainless Steel Border




MPS-BRD stainless steel tile trim border is mostly used as a decorative divider for ceramics. Being compatible with other tile trim profiles is one of its advantages. MPS-BRD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-BRD can be produced in unlimited height and width options.

DECORATIVE BORDER PROFILE FOR CERAMIC SURFACES



Product No	Height		Length		Surface
	mm	in	mm	ft	
MBD2430XX023STANT	8	5/16	2438	8	STANT
MBD2430XX023MRANT	8	5/16	2438	8	MRANT
MBD2430XX023STBRO	8	5/16	2438	8	STBRO
MBD2430XX023MRBRO	8	5/16	2438	8	MRBRO
MBD2430XX023STCOP	8	5/16	2438	8	STCOP
MBD2430XX023MRCOP	8	5/16	2438	8	MRCOP
MBD2430XX023STGLD	8	5/16	2438	8	STGLD
MBD2430XX023MRGLD	8	5/16	2438	8	MRGLD
MBD2500XX023STINX	8	5/16	2500	8 1/5"	STINX
MBD2500XX023MRINX	8	5/16	2500	8 1/5"	MRINX
MBD2430XX023SMINX	8	5/16	2438	8	SMINX
MBD2430XX010STANT	10	3/8	2438	8	STANT
MBD2430XX010MRANT	10	3/8	2438	8	MRANT
MBD2430XX010STBRO	10	3/8	2438	8	STBRO
MBD2430XX010MRBRO	10	3/8	2438	8	MRBRO
MBD2430XX010STCOP	10	3/8	2438	8	STCOP
MBD2430XX010MRCOP	10	3/8	2438	8	MRCOP
MBD2430XX010STGLD	10	3/8	2438	8	STGLD
MBD2430XX010MRGLD	10	3/8	2438	8	MRGLD
MBD2500XX010STINX	10	3/8	2500	8 1/5"	STINX
MBD2500XX010MRINX	10	3/8	2500	8 1/5"	MRINX
MBD2430XX010SMINX	10	3/8	2438	8	SMINX
MBD2430XX015STANT	12	1/2	2438	8	STANT
MBD2430XX015MRANT	12	1/2	2438	8	MRANT
MBD2430XX015STBRO	12	1/2	2438	8	STBRO
MBD2430XX015MRBRO	12	1/2	2438	8	MRBRO
MBD2430XX015STCOP	12	1/2	2438	8	STCOP
MBD2430XX015MRCOP	12	1/2	2438	8	MRCOP
MBD2430XX015STGLD	12	1/2	2438	8	STGLD
MBD2430XX015MRGLD	12	1/2	2438	8	MRGLD
MBD2500XX015STINX	12	1/2	2500	8 1/5"	STINX
MBD2500XX015MRINX	12	1/2	2500	8 1/5"	MRINX
MBD2430XX015SMINX	12	1/2	2438	8	SMINX
MBD2430XX020STANT	14	9/16	2438	8	STANT
MBD2430XX020MRANT	14	9/16	2438	8	MRANT
MBD2430XX020STBRO	14	9/16	2438	8	STBRO
MBD2430XX020MRBRO	14	9/16	2438	8	MRBRO
MBD2430XX020STCOP	14	9/16	2438	8	STCOP
MBD2430XX020MRCOP	14	9/16	2438	8	MRCOP
MBD2430XX020STGLD	14	9/16	2438	8	STGLD
MBD2430XX020MRGLD	14	9/16	2438	8	MRGLD
MBD2500XX020STINX	14	9/16	2500	8 1/5"	STINX
MBD2500XX020MRINX	14	9/16	2500	8 1/5"	MRINX
MBD2430XX020SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-C

Stainless Steel Tile Trim




MPS-C stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-C has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-C can be produced in unlimited height and width options.

QUALITY OF STAINLESS STEEL FOR INNER CORNERS OF CERAMIC APPLICATIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPC243010009STANT	8	5/16	2438	8	STANT
MPC243010009MRANT	8	5/16	2438	8	MRANT
MPC243010009STBRO	8	5/16	2438	8	STBRO
MPC243010009MRBRO	8	5/16	2438	8	MRBRO
MPC243010009STCOP	8	5/16	2438	8	STCOP
MPC243010009MRCOP	8	5/16	2438	8	MRCOP
MPC243010009STGLD	8	5/16	2438	8	STGLD
MPC243010009MRGLD	8	5/16	2438	8	MRGLD
MPC250010009STINX	8	5/16	2500	8 1/5"	STINX
MPC250010009MRINX	8	5/16	2500	8 1/5"	MRINX
MPC243010009SMINX	8	5/16	2438	8	SMINX
MPC243012009STANT	10	3/8	2438	8	STANT
MPC243012009MRANT	10	3/8	2438	8	MRANT
MPC243012009STBRO	10	3/8	2438	8	STBRO
MPC243012009MRBRO	10	3/8	2438	8	MRBRO
MPC243012009STCOP	10	3/8	2438	8	STCOP
MPC243012009MRCOP	10	3/8	2438	8	MRCOP
MPC243012009STGLD	10	3/8	2438	8	STGLD
MPC243012009MRGLD	10	3/8	2438	8	MRGLD
MPC250012009STINX	10	3/8	2500	8 1/5"	STINX
MPC250012009MRINX	10	3/8	2500	8 1/5"	MRINX
MPC243012009SMINX	10	3/8	2438	8	SMINX
MPC243014009STANT	12	1/2	2438	8	STANT
MPC243014009MRANT	12	1/2	2438	8	MRANT
MPC243014009STBRO	12	1/2	2438	8	STBRO
MPC243014009MRBRO	12	1/2	2438	8	MRBRO
MPC243014009STCOP	12	1/2	2438	8	STCOP
MPC243014009MRCOP	12	1/2	2438	8	MRCOP
MPC243014009STGLD	12	1/2	2438	8	STGLD
MPC243014009MRGLD	12	1/2	2438	8	MRGLD
MPC250014009STINX	12	1/2	2500	8 1/5"	STINX
MPC250014009MRINX	12	1/2	2500	8 1/5"	MRINX
MPC243014009SMINX	12	1/2	2438	8	SMINX
MPC243008009STANT	14	9/16	2438	8	STANT
MPC243008009MRANT	14	9/16	2438	8	MRANT
MPC243008009STBRO	14	9/16	2438	8	STBRO
MPC243008009MRBRO	14	9/16	2438	8	MRBRO
MPC243008009STCOP	14	9/16	2438	8	STCOP
MPC243008009MRCOP	14	9/16	2438	8	MRCOP
MPC243008009STGLD	14	9/16	2438	8	STGLD
MPC243008009MRGLD	14	9/16	2438	8	MRGLD
MPC250008009STINX	14	9/16	2500	8 1/5"	STINX
MPC250008009MRINX	14	9/16	2500	8 1/5"	MRINX
MPC243008009SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-D

Stainless Steel Tile Trim




MPS-D stainless steel tile trim square external corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-D has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-D can be produced in unlimited height and width options.

PROVIDES PERFECT APPEARANCE TO CERAMIC SURFACES AND PREVENTS DAMAGE TO CERAMICS WITH THE QUALITY OF STAINLESS STEEL



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPD243014008STANT	8	5/16	2438	8	STANT
MPD243014008MRANT	8	5/16	2438	8	MRANT
MPD243014008STBRO	8	5/16	2438	8	STBRO
MPD243014008MRBRO	8	5/16	2438	8	MRBRO
MPD243014008STCOP	8	5/16	2438	8	STCOP
MPD243014008MRCOP	8	5/16	2438	8	MRCOP
MPD243014008STGLD	8	5/16	2438	8	STGLD
MPD243014008MRGLD	8	5/16	2438	8	MRGLD
MPD250014008STINX	8	5/16	2500	8 1/5"	STINX
MPD250014008MRINX	8	5/16	2500	8 1/5"	MRINX
MPD243014008SMINX	8	5/16	2438	8	SMINX
MPD243008008STANT	10	3/8	2438	8	STANT
MPD243008008MRANT	10	3/8	2438	8	MRANT
MPD243008008STBRO	10	3/8	2438	8	STBRO
MPD243008008MRBRO	10	3/8	2438	8	MRBRO
MPD243008008STCOP	10	3/8	2438	8	STCOP
MPD243008008MRCOP	10	3/8	2438	8	MRCOP
MPD243008008STGLD	10	3/8	2438	8	STGLD
MPD243008008MRGLD	10	3/8	2438	8	MRGLD
MPD250008008STINX	10	3/8	2500	8 1/5"	STINX
MPD250008008MRINX	10	3/8	2500	8 1/5"	MRINX
MPD243008008SMINX	10	3/8	2438	8	SMINX
MPD243010008STANT	12	1/2	2438	8	STANT
MPD243010008MRANT	12	1/2	2438	8	MRANT
MPD243010008STBRO	12	1/2	2438	8	STBRO
MPD243010008MRBRO	12	1/2	2438	8	MRBRO
MPD243010008STCOP	12	1/2	2438	8	STCOP
MPD243010008MRCOP	12	1/2	2438	8	MRCOP
MPD243010008STGLD	12	1/2	2438	8	STGLD
MPD243010008MRGLD	12	1/2	2438	8	MRGLD
MPD250010008STINX	12	1/2	2500	8 1/5"	STINX
MPD250010008MRINX	12	1/2	2500	8 1/5"	MRINX
MPD243010008SMINX	12	1/2	2438	8	SMINX
MPD243012008STANT	14	9/16	2438	8	STANT
MPD243012008MRANT	14	9/16	2438	8	MRANT
MPD243012008STBRO	14	9/16	2438	8	STBRO
MPD243012008MRBRO	14	9/16	2438	8	MRBRO
MPD243012008STCOP	14	9/16	2438	8	STCOP
MPD243012008MRCOP	14	9/16	2438	8	MRCOP
MPD243012008STGLD	14	9/16	2438	8	STGLD
MPD243012008MRGLD	14	9/16	2438	8	MRGLD
MPD250012008STINX	14	9/16	2500	8 1/5"	STINX
MPD250012008MRINX	14	9/16	2500	8 1/5"	MRINX
MPD243012008SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-L

Stainless Steel Tile Trim




MPS-L stainless steel tile trim edge profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage. MPS-L has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-L can be produced in unlimited height and width options.

PURE AND MINIMAL APPEARANCE TO CERAMIC COMBINATIONS WITH ITS SIMPLE DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPL243010003STANT	8	5/16	2438	8	STANT
MPL243010003MRANT	8	5/16	2438	8	MRANT
MPL243010003STBRO	8	5/16	2438	8	STBRO
MPL243010003MRBRO	8	5/16	2438	8	MRBRO
MPL243010003STCOP	8	5/16	2438	8	STCOP
MPL243010003MRCOP	8	5/16	2438	8	MRCOP
MPL243010003STGLD	8	5/16	2438	8	STGLD
MPL243010003MRGLD	8	5/16	2438	8	MRGLD
MPL250010003STINX	8	5/16	2500	8 1/5"	STINX
MPL250010003MRINX	8	5/16	2500	8 1/5"	MRINX
MPL243010003SMINX	8	5/16	2438	8	SMINX
MPL243012003STANT	10	3/8	2438	8	STANT
MPL243012003MRANT	10	3/8	2438	8	MRANT
MPL243012003STBRO	10	3/8	2438	8	STBRO
MPL243012003MRBRO	10	3/8	2438	8	MRBRO
MPL243012003STCOP	10	3/8	2438	8	STCOP
MPL243012003MRCOP	10	3/8	2438	8	MRCOP
MPL243012003STGLD	10	3/8	2438	8	STGLD
MPL243012003MRGLD	10	3/8	2438	8	MRGLD
MPL250012003STINX	10	3/8	2500	8 1/5"	STINX
MPL250012003MRINX	10	3/8	2500	8 1/5"	MRINX
MPL243012003SMINX	10	3/8	2438	8	SMINX
MPL243014003STANT	12	1/2	2438	8	STANT
MPL243014003MRANT	12	1/2	2438	8	MRANT
MPL243014003STBRO	12	1/2	2438	8	STBRO
MPL243014003MRBRO	12	1/2	2438	8	MRBRO
MPL243014003STCOP	12	1/2	2438	8	STCOP
MPL243014003MRCOP	12	1/2	2438	8	MRCOP
MPL243014003STGLD	12	1/2	2438	8	STGLD
MPL243014003MRGLD	12	1/2	2438	8	MRGLD
MPL250014003STINX	12	1/2	2500	8 1/5"	STINX
MPL250014003MRINX	12	1/2	2500	8 1/5"	MRINX
MPL243014003SMINX	12	1/2	2438	8	SMINX
MPL243008003STANT	14	9/16	2438	8	STANT
MPL243008003MRANT	14	9/16	2438	8	MRANT
MPL243008003STBRO	14	9/16	2438	8	STBRO
MPL243008003MRBRO	14	9/16	2438	8	MRBRO
MPL243008003STCOP	14	9/16	2438	8	STCOP
MPL243008003MRCOP	14	9/16	2438	8	MRCOP
MPL243008003STGLD	14	9/16	2438	8	STGLD
MPL243008003MRGLD	14	9/16	2438	8	MRGLD
MPL250008003STINX	14	9/16	2500	8 1/5"	STINX
MPL250008003MRINX	14	9/16	2500	8 1/5"	MRINX
MPL243008003SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-S

Stainless Steel Tile Trim




MPS-S stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-S has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-S can be produced in unlimited height and width options.

SOFTENS THE TRANSITION IN THE INNER CORNERS
AND PROVIDES AN ELEGANT APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPS243014020STANT	8	5/16	2438	8	STANT
MPS243014020MRANT	8	5/16	2438	8	MRANT
MPS243014020STBRO	8	5/16	2438	8	STBRO
MPS243014020MRBRO	8	5/16	2438	8	MRBRO
MPS243014020STCOP	8	5/16	2438	8	STCOP
MPS243014020MRCOP	8	5/16	2438	8	MRCOP
MPS243014020STGLD	8	5/16	2438	8	STGLD
MPS243014020MRGLD	8	5/16	2438	8	MRGLD
MPS250014020STINX	8	5/16	2500	8 1/5"	STINX
MPS250014020MRINX	8	5/16	2500	8 1/5"	MRINX
MPS243014020SMINX	8	5/16	2438	8	SMINX
MPS243008020STANT	10	3/8	2438	8	STANT
MPS243008020MRANT	10	3/8	2438	8	MRANT
MPS243008020STBRO	10	3/8	2438	8	STBRO
MPS243008020MRBRO	10	3/8	2438	8	MRBRO
MPS243008020STCOP	10	3/8	2438	8	STCOP
MPS243008020MRCOP	10	3/8	2438	8	MRCOP
MPS243008020STGLD	10	3/8	2438	8	STGLD
MPS243008020MRGLD	10	3/8	2438	8	MRGLD
MPS250008020STINX	10	3/8	2500	8 1/5"	STINX
MPS250008020MRINX	10	3/8	2500	8 1/5"	MRINX
MPS243008020SMINX	10	3/8	2438	8	SMINX
MPS243010020STANT	12	1/2	2438	8	STANT
MPS243010020MRANT	12	1/2	2438	8	MRANT
MPS243010020STBRO	12	1/2	2438	8	STBRO
MPS243010020MRBRO	12	1/2	2438	8	MRBRO
MPS243010020STCOP	12	1/2	2438	8	STCOP
MPS243010020MRCOP	12	1/2	2438	8	MRCOP
MPS243010020STGLD	12	1/2	2438	8	STGLD
MPS243010020MRGLD	12	1/2	2438	8	MRGLD
MPS250010020STINX	12	1/2	2500	8 1/5"	STINX
MPS250010020MRINX	12	1/2	2500	8 1/5"	MRINX
MPS243010020SMINX	12	1/2	2438	8	SMINX
MPS243012020STANT	14	9/16	2438	8	STANT
MPS243012020MRANT	14	9/16	2438	8	MRANT
MPS243012020STBRO	14	9/16	2438	8	STBRO
MPS243012020MRBRO	14	9/16	2438	8	MRBRO
MPS243012020STCOP	14	9/16	2438	8	STCOP
MPS243012020MRCOP	14	9/16	2438	8	MRCOP
MPS243012020STGLD	14	9/16	2438	8	STGLD
MPS243012020MRGLD	14	9/16	2438	8	MRGLD
MPS250012020STINX	14	9/16	2500	8 1/5"	STINX
MPS250012020MRINX	14	9/16	2500	8 1/5"	MRINX
MPS243012020SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.




RAMP TRANSITIONS, CARPET EDGE PROTECTION, **FLOORING AND RENOVATION**, STEP NOSE PROTECTION

Mox flooring profiles cover the gaps between flooring or door threshold transitions, hiding any application defect. In addition to standard threshold profiles, they also include ramp profiles that eliminate level differences between floors.


ALL IN ONE

Aluminum Ramp Transition





All in One aluminium ramp transition profile provides transition by eliminating any level difference between two different flooring materials in floor applications. With its adjustable feature, it adapts to every level difference between floorings. Unlike its competitors it can be installed from its extension beneath the floorings and doesn't require adhesives which makes it more long-lasting. All in One has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

WITH ITS ADJUSTABILITY, IT PROVIDES A
FLAWLESS APPEARANCE TO FLOOR TRANSITIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
AIO25004024MEGMS	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5”	MEGMS
AIO25004024MESAR	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MESAR
AIO25004024MEINX	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MEINX
AIO25004024MESYH	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MESYH





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

REVIO

Aluminum Flooring

Revio aluminum carpet edge profile is specially designed to increase the aesthetics and functionality of your floor. Revio aluminum carpet edge profile not only provides a seamless transition between different flooring surfaces, but also protects the edges of your carpet, preventing wear and deformation that may occur over time. These profiles help you reduce repair and replacement costs by extending the life of your carpet.

Revio has a matte anodized coating option in silver, yellow and inox colors.




DESIGNED TO ENHANCE THE AESTHETICS AND FUNCTIONALITY OF YOUR FLOORING



Product No	Height		Length		Surface
	mm	in	mm	ft	
RVO25001215MEGMS	12	1/2	2500	8 1/5”	MEGMS
RVO25001215MESAR	12	1/2	2500	8 1/5"	MESAR
RVO25001215MEINX	12	1/2	2500	8 1/5"	MEINX





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

VISIO

Aluminum Flooring




Visio aluminum carpet threshold profile provides safe, aesthetic and long-lasting interior transitions between different flooring materials. It creates a safe environment, especially for children and the elderly, by providing a smooth transition between different flooring heights. Visio aluminum carpet threshold profile is designed to close gaps between carpet and other floor coverings. It provides a smooth transition between carpet and other floor covering types, eliminating any irregularities or tripping hazards that may occur. It also prolongs the life of carpets by protecting them against wear and tear. Visio, which has an aesthetic appearance as well as functional advantages, improves the overall appearance of your interior design. Visio aluminum carpet threshold profile has a matte anodized coating option in silver, yellow and inox colors.

ENHANCE YOUR FLOORING TRANSITION WITH A STYLISH CARPET THRESHOLD PROFILE



Product No	Height		Length		Surface
	mm	in	mm	ft	
VSO25000927MEGMS	h1 9 h2 6.3	3/8 1/4	2500	8 1/5”	MEGMS
VSO25000927MESAR	h1 9 h2 6.3	3/8 1/4	2500	8 1/5"	MESAR
VSO25000927MEINX	h1 9 h2 6.3	3/8 1/4	2500	8 1/5"	MEINX
VSO09000927MEGMS	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MEGMS
VSO09000927MESAR	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MESAR
VSO09000927MEINX	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MEINX





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

LINE

Aluminum Flooring




Line aluminum flooring edge profile is an excellent choice for various projects with its versatile, durable and lightweight structure that closes the gap between floorings. Line aluminum flooring edge profile is designed to close the gaps between floor tiles of the same height. Line aluminum flooring edge profile has a bright anodized coating option in silver and yellow colors.

PERFECT CHOICE FOR YOUR FLOORING WITH ITS MINIMALIST FORM



Product No	Height		Length		Surface
	mm	in	mm	ft	
LIN25001004PEGMS	10	3/8	2500	8 1/5”	PEGMS
LIN25001004PESAR	10	3/8	2500	8 1/5"	PESAR







PEGMS
bright silver, anodized



PESAR
bright yellow, anodized

FLEX

Aluminum Flooring



Flex aluminum formable flooring edge profile is used in parquet or ceramic applications as a frame that conceals the floor section, replacing joints. In addition to correcting joint and installation mistakes and improving aesthetics, it also prevents damage to the floor coverings. Flex aluminum formable flooring edge profile is designed to facilitate the transition of flooring materials. Its flexible design allows it to be bent into the desired shape. In addition to its functional advantages, its minimal appearance enhances the overall look of your designs.


Flex has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CREATE IMAGINATIVE DESIGNS FOR YOUR
FLOORING WITH ITS FORMABLE FORM



Product No	Height		Length		Surface
	mm	in	mm	ft	
FLX250010003MEGMS	10	3/8	2500	8 1/5”	MEGMS
FLX250010003MESAR	10	3/8	2500	8 1/5"	MESAR
FLX250010003MEINX	10	3/8	2500	8 1/5"	MEINX
FLX250010003MESYH	10	3/8	2500	8 1/5"	MESYH
FLX250010003PEGMS	10	3/8	2500	8 1/5"	PEGMS
FLX250010003PESAR	10	3/8	2500	8 1/5"	PESAR
FLX250010003PEINX	10	3/8	2500	8 1/5"	PEINX
FLX250010003PESYH	10	3/8	2500	8 1/5"	PESYH
FLX250010003R9016	10	3/8	2500	8 1/5"	R9016
FLX250010003R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

MPS-E

Stainless Steel Flooring Profile




MPS-E stainless steel floor transition profile is one of the most preferred transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It is used as a transition border in flooring applications. MPS-E has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-E can be produced in unlimited height and width options.

SUITABLE FOR ALL ARCHITECTURAL DESIGNS WITH
ITS TRADITIONAL BUT ENHANCED APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPE243010020STANT	8	5/16	2438	8	STANT
MPE243010020MRANT	8	5/16	2438	8	MRANT
MPE243010020STBRO	8	5/16	2438	8	STBRO
MPE243010020MRBRO	8	5/16	2438	8	MRBRO
MPE243010020STCOP	8	5/16	2438	8	STCOP
MPE243010020MRCOP	8	5/16	2438	8	MRCOP
MPE243010020STGLD	8	5/16	2438	8	STGLD
MPE243010020MRGLD	8	5/16	2438	8	MRGLD
MPE250010020STINX	8	5/16	2500	8 1/5"	STINX
MPE250010020MRINX	8	5/16	2500	8 1/5"	MRINX
MPE243010020SMINX	8	5/16	2438	8	SMINX
MPE243012020STANT	10	3/8	2438	8	STANT
MPE243012020MRANT	10	3/8	2438	8	MRANT
MPE243012020STBRO	10	3/8	2438	8	STBRO
MPE243012020MRBRO	10	3/8	2438	8	MRBRO
MPE243012020STCOP	10	3/8	2438	8	STCOP
MPE243012020MRCOP	10	3/8	2438	8	MRCOP
MPE243012020STGLD	10	3/8	2438	8	STGLD
MPE243012020MRGLD	10	3/8	2438	8	MRGLD
MPE250012020STINX	10	3/8	2500	8 1/5"	STINX
MPE250012020MRINX	10	3/8	2500	8 1/5"	MRINX
MPE243012020SMINX	10	3/8	2438	8	SMINX
MPE243014020STANT	12	1/2	2438	8	STANT
MPE243014020MRANT	12	1/2	2438	8	MRANT
MPE243014020STBRO	12	1/2	2438	8	STBRO
MPE243014020MRBRO	12	1/2	2438	8	MRBRO
MPE243014020STCOP	12	1/2	2438	8	STCOP
MPE243014020MRCOP	12	1/2	2438	8	MRCOP
MPE243014020STGLD	12	1/2	2438	8	STGLD
MPE243014020MRGLD	12	1/2	2438	8	MRGLD
MPE250014020STINX	12	1/2	2500	8 1/5"	STINX
MPE250014020MRINX	12	1/2	2500	8 1/5"	MRINX
MPE243014020SMINX	12	1/2	2438	8	SMINX
MPE243008020STANT	14	9/16	2438	8	STANT
MPE243008020MRANT	14	9/16	2438	8	MRANT
MPE243008020STBRO	14	9/16	2438	8	STBRO
MPE243008020MRBRO	14	9/16	2438	8	MRBRO
MPE243008020STCOP	14	9/16	2438	8	STCOP
MPE243008020MRCOP	14	9/16	2438	8	MRCOP
MPE243008020STGLD	14	9/16	2438	8	STGLD
MPE243008020MRGLD	14	9/16	2438	8	MRGLD
MPE250008020STINX	14	9/16	2500	8 1/5"	STINX
MPE250008020MRINX	14	9/16	2500	8 1/5"	MRINX
MPE243008020SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-N

Stainless Steel Flooring Profile




MPS-N stainless steel ramp transition profile is used as a separating border and transition profile between floors of different levels in floor applications. It can be produced in custom heights for any level difference.

MPS-N has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-N can be produced in unlimited height and width options.

SOFTENS THE TRANSITION BETWEEN DIFFERENT LEVELS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPN243014050STANT	8	5/16	2438	8	STANT
MPN243014050MRANT	8	5/16	2438	8	MRANT
MPN243014050STBRO	8	5/16	2438	8	STBRO
MPN243014050MRBRO	8	5/16	2438	8	MRBRO
MPN243014050STCOP	8	5/16	2438	8	STCOP
MPN243014050MRCOP	8	5/16	2438	8	MRCOP
MPN243014050STGLD	8	5/16	2438	8	STGLD
MPN243014050MRGLD	8	5/16	2438	8	MRGLD
MPN250014050STINX	8	5/16	2500	8 1/5"	STINX
MPN250014050MRINX	8	5/16	2500	8 1/5"	MRINX
MPN243014050SMINX	8	5/16	2438	8	SMINX
MPN243008050STANT	10	3/8	2438	8	STANT
MPN243008050MRANT	10	3/8	2438	8	MRANT
MPN243008050STBRO	10	3/8	2438	8	STBRO
MPN243008050MRBRO	10	3/8	2438	8	MRBRO
MPN243008050STCOP	10	3/8	2438	8	STCOP
MPN243008050MRCOP	10	3/8	2438	8	MRCOP
MPN243008050STGLD	10	3/8	2438	8	STGLD
MPN243008050MRGLD	10	3/8	2438	8	MRGLD
MPN250008050STINX	10	3/8	2500	8 1/5"	STINX
MPN250008050MRINX	10	3/8	2500	8 1/5"	MRINX
MPN243008050SMINX	10	3/8	2438	8	SMINX
MPN243010050STANT	12	1/2	2438	8	STANT
MPN243010050MRANT	12	1/2	2438	8	MRANT
MPN243010050STBRO	12	1/2	2438	8	STBRO
MPN243010050MRBRO	12	1/2	2438	8	MRBRO
MPN243010050STCOP	12	1/2	2438	8	STCOP
MPN243010050MRCOP	12	1/2	2438	8	MRCOP
MPN243010050STGLD	12	1/2	2438	8	STGLD
MPN243010050MRGLD	12	1/2	2438	8	MRGLD
MPN250010050STINX	12	1/2	2500	8 1/5"	STINX
MPN250010050MRINX	12	1/2	2500	8 1/5"	MRINX
MPN243010050SMINX	12	1/2	2438	8	SMINX
MPN243012050STANT	14	9/16	2438	8	STANT
MPN243012050MRANT	14	9/16	2438	8	MRANT
MPN243012050STBRO	14	9/16	2438	8	STBRO
MPN243012050MRBRO	14	9/16	2438	8	MRBRO
MPN243012050STCOP	14	9/16	2438	8	STCOP
MPN243012050MRCOP	14	9/16	2438	8	MRCOP
MPN243012050STGLD	14	9/16	2438	8	STGLD
MPN243012050MRGLD	14	9/16	2438	8	MRGLD
MPN250012050STINX	14	9/16	2500	8 1/5"	STINX
MPN250012050MRINX	14	9/16	2500	8 1/5"	MRINX
MPN243012050SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-TB

Stainless Steel Flooring Profile




MPS-TB stainless steel floor T transition is one of the most durable transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It covers the gaps and application flaws between floor transitions and door threshold transitions. It is also used as a separator frame in floor applications. MPS-TB has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-TB can be produced in unlimited height and width options.

WITH THE T SHAPE, PROVIDES THE SIMPLE
LOOK OF TRADITIONAL TRANSITIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MTB243010025STANT	8	5/16	2438	8	STANT
MTB243010025MRANT	8	5/16	2438	8	MRANT
MTB243010025STBRO	8	5/16	2438	8	STBRO
MTB243010025MRBRO	8	5/16	2438	8	MRBRO
MTB243010025STCOP	8	5/16	2438	8	STCOP
MTB243010025MRCOP	8	5/16	2438	8	MRCOP
MTB243010025STGLD	8	5/16	2438	8	STGLD
MTB243010025MRGLD	8	5/16	2438	8	MRGLD
MTB250010025STINX	8	5/16	2500	8 1/5"	STINX
MTB250010025MRINX	8	5/16	2500	8 1/5"	MRINX
MTB243010025SMINX	8	5/16	2438	8	SMINX
MTB243012025STANT	10	3/8	2438	8	STANT
MTB243012025MRANT	10	3/8	2438	8	MRANT
MTB243012025STBRO	10	3/8	2438	8	STBRO
MTB243012025MRBRO	10	3/8	2438	8	MRBRO
MTB243012025STCOP	10	3/8	2438	8	STCOP
MTB243012025MRCOP	10	3/8	2438	8	MRCOP
MTB243012025STGLD	10	3/8	2438	8	STGLD
MTB243012025MRGLD	10	3/8	2438	8	MRGLD
MTB250012025STINX	10	3/8	2500	8 1/5"	STINX
MTB250012025MRINX	10	3/8	2500	8 1/5"	MRINX
MTB243012025SMINX	10	3/8	2438	8	SMINX
MTB243014025STANT	12	1/2	2438	8	STANT
MTB243014025MRANT	12	1/2	2438	8	MRANT
MTB243014025STBRO	12	1/2	2438	8	STBRO
MTB243014025MRBRO	12	1/2	2438	8	MRBRO
MTB243014025STCOP	12	1/2	2438	8	STCOP
MTB243014025MRCOP	12	1/2	2438	8	MRCOP
MTB243014025STGLD	12	1/2	2438	8	STGLD
MTB243014025MRGLD	12	1/2	2438	8	MRGLD
MTB250014025STINX	12	1/2	2500	8 1/5"	STINX
MTB250014025MRINX	12	1/2	2500	8 1/5"	MRINX
MTB243014025SMINX	12	1/2	2438	8	SMINX
MTB243008025STANT	14	9/16	2438	8	STANT
MTB243008025MRANT	14	9/16	2438	8	MRANT
MTB243008025STBRO	14	9/16	2438	8	STBRO
MTB243008025MRBRO	14	9/16	2438	8	MRBRO
MTB243008025STCOP	14	9/16	2438	8	STCOP
MTB243008025MRCOP	14	9/16	2438	8	MRCOP
MTB243008025STGLD	14	9/16	2438	8	STGLD
MTB243008025MRGLD	14	9/16	2438	8	MRGLD
MTB250008025STINX	14	9/16	2500	8 1/5"	STINX
MTB250008025MRINX	14	9/16	2500	8 1/5"	MRINX
MTB243008025SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-YD

Stainless Steel Flooring Profile




MPS-YD stainless steel expansion joint profile provides the best solutions for ceramic floor applications especially in places with large areas such as hospitals, shopping malls and schools. It absorbs the pressure caused by structural expansions and provides protection to ceramics. MPS-YD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-YD can be produced in unlimited height and width options.

ABSORBS THE PRESSURE OF BUILDING EXPANSIONS
AND PROVIDES PROTECTION TO CERAMICS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MYD243014015STANT	8	5/16	2438	8	STANT
MYD243014015MRANT	8	5/16	2438	8	MRANT
MYD243014015STBRO	8	5/16	2438	8	STBRO
MYD243014015MRBRO	8	5/16	2438	8	MRBRO
MYD243014015STCOP	8	5/16	2438	8	STCOP
MYD243014015MRCOP	8	5/16	2438	8	MRCOP
MYD243014015STGLD	8	5/16	2438	8	STGLD
MYD243014015MRGLD	8	5/16	2438	8	MRGLD
MYD250014015STINX	8	5/16	2500	8 1/5"	STINX
MYD250014015MRINX	8	5/16	2500	8 1/5"	MRINX
MYD243014015SMINX	8	5/16	2438	8	SMINX
MYD243008015STANT	10	3/8	2438	8	STANT
MYD243008015MRANT	10	3/8	2438	8	MRANT
MYD243008015STBRO	10	3/8	2438	8	STBRO
MYD243008015MRBRO	10	3/8	2438	8	MRBRO
MYD243008015STCOP	10	3/8	2438	8	STCOP
MYD243008015MRCOP	10	3/8	2438	8	MRCOP
MYD243008015STGLD	10	3/8	2438	8	STGLD
MYD243008015MRGLD	10	3/8	2438	8	MRGLD
MYD250008015STINX	10	3/8	2500	8 1/5"	STINX
MYD250008015MRINX	10	3/8	2500	8 1/5"	MRINX
MYD243008015SMINX	10	3/8	2438	8	SMINX
MYD243010015STANT	12	1/2	2438	8	STANT
MYD243010015MRANT	12	1/2	2438	8	MRANT
MYD243010015STBRO	12	1/2	2438	8	STBRO
MYD243010015MRBRO	12	1/2	2438	8	MRBRO
MYD243010015STCOP	12	1/2	2438	8	STCOP
MYD243010015MRCOP	12	1/2	2438	8	MRCOP
MYD243010015STGLD	12	1/2	2438	8	STGLD
MYD243010015MRGLD	12	1/2	2438	8	MRGLD
MYD250010015STINX	12	1/2	2500	8 1/5"	STINX
MYD250010015MRINX	12	1/2	2500	8 1/5"	MRINX
MYD243010015SMINX	12	1/2	2438	8	SMINX
MYD243012015STANT	14	9/16	2438	8	STANT
MYD243012015MRANT	14	9/16	2438	8	MRANT
MYD243012015STBRO	14	9/16	2438	8	STBRO
MYD243012015MRBRO	14	9/16	2438	8	MRBRO
MYD243012015STCOP	14	9/16	2438	8	STCOP
MYD243012015MRCOP	14	9/16	2438	8	MRCOP
MYD243012015STGLD	14	9/16	2438	8	STGLD
MYD243012015MRGLD	14	9/16	2438	8	MRGLD
MYD250012015STINX	14	9/16	2500	8 1/5"	STINX
MYD250012015MRINX	14	9/16	2500	8 1/5"	MRINX
MYD243012015SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-B

Stainless Steel Step Nose




MPS-B stainless steel tile step protection profile covers the defects caused during application and protects the step tiles such as marble and parquet. It protects ceramic steps against deformation and fracture while providing safety with its non-slip design. MPS-B has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-B can be produced in unlimited height and width options.

ELIMINATES APPLICATION ERRORS OF
STAIRS SUCH AS MARBLE AND PARQUET



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPB243010040STANT	10	3/8	2438	8	STANT
MPB243010040MRANT	10	3/8	2438	8	MRANT
MPB243010040STBRO	10	3/8	2438	8	STBRO
MPB243010040MRBRO	10	3/8	2438	8	MRBRO
MPB243010040STCOP	10	3/8	2438	8	STCOP
MPB243010040MRCOP	10	3/8	2438	8	MRCOP
MPB243010040STGLD	10	3/8	2438	8	STGLD
MPB243010040MRGLD	10	3/8	2438	8	MRGLD
MPB250010040STINX	10	3/8	2500	8 1/5"	STINX
MPB250010040MRINX	10	3/8	2500	8 1/5"	MRINX
MPB243010040SMINX	10	3/8	2438	8	SMINX
MPB243012040STANT	12	1/2	2438	8	STANT
MPB243012040MRANT	12	1/2	2438	8	MRANT
MPB243012040STBRO	12	1/2	2438	8	STBRO
MPB243012040MRBRO	12	1/2	2438	8	MRBRO
MPB243012040STCOP	12	1/2	2438	8	STCOP
MPB243012040MRCOP	12	1/2	2438	8	MRCOP
MPB243012040STGLD	12	1/2	2438	8	STGLD
MPB243012040MRGLD	12	1/2	2438	8	MRGLD
MPB250012040STINX	12	1/2	2500	8 1/5"	STINX
MPB250012040MRINX	12	1/2	2500	8 1/5"	MRINX
MPB243012040SMINX	12	1/2	2438	8	SMINX
MPB243014040STANT	14	9/16	2438	8	STANT
MPB243014040MRANT	14	9/16	2438	8	MRANT
MPB243014040STBRO	14	9/16	2438	8	STBRO
MPB243014040MRBRO	14	9/16	2438	8	MRBRO
MPB243014040STCOP	14	9/16	2438	8	STCOP
MPB243014040MRCOP	14	9/16	2438	8	MRCOP
MPB243014040STGLD	14	9/16	2438	8	STGLD
MPB243014040MRGLD	14	9/16	2438	8	MRGLD
MPB250014040STINX	14	9/16	2500	8 1/5"	STINX
MPB250014040MRINX	14	9/16	2500	8 1/5"	MRINX
MPB243014040SMINX	14	9/16	2438	8	SMINX
MPB243020040STANT	20	13/16	2438	8	STANT
MPB243020040MRANT	20	13/16	2438	8	MRANT
MPB243020040STBRO	20	13/16	2438	8	STBRO
MPB243020040MRBRO	20	13/16	2438	8	MRBRO
MPB243020040STCOP	20	13/16	2438	8	STCOP
MPB243020040MRCOP	20	13/16	2438	8	MRCOP
MPB243020040STGLD	20	13/16	2438	8	STGLD
MPB243020040MRGLD	20	13/16	2438	8	MRGLD
MPB250020040STINX	20	13/16	2500	8 1/5"	STINX
MPB250020040MRINX	20	13/16	2500	8 1/5"	MRINX
MPB243020040SMINX	20	13/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

Istanbul Office
EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey
+90 212 559 0636

UK Warehouse
869 High Road Tottenham,
London, N17 8EY, UK
+44 751 2934322

mox@moxsystems.com
moxsystems.com