

Sistemi MOX - dokumentazzjoni teknika

product-luceo-en.pdf

Traduzzjoni teknika: ikkonsulta t-tpingijiet originali u l-paġni ta' referenza għad-dimensjonijiet.

Paġna tas-sors 1

LUCEO

Skirting tal-aluminju b'LED

Il-bord ta' skirting LED ta' l-aluminju Luceo huwa l-aktar preferut fi proġetti esklussivi permezz tal-karatteristika tad-dawl dekorattiv tiegħu.

Jista' jintuża wkoll bħala dawl ta' gwida f'postijiet mudlama.

Minbarra l-karatteristika ta' 'illuminazzjoni tagħha, tkopri wkoll id-difetti fil-ġonot tal-art u tal-ħajt.

Jipprevjeni l-akkumulazzjoni tal-ħmieġ u organiżmi ta' ħsara biex jipprovdi użu iġjeniku u b'saħħtu għal ħafna snin.

Biż-żona vojta fid-disinn tagħha, tiġbor il-kejbils tat-telefon, tal-elettriku u tal-internet biex torganizza l-ambjent tiegħek.

Luceo għandu dehra sempliċi u minima bil-forma rqiq ta' tiegħu.

Luceo għandu anodizzat matte, anodizzat qawwi, satin kimiku anodizzat qawwi u għażliet ta' 'pittura ta' trab elettrostatiku.

Filwaqt li kisjiet tal-kulur tal-fidda, isfar, inox, bronż u iswed anodizzati huma disponibbli, jista' 'wkoll jiġi miżbugħ skont il-kodiċi RAL mixtieq b'pittura ta' trab elettrostatiku.

SORS TA' DAWL TA' GWIDA GĦAL GĦANIJET TA' SIGURTÀ, KIF UKOLL BIEX JIGWAW IL-MESS TAD-DAWL FID-DISINN

Għoli Tul Nru tal-Prodott Wiċċ mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Rokna Esterna h

LCEINT100013COLOR - Rokna Interna

LCEEND100013COLOR - Tmiem Kap

GĦAŻLA MIBUTA

Bil-metodi ta' 'applikazzjoni built-in jew bażiċi tagħha, jista' jkun 13mm flush mal-ħajt jew użat bħala skirting board tradizzjonali. 1/2"

MEGMS R9005 fidda matta, iswed anodizzat, semi tleqqija, miksija bit-trab

R9016 R7016 abjad, semi tleqq, antracite, semi tleqq, miksi bit-trab miksi bit-trab

Sewwieq RGB24R & RGB24P b'kaxxa tal-metall durabbli u rqiq.

LED-STL RGB Led Strip dawl 5m

RGB24R & RGB24P Kompatibbli mal-kontroll mill-bogħod jew mal-pannell tal-kontroll tal-ħajt.

SOLUZZJONIJIET TA' rokna

Bil-metodi ta 'applikazzjoni built-in jew bażiċi tiegħu, jista' jkun flush mal-ħajt jew użat bħala skirting board tradizzjonali.

Tpingijiet originali u pagni ta' referenza

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

RGB24R & RGB24P
Driver with durable, slim-design metal case.

LED-STL
RGB Led Strip light 5m

RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

