

MOX Systems - teknisk dokumentasjon

product-wishled-en.pdf

Teknisk oversettelse: se originaltegningene og referansesidene for dimensjoner.

Kildeside 1

WISHLED

Gulvlist i aluminium med LED

Wishled aluminium LED-gulvlister kan matche med ethvert miljø på grunn av dets ubegrensede mønsterdesignmuligheter.

Den er mest foretrukket som nattbelysning i barnerom med det utskiftbare dekselet med designtrykk.

Den kan også brukes til reklame og for å presentere bedriftsidentitet i offentlige områder.

I tillegg til belysningsfunksjonen dekker den også defekter i gulv- og veggskjøter.

Søknaden fullføres ved å montere frontdesignet trykt diffusorpanel med sitt snaplås-system.

Med de indre, ytre og endedekkende hettene, som har samme farge som profilene, kan glatte hjørnesvinger enkelt påføres uten behov for et vinklet kutt.

Wishled har alternativer for matt anodisert, lyst eloksert, sateng kjemisk lys eloksert og elektrostatisk pulvermaling.

Mens sølv, gul, inox, bronse og svart eloksert fargebelegg er tilgjengelig, kan den også males til ønsket RAL-kode med elektrostatisk pulverlakkering.

I tillegg til eksisterende mønsterdesign vi tilbyr for belysningspanelet, kan personlig design også brukes.

PASSER FOR ALLE MILJØER MED UBEGRENSET DESIGN

Høyde Lengde Produktnr Overflate mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Eksternt hjørne h

WSLINT100020COLOR - Innvendig hjørne

WSLEND100020COLOR - Endelokk

MEGMS R9005 matt sølv, anodisert svart, halvblank, pulverlakkert

R9016 R7016 hvit, halvblank, antrasitt, halvblank, pulverlakkert pulverlakkert

RGB24R og RGB24P Driver med slitesterkt metalldeksel med slank design.

LED-STL RGB Led Strip lys 5m

RGB24R & RGB24P Kompatibel med fjernkontroll eller veggkontrollpanel.

HJØRNELØSNINGER

Med sine innebygde eller grunnleggende påføringsmetoder kan den flush til vegg eller brukes som en tradisjonell gulvliste.

Originaltegninger og referansesider


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.



SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

