

MOX Systems - technische documentatie

assembly-manual-luceo-en.pdf

Technische vertaling: raadpleeg de originele tekeningen en referentiepagina's voor afmetingen.

Bronpagina 1

Luceo MONTAGEGIDS

1 Installatie kan worden gedaan met schroeven of siliconenlijm.

The correct application must be carefully identified according to the wall material.

2 Place the correct dowels according to the wall material into the drilled holes.

3 Screw the wall fixation parts to the places that are drilled at 50cm intervals.

4 Insert the LED strips into the slots at the top and bottom of the profile.

5 Schuif om de onderste diffusor met de voorklep te verbinden.

6 Sluit de LED-strips en de driver en de driver aan op het lichtnet.

Cables can be carried within the profiles for multi-drive connections.

Raadpleeg plaatselijke elektriciens voor nauwkeurige resultaten.

7 Press the front cover against the back plate until it clicks into place.

8 Plaats de bovenste diffusor.

9 Apply adhesive to the internal corners to secure them in position.

10 Apply adhesive to the external corners to secure them in position.

11 Apply adhesive to the ending parts to secure them in position.

Pagina 1/2

Bronpagina 2

LED-STRIP SNIJDEN EN VERLENGEN

For correct operation of location indicated in the
de LED-strip, alleen uit het e-diagram gesneden.

To avoid disconnection b at the location indicated
tussen de LED-strip, soldeer alleen d in de voorbeeldtekening.

LED-STRIP BEDRADINGSSCHEMA

MOX RGB-controller

RG Dim Wifi


GB mmer

Bestuurder / Transformatie


meer

Pagina 2/2


Originele tekeningen en referentiepagina's




- 1** Installation can be done with screws or silicone glue. The correct application must be carefully identified according to the wall material.




- 2** Place the correct dowels according to the wall material into the drilled holes.




- 3** Screw the wall fixation parts to the places that are drilled at 50cm intervals.




- 4** Insert the LED strips into the slots at the top and bottom of the profile.




- 5** Slide to connect the bottom diffuser to the front cover.




- 6** Connect the LED strips and the driver and the driver to the mains. Cables can be carried within the profiles for multi-drive connections. Consult local electricians to obtain accurate results.




- 7** Press the front cover against the back plate until it clicks into place.




- 8** Insert the top diffuser.



- 9** Apply adhesive to the internal corners to secure them in position.




- 10** Apply adhesive to the external corners to secure them in position.



- 11** Apply adhesive to the ending parts to secure them in position.

LED STRIP CUTTING & EXTENDING



LED STRIP WIRING DIAGRAM

