

MOX Systems - technische documentatie

product-luceo-en.pdf

Technische vertaling: raadpleeg de originele tekeningen en referentiepagina's voor afmetingen.

Bronpagina 1

LUCEO

Aluminium plint met LED

Luceo aluminium LED-plint heeft vanwege zijn decoratieve verlichtingsfunctie vooral de voorkeur in exclusieve projecten.

Het kan ook worden gebruikt als leidraad op donkere plaatsen.

Naast de verlichtingsfunctie dekt het ook de gebreken in vloer- en muurverbindingen af.

Het voorkomt vuilophoping en schadelijke organismen en zorgt voor jarenlang hygiënisch en gezond gebruik.

Met het holle gedeelte in het ontwerp verzamelt hij de telefoon-, elektriciteits- en internetkabels om uw omgeving te organiseren.

Luceo heeft door zijn slanke vorm een sobere en minimalistische uitstraling.

Luceo heeft mat geanodiseerde, helder geanodiseerde, satijn chemisch helder geanodiseerde en elektrostatische poederlakopties.

Hoewel er zilver-, geel-, inox-, brons- en zwart geanodiseerde kleurcoatings beschikbaar zijn, kan deze ook met elektrostatische poederlak in de gewenste RAL-code worden geverfd.

LEIDENDE LICHTBRON VOOR VEILIGHEIDSDOELEINDEN EN OM TE GENIETEN VAN DE AANRAKING VAN LICHT IN DESIGN

Hoogte Lengte Productnr Oppervlak mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Externe hoek h

LCEINT100013COLOR - Interne hoek

LCEEND100013COLOR - Eindkap

INGEBOUWDE OPTIE

Met zijn ingebouwde of basistoepassingsmethoden kan het 13 mm vlak tegen de muur worden aangebracht of als traditionele plint worden gebruikt. 1/2"

MEGMS R9005 mat zilver, geanodiseerd zwart, halfglans, gepoedercoat

R9016 R7016 wit, halfglans, antraciet, halfglans, poedercoating poedercoating

RGB24R- en RGB24P-driver met duurzame, slanke metalen behuizing.

LED-STL RGB Ledstripverlichting 5m

RGB24R & RGB24P Compatibel met afstandsbediening of wandbedieningspaneel.

HOEKOPLOSSINGEN

Met zijn ingebouwde of basistoepassingsmethoden kan het vlak tegen de muur worden aangebracht of als traditionele plint worden gebruikt.

Originele tekeningen en referentiepagina's

LUCEO

Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					

BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

RGB24R & RGB24P
Driver with durable, slim-design metal case.

LED-STL
RGB Led Strip light 5m

RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

