

MOX Systems - technische documentatie

product-wishled-en.pdf

Technische vertaling: raadpleeg de originele tekeningen en referentiepagina's voor afmetingen.

Bronpagina 1

WISHLED

Aluminium plint met LED

Wishled aluminium LED-plint past bij elke omgeving dankzij de onbeperkte patroonontwerpmogelijkheden.

Het heeft vooral de voorkeur als nachtverlichting in kinderkamers vanwege de vervangbare, met design bedrukte hoes.

Het kan ook worden gebruikt voor reclame en om de bedrijfsidentiteit in de openbare ruimte te presenteren.

Naast de verlichtingsfunctie dekt het ook de gebreken in vloer- en muurverbindingen af.

De toepassing wordt voltooid door het frontdesign bedrukte diffusorpaneel met kliksluiting te monteren.

Met de binnen-, buiten- en eindafdekkappen, die dezelfde kleur hebben als de profielen, kunnen gladde hoekbochten eenvoudig worden aangebracht zonder dat een schuine snede nodig is.

Wishled heeft mat geanodiseerde, helder geanodiseerde, satijn chemisch helder geanodiseerde en elektrostatische poederlakopties.

Hoewel er zilver-, geel-, inox-, brons- en zwart geanodiseerde kleurcoatings beschikbaar zijn, kan deze ook met elektrostatische poederlak in de gewenste RAL-code worden geverfd.

Naast de bestaande patroonontwerpen die wij aanbieden voor het verlichtingspaneel, kunnen ook gepersonaliseerde ontwerpen worden toegepast.

GESCHIKT VOOR ELKE OMGEVING MET ONBEPERKT DESIGN

Hoogte Lengte Productnr Oppervlak mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Externe hoek h

WSLINT100020COLOR - Interne hoek

WSLEND100020COLOR - Eindkap

MEGMS R9005 mat zilver, geanodiseerd zwart, halfglans, gepoedercoat

R9016 R7016 wit, halfglans, antraciet, halfglans, poedercoating poedercoating

RGB24R- en RGB24P-driver met duurzame, slanke metalen behuizing.

LED-STL RGB Ledstripverlichting 5m

RGB24R & RGB24P Compatibel met afstandsbediening of wandbedieningspaneel.

HOEKOPLOSSINGEN

Met zijn ingebouwde of basistoepassingsmethoden kan het vlak tegen de muur worden aangebracht of als traditionele plint worden gebruikt.

Originele tekeningen en referentiepagina's


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

