

Systemy MOX - dokumentacja techniczna

assembly-manual-visio-en.pdf

Tłumaczenie techniczne: wymiary można znaleźć na oryginalnych rysunkach i stronach referencyjnych.


Strona źródłowa 1

PRZEWODNIK MONTAŻU Visio


- 1 Wybierz odpowiedni profil w zależności od grubości podłogi.
- 2 Zastosuj złącze i odpowiednio umieść kotwę profili.
- 3 Dociśnij profil, aż zostanie przymocowany do złącza.
- 4 Przyłóż wykładzinę do profilu.
- 5 Przytnij profile pod kątem 45 stopni do narożników zewnętrznych.
- 6 Wyrównaj profile w narożnikach zewnętrznych i umieść je w złączu.
- 7 Przyłóż wykładzinę do profilu.
- 8 Przytnij profile pod kątem 45 stopni do narożników wewnętrznych.
- 9 Wyrównaj profile w narożnikach wewnętrznych i umieść je w złączu.
- 10 Przyłóż wykładzinę do profilu. 6 8

Strona 1/1


Oryginalne rysunki i strony referencyjne




1 Pick the correct profile according to the flooring thickness.




2 Apply joint and place the profiles anchor accordingly.




3 Press the profile until it is fixed to the joint.




4 Place the carpet to the profile.




5 Cut profiles 45 degrees for external corners.




6 Align the profiles at the external corners and place them into the joint.




7 Place the carpet to the profile.



8 Cut profiles 45 degrees for internal corners.



9 Align the profiles at the internal corners and place them into the joint.



10 Place the carpet to the profile.