

Systemy MOX - dokumentacja techniczna

product-sole-en.pdf

Tłumaczenie techniczne: wymiary można znaleźć na oryginalnych rysunkach i stronach referencyjnych.

Strona źródłowa 1

SOLE

Aluminiowa listwa przypodłogowa

Aluminiowa listwa przypodłogowa Sole jest najczęściej preferowana we wszystkich pomieszczeniach mieszkalnych i publicznych o klasycznych koncepcjach projektowych.

Obejmuje wady spoin podłogowych i ściennych.

Zapobiega gromadzeniu się brudu i szkodliwych organizmów, zapewniając higieniczne i zdrowe użytkowanie przez wiele lat.

Dzięki pustej przestrzeni w swojej konstrukcji zbiera kable telefoniczne, elektryczne i internetowe, aby uporządkować otoczenie.

Sole to produkt z serii Eclipse.

Produkty aluminiowe ze znacznikiem zaćmienia dostępne są w wersjach kolorystycznych RAL7016 i RAL9016.

ZAPROJEKTOWANE DLA WSZYSTKICH KLASYCZNYCH, LUKSUSOWYCH I PRESTIŻOWYCH PRZESTRZENI MIESZKANIOWYCH

Wysokość Długość Nr produktu Powierzchnia mm in mm ft

SOL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

SOL250100020R9005 100 3-15/16 2500 8 1/5" R9005

SOL250100020R7016 100 3-15/16 2500 8 1/5" R9016

SOL250100020R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 matowe srebro, anodowany na czarno, półpołysk, malowany proszkowo

R9016 R7016 biały, półpołysk, antracyt, półpołysk, malowany proszkowo malowany proszkowo

ROZWIĄZANIA NAROŻNE

Oryginalne rysunki i strony referencyjne

SOLE

Aluminum Skirting Board





Sole aluminum skirting board is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES



Product No	Height		Length		Surface
	mm	in	mm	ft	
SOL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
SOL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R9016
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R7016






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS

