

Sistemas MOX - documentação técnica

assembly-manual-mps-tb-en.pdf

Tradução técnica: consulte os desenhos originais e as páginas de referência para as dimensões.

Página de origem 1

GUIA DE MONTAGEM DO Mps-Tb

Escolha o perfil correto de acordo com a espessura do pavimento.

2 Aplique a junta e coloque a âncora dos perfis em conformidade.

3 Pressione o perfil até o fixar à junta.

4 Aplicar junta nos locais onde vai ser colocado o pavimento.

5 Coloque e alinhe o pavimento ao perfil.

6 Corte perfis a 45 graus para cantos exteriores.

Alinhe os perfis nos cantos exteriores e pressione-os na junta.

8 Coloque e alinhe o pavimento ao perfil.


9 Corte perfis a 45 graus para cantos interiores.

10 Alinhe os perfis nos cantos interiores e pressione-os na junta.


11 Coloque e alinhe o pavimento ao perfil.

Página 1/1


Desenhos originais e páginas de referência




1 Pick the correct profile according to the flooring thickness.




2 Apply joint and place the profiles anchor accordingly.




3 Press the profile until it is fixed to the joint.




4 Apply joint to the places where the flooring will be placed.




5 Place and align the flooring to the profile.




6 Cut profiles 45 degrees for external corners.




7 Align the profiles at the external corners and press them into the joint.




8 Place and align the flooring to the profile.



9 Cut profiles 45 degrees for internal corners.



10 Align the profiles at the internal corners and press them into the joint.



11 Place and align the flooring to the profile.