

Sistemas MOX - documentação técnica

assembly-manual-sole-en.pdf

Tradução técnica: consulte os desenhos originais e as páginas de referência para as dimensões.


Página de origem 1

GUIA DE MONTAGEM DO ÚNICO MOX


- 1 Coloque as peças de fixação à parede com intervalos de 50 cm e marque a parede a partir dos orifícios dos parafusos.
- 2 Perfure os pontos que já marcou.
- 3 Coloque as buchas corretas de acordo com o material da parede nos furos.
- 4 Aparafuse as peças de fixação à parede nos locais perfurados com intervalos de 50cm.
- 5 Monte o perfil nas peças de fixação à parede como na imagem.
- 6 Certifique-se de que os pregos do perfil e os pregos da peça de fixação estão completamente ligados entre si e certifique-se de que a sola do perfil está fixa ao chão.
- 7 Fixe as ferramentas de fixação à parede de forma a ficarem fechadas aos cantos e monte o canto combinando as ferramentas com os perfis para garantir a rotação dos cantos exteriores.
- 8 Certifique-se de que os perfis e as ferramentas de combinação de cantos estão completamente fixos entre si nos cantos exteriores.
- 9 Fixe as ferramentas de fixação à parede de forma a ficarem fechadas aos cantos e monte o canto combinando as ferramentas com os perfis para garantir a rotação dos cantos interiores.
- 10 Certifique-se de que os perfis e as ferramentas de combinação de cantos estão completamente fixos entre si nos cantos interiores.
- 11 Monte as ferramentas de cobertura com os perfis para garantir que a parede termina corretamente.
- 12 Certifique-se de que os perfis e as ferramentas de cobertura estão completamente fixos entre si nas extremidades da parede.

Página 1/1


Desenhos originais e páginas de referência




1 Place the wall fixation parts at 50cm intervals and mark the wall from the screw holes.




2 Drill the points that you have already marked.




3 Place the correct dowels according to the wall material into the drilled holes.




4 Screw the wall fixation parts to the places that are drilled at 50cm intervals.




5 Assemble the profile on the wall fixation parts just like in the picture.




6 Make sure that the profile nails and the fixation part's nails are completely connected to each other and be sure that the profile sole is fixed to the floor.




7 Affix the wall fixation tools in the manner that will be closed to the corners and assemble the corner combining tools with the profiles to ensure the rotating of external corners.




8 Make sure that profiles and corner combining tools are fixed to each other completely at the external corners.




9 Affix the wall fixation tools in the manner that will be closed to the corners and assemble the corner combining tools with the profiles to ensure the rotating of internal corners.



10 Make sure that profiles and corner combining tools are fixed to each other completely at the internal corners.



11 Assemble the cap tools with the profiles to ensure the wall ends properly.



12 Make sure that profiles and cap tools are fixed to each other completely at the ends of the wall.