

МОХ-системы - техническая документация

product-wishled-en.pdf

Технический перевод: размеры см. в оригинальных чертежах и на справочных страницах.

Исходная страница 1

WISHLED

Алюминиевый плинтус с LED-подсветкой

Алюминиевый светодиодный плинтус Wishled может вписаться в любую обстановку благодаря неограниченным возможностям дизайна.

Его чаще всего предпочитают в качестве ночного освещения в детских комнатах благодаря сменному покрытию с дизайнерским принтом.

Его также можно использовать для рекламы и представления фирменного стиля в общественных местах.

Помимо функции освещения, он также закрывает дефекты стыков пола и стен.

Применение будет завершено установкой передней панели рассеивателя с печатным рисунком и системой защелкивающегося замка.

Благодаря внутренней, внешней и торцевой заглушкам того же цвета, что и профили, можно легко выполнять плавные угловые повороты без необходимости углового разреза.

Wishled предлагает варианты матового анодирования, яркого анодирования, сатинового химического блестящего анодирования и электростатической порошковой окраски.

Хотя доступны серебряные, желтые, нержавеющей, бронзовые и черные анодированные покрытия, их также можно покрасить по желаемому коду RAL с помощью электростатической порошковой окраски.

В дополнение к существующим рисункам, которые мы предлагаем для световой панели, также можно применить индивидуальный дизайн.

ПОДХОДИТ ДЛЯ ЛЮБОЙ СРЕДЫ С НЕОГРАНИЧЕННЫМ ДИЗАЙНОМ

Высота Длина Номер продукта Поверхность mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Внешний угол h

WSLINT100020COLOR - Внутренний угол

WSLEND100020COLOR - Торцевая крышка

MEGMS R9005 матовое серебро, анодированный черный, полуглянцевый, с порошковым покрытием

R9016 R7016 белый, полуглянцевый, антрацит, полуглянцевый, с порошковым покрытием с порошковым покрытием

Драйвер RGB24R и RGB24P в прочном тонком металлическом корпусе.

Светодиодная лента LED-STL RGB 5м

RGB24R и RGB24P Совместимы с пультом дистанционного управления или настенной панелью управления.

УГЛОВЫЕ РЕШЕНИЯ

Благодаря встроенным или базовым методам нанесения его можно крепить заподлицо со стеной или использовать в качестве традиционного плинтуса.

Оригинальные чертежи и справочные страницы


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

