# MOX Systems - technická dokumentácia

mox_profile_systems_catalog_new.pdf

Technický preklad: rozmery nájdete na pôvodných výkresoch a referenčných stránkach.

# Zdrojová stránka 1

# Zdrojová stránka 2

KATALÓG PRODUKTOV

# Zdrojová stránka 3

LED OSVETLENIE, KÁBLOVÉ ORGANIZÁTORY, ŠTÝLOVÉ A PRISPÔSOBITEĽNÉ PROFILY SOKLOVÉ DOSKY

Luceo 10 vodiaci svetelný zdroj pre bezpečnostné účely, ako aj pre vychutnanie si dotyku svetla v dizajne Leux 12 spája klasický dizajn a moderné osvetlenie Wishled 14 vhodné do každého prostredia s neobmedzeným dizajnom Lato 16 ideálny do všetkých obytných priestorov s minimálnym, štíhlym dizajnom. praktické rohové riešenia Sole 18 určený do všetkých klasických, luxusných a prestížnych obytných priestorov Crispo 20 do priestorov s veľkými medzerami medzi stenou a podlahou Sentio 22 objednávajte káble v priestoroch ako napr.

pracoviská a skoncujte s neporiadkom Velo 24 poskytuje utesnenie a odstraňuje defekty škár na škárach medzi podlahou a stenou vo vlhkých priestoroch Gravity 26 doplnkový prvok vášho interiéru Mps-F 28 zabraňuje prenikaniu vlhkosti do škár a znižuje prenos zvuku v zóne nárazu

KERAMICKÉ HRANICE, PROFILY DLAŽDIČKY KERAMICKÉ OCHRANNÉ PROFILY

Keramická ochrana Mono-Fix 32 s elegantným vzhľadom Round-Fix 34 pozdvihne vaše keramické aplikácie: bezšvový štýl, bezkonkurenčná ochrana Square-Fix 36 bezchybný vzhľad na keramických povrchoch, široká škála možností farieb a efektov na prispôsobenie trendovým farbám a textúram keramiky Mps-Ag 38 elegantný vzhľad, ktorý zjemňuje prechod vonkajšieho rohu

Mps-Brd 40 ozdobný lemovací profil pre keramické povrchy Mps-C 42 Kvalita nerezovej ocele pre vnútorné rohy keramických aplikácií Mps-D 44 poskytuje dokonalý vzhľad keramickým povrchom a zabraňuje poškodeniu keramiky kvalitou nerezovej ocele Mps-L 46 Čistý a minimálny vzhľad keramickým kombináciám s jednoduchým dizajnom Mps-S 48 poskytuje elegantný prechod vo vnútornom rohu a zjemňuje elegantný prechod vo vnútornom rohu

PRECHODY RAMP, OCHRANA OKRAJOV KOBERCOV, PODLAHY A RENOVÁCIA, NÁSTUPNÁ OCHRANA NOSU

ALL IN ONE 52: nastaviteľnosť zabezpečuje bezchybný vzhľad podlahových prechodov. REVIO 54: navrhnutý na zlepšenie estetiky a funkčnosti podlahy. VISIO 56: štýlový prahový profil pre kobercové prechody. LINE 58: ideálna voľba pre podlahu s minimalistickým tvarom. FLEX 60: vytvárajte nápadité podlahové riešenia s tvarovateľným profilom. MPS-E 62: vhodný pre všetky architektonické návrhy s tradičným, ale vylepšeným vzhľadom. MPS-N 64.

zjemňuje prechody medzi rôznymi úrovňami Mps-Tb 66 s tvarom T, poskytuje jednoduchý vzhľad tradičných prechodov Mps-Yd 68 absorbuje tlak dilatácií budovy a poskytuje ochranu keramike Mps-B 70 eliminuje chyby pri aplikácii schodov, ako sú mramor a parkety

# Zdrojová stránka 4

O MOX

Orego Metal, jeden z hlavných dodávateľov známych medzinárodných značiek, vstúpil na turecký trh so systémom Mox Profile Systems udržiavaním vysokej kvality surovín, správnej prevádzky a dokonalých povrchov, vďaka čomu sa stal obľúbenou značkou mnohých zákazníkov vo svete a najmä v Európe.

Zaručujeme, že vaše miesta použitia budú esteticky príjemné a rozlíšiteľné, s našou širokou škálou produktov vrátane soklových líšt, obkladov dlaždíc, profilov schodov, podlahových prechodových profilov a prechodových profilov rampy s hliníkovými a nerezovými materiálmi.

Sľubujeme nielen poskytovanie kvalitných produktov a služieb pre aplikáciu všetkých procesov s rovnakou presnosťou na transformáciu suroviny na hliníkový dekoratívny profil, ale aj najlepšie ceny prostredníctvom našich výrobných kapacít.

Vždy uprednostňovanie spokojnosti zákazníkov a rešpektovanie ich spätnej väzby zohráva najdôležitejšiu úlohu pri každoročnom zvyšovaní nášho rastu na európskych, amerických, stredovýchodných a afrických trhoch.

DIZAJN

Sme tu s naším technickým tímom, aby sme boli vašim partnerom pri riešení pre vaše aplikačné oblasti.

Ponúkame ako naše štandardné produkty, tak v prípade potreby aj neštandardné produkty, ktoré sú prispôsobené podľa vašich potrieb.

Keďže sme výrobcom a máme takmer 3 000 existujúcich foriem, môžeme ponúknuť neštandardné riešenia.

LIŠOVANIE

Ak naše existujúce produkty neposkytujú riešenie, ktoré potrebujete, náš dizajnérsky tím s vami bude spolupracovať na návrhu produktu podľa vašej požiadavky a poskytne vám úplné technické podrobnosti.

Podľa vašej ročnej spotreby a vášho typu povrchu a očakávanej kvality formu optimalizujeme a vyrábame vo vlastnej dielni tak, aby dizajn nebol zdieľaný so žiadnou treťou stranou.

PROJEKTOVÝ MANAŽMENT

Ponúkame a dodávame profily na mieru až do dĺžky 6 m, aby sme vám ušetrili prácu s rezaním a náklady na odpad.

Máme schopnosť produkovať neobmedzenú farbu RAL v našom vlastnom integrovanom zariadení na práškové lakovanie a strieborné, žlté, bronzové, nerezové a čierne farby pre matné a svetlé povrchy v našom zariadení na eloxovanie.

Medzi naše výrobné možnosti patrí aj chrómovanie a niklové farby v profiloch do 3 metrov.

# Zdrojová stránka 5

LED OSVETLENIE, KÁBLOVÉ ORGANIZÁTORY, ŠTÝLOVÉ A PRISPÔSOBITEĽNÉ PROFILY SOKLOVÉ DOSKY

Soklové lišty Mox zakrývajú chyby v spojoch podlahy a stien.

Zabraňujú hromadeniu nečistôt a škodlivým organizmom a poskytujú hygienické a zdravé používanie po mnoho rokov.

# Zdrojová stránka 6

LUCEO

Hliníková soklová lišta s LED

Hliníková LED lišta Luceo je väčšinou preferovaná v exkluzívnych projektoch vďaka svojej funkcii dekoratívneho osvetlenia.

Dá sa použiť aj ako vodiace svetlo na tmavých miestach.

Okrem osvetľovacej funkcie pokrýva aj chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Vďaka dutej oblasti vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble, aby organizoval vaše prostredie.

Luceo má vďaka svojej štíhlej forme jednoduchý a minimalistický vzhľad.

Luceo má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky lesklo eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

NÁVOD NA ZDROJ SVETLA PRE BEZPEČNOSTNÉ ÚČELY, AKO AJ PRE VYUŽITIE DOTYKU SVETLA V DIZAJNE

Výška DÍžka Produkt č Povrch mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Vonkajší roh h

LCEINT100013COLOR - Vnútorný roh

LCEEND100013COLOR - Koncový uzáver

VSTAVANÁ MOŽNOSŤ

So svojimi vstavanými alebo základnými metódami aplikácie môže byť 13 mm zarovnaná so stenou alebo použitá ako tradičná soklová lišta. 1/2"

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

Ovládač RGB24R a RGB24P s odolným, tenkým kovovým puzdrom.

LED-STL RGB LED páskové svetlo 5m

RGB24R & RGB24P Kompatibilné s diaľkovým ovládačom alebo nástenným ovládacím panelom.

ROHOVÉ RIEŠENIA

So svojimi vstavanými alebo základnými aplikačnými metódami môže byť zapustená do steny alebo použitá ako tradičná soklová lišta.

# Zdrojová stránka 7

LEUX

Hliníková soklová lišta s LED

Hliníková LED lišta Leux je väčšinou preferovaná v exkluzívnych projektoch klasického dizajnu vďaka svojej funkcii dekoratívneho osvetlenia a viktoriánskeho dizajnu.

Dá sa použiť aj ako vodiace svetlo na tmavých miestach.

Okrem osvetľovacej funkcie pokrýva aj chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Vďaka dutej oblasti vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble, aby organizoval vaše prostredie.

Leux spája klasický vzhľad a moderné osvetlenie.

Leux je produkt zo série Eclipse.

Hliníkové produkty so značkovačom zatmenia majú farebné varianty RAL7016 a RAL9016.

SPÁJA KLASICKÉ DIZAJNY A MODERNÉ OSVETLENIE

Výška Dĺžka Produkt č Povrch mm in mm ft

LUX250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LUX250100020RR9005 100 3-15/16 2500 8 1/5" R9005

LUX250100020R9016 100 3-15/16 2500 8 1/5" R9016

LUX250100020R7016 100 3-15/16 2500 8 1/5" R7016

LUXEXT100020COLOR - Vonkajší roh h

LUXINT100020COLOR - Vnútorný roh

LUXEND100020COLOR - Koncový uzáver

VSTAVANÁ MOŽNOSŤ

So svojimi vstavanými alebo základnými metódami aplikácie môže byť 20 mm zarovnaná so stenou alebo použitá ako tradičná soklová lišta. 13/16"

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

Ovládač RGB24R a RGB24P s odolným, tenkým kovovým puzdrom.

LED-STL RGB LED páskové svetlo 5m

RGB24R & RGB24P Kompatibilné s diaľkovým ovládačom alebo nástenným ovládacím panelom.

ROHOVÉ RIEŠENIA

So svojimi vstavanými alebo základnými aplikačnými metódami môže byť zapustená do steny alebo použitá ako tradičná soklová lišta.

# Zdrojová stránka 8

WISHLED

Hliníková soklová lišta s LED

Hliníková LED lišta Wishled sa hodí do akéhokoľvek prostredia vďaka neobmedzeným možnostiam vzorov.

Najviac sa uprednostňuje ako nočné osvetlenie v detských izbách s vymeniteľným dizajnovým potlačeným krytom.

Dá sa využiť aj na reklamu a prezentáciu firemnej identity vo verejných priestoroch.

Okrem osvetľovacej funkcie pokrýva aj chyby v spojoch podlahy a stien.

Aplikácia bude dokončená montážou predného dizajnového potlačeného difúzneho panelu so systémom snap lock.

S vnútornými, vonkajšími a koncovými krycími krytkami, ktoré majú rovnakú farbu ako profily, je možné ľahko aplikovať hladké rohové zákruty bez potreby šikmého rezu.

Wishled má možnosti matného eloxovania, svetlého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

Okrem existujúcich vzorov, ktoré ponúkame pre osvetľovací panel, je možné použiť aj personalizované vzory.

VHODNÉ DO KAŽDÉHO PROSTREDIA S NEOBMEDZENÝM DIZAJNOM

Výška Dĺžka Produkt č Povrch mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Vonkajší roh h

WSLINT100020COLOR - Vnútorný roh

WSLEND100020COLOR - Koncový uzáver

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

Ovládač RGB24R a RGB24P s odolným, tenkým kovovým puzdrom.

LED-STL RGB LED páskové svetlo 5m

RGB24R & RGB24P Kompatibilné s diaľkovým ovládačom alebo nástenným ovládacím panelom.

ROHOVÉ RIEŠENIA

So svojimi vstavanými alebo základnými aplikačnými metódami môže byť zapustená do steny alebo použitá ako tradičná soklová lišta.

# Zdrojová stránka 9

LATO

Hliníková soklová lišta

Hliníková lišta Lato je väčšinou preferovaná vo všetkých obytných a verejných priestoroch, ako sú kancelárie, hotely, nemocnice, školy, nákupné centrá a terminály.

Má hliníkové rohové diely s povrchovými a farebnými možnosťami zhodnými s profilmi.

Zakrýva chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Vďaka dutej oblasti vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble, aby organizoval vaše prostredie.

Lato má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

IDEÁLNE PRE VŠETKY BYTOVÉ PRIESTORY S MINIMÁLNYM, TENKÝM DIZAJNOM.

PRAKTICKÉ ROHOVÉ RIEŠENIA

Výška Dĺžka Produkt č Povrch mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

ROHOVÉ RIEŠENIA

# Zdrojová stránka 10

SOLE

Hliníková soklová lišta

Hliníková soklová lišta Sole je väčšinou preferovaná vo všetkých obytných a verejných priestoroch s klasickými koncepciami dizajnu.

Zakrýva chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Vďaka dutej oblasti vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble, aby organizoval vaše prostredie.

Sole je produkt zo série Eclipse.

Hliníkové produkty so značkovačom zatmenia majú farebné varianty RAL7016 a RAL9016.

URČENÉ PRE VŠETKY KLASICKÉ, LUXUSNÉ A PREStížne BÝVACIE PRIESTORY

Výška Dĺžka Produkt č Povrch mm in mm ft

SOL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

SOL250100020R9005 100 3-15/16 2500 8 1/5" R9005

SOL250100020R7016 100 3-15/16 2500 8 1/5" R9016

SOL250100020R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

ROHOVÉ RIEŠENIA

# Zdrojová stránka 11

CRISPO

Hliníková soklová lišta

Hliníková soklová lišta Crispo je väčšinou preferovaná v priestoroch s veľkými medzerami medzi stenou a podlahou vďaka svojmu širokému tvaru.

Zakrýva chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Vďaka dutej oblasti vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble, aby organizoval vaše prostredie.

Crispo poskytuje jednotu svojím oválnym prechodovým vzhľadom a je kompatibilný s klasickou aj modernou architektúrou.

Crispo má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

PRE PLOCHY S VEĽKÝMI MEDZERAMI MEDZI STENOU A PODLAHOU

Výška DÍžka Produkt č Povrch mm in mm ft

CRS250070025MEGMS 70 2-3/4 2500 8 1/5" MEGMS

CRS250070025R9005 70 2-3/4 2500 8 1/5" R9005

CRS250070025R9016 70 2-3/4 2500 8 1/5" R9016

CRS250070025R7016 70 2-3/4 2500 8 1/5" R7016

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 12

SENTIO

Hliníková soklová lišta

Hliníková soklová lišta Sentio je väčšinou preferovaná v priestoroch s veľkými medzerami medzi stenou a podlahou vďaka svojmu širokému tvaru.

Vďaka rozšírenej dutej ploche vo svojom dizajne zhromažďuje telefónne, elektrické a internetové káble na usporiadanie prostredí, ako sú pracoviská a kancelárie.

Zakrýva chyby v spojoch podlahy a stien.

Zabraňuje hromadeniu nečistôt a škodlivým organizmom a poskytuje hygienické a zdravé používanie po mnoho rokov.

Sentio má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky lesklo eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

OBJEDNAJTE SI KÁBLE V OBLASTIACH, AKO JSÚ PRACOVISKÁ, A UKONČTE NEPORIADOK

Výška Dĺžka Produkt č Povrch mm in mm ft

SNT250080023MEGMS 80 3-1/8 2500 8 1/5" MEGMS

SNT250080023R9005 80 3-1/8 2500 8 1/5" R9005

SNT250080023R9016 80 3-1/8 2500 8 1/5" R9016

SNT250080023R7016 80 3-1/8 2500 8 1/5" R7016

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 13

VELO

Hliníková soklová lišta

Hliníková soklová lišta Velo poskytuje soklové riešenia najmä do vlhkých priestorov, ako sú kúpeľne a kuchyne.

Zaberá menej miesta a ponúka jednoduchú inštaláciu.

Poskytuje nepriepustnosť, ako aj estetický vzhľad tým, že prekrýva defekty spojov medzi stenou a podlahou, najmä na vlhkých miestach.

Velo má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

POSKYTUJE TESNENIE A ODSTRAŇUJE CHYBY ŠKÁR V SPÁRACH PODLAHY A STENY VO VLHKÝCH PRIESTOROCH

Výška Dĺžka Produkt č Povrch mm in mm ft

VLO250060012MEGMS 60 2-3/8 2500 8 1/5" MEGMS

VLO250060012R9005 60 2-3/8 2500 8 1/5" R9005

VLO250060012R9016 60 2-3/8 2500 8 1/5" R9016

VLO250060012R7016 60 2-3/8 2500 8 1/5" R7016

VLO250100012MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

VLO250100012R9005 100 3-15/16 2500 8 1/5" R9005

VLO250100012R9016 100 3-15/16 2500 8 1/5" R9016

VLO250100012R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 14

MOX GRAVITA

Hliníková soklová lišta

Hliníková soklová lišta Gravity je špeciálne navrhnutý profil, ktorý je pripevnený k spodným okrajom steny a dodáva kobercovým plochám elegantný a čistý vzhľad.

Hliníková soklová lišta Gravity poskytuje nielen plynulý prechod medzi podlahou a stenou, ale poskytuje aj ochranu okrajov kobercov.

Hliníková lišta Gravity má možnosť matného eloxovaného náteru v striebornej farbe.

DOPLŇUJÚCI PRVOK VAŠICH NÁVRHOV INTERIÉRU

Výška DÍžka 10mm Produkt č Povrch 3/8" mm in mm ft

GRV250100010MEGMS 100 3-15/16 2500 8 1/5" MEGMS

MEGMS matná strieborná, anodized

# Zdrojová stránka 15

MPS-F

Soklová lišta z nehrdzavejúcej ocele

Profil nerezovej lišty Mps-F je navrhnutý tak, aby poskytoval lišty v keramických aplikáciách.

Zabraňuje vlhkosti v miestach aplikácie a znižuje prenos kročajového zvuku.

Poskytuje estetický vzhľad tým, že skryje chyby aplikácie v prechodoch podlahy a steny.

Je mimoriadne trvanlivý, trvácny a odolný voči korózii, pretože je vyrobený z kvalitnej nehrdzavejúcej ocele 304L. K dispozícii je aj alternatíva z kvalitnej nehrdzavejúcej ocele 201.

Mps-F má vďaka predĺženiu spoja hladký vzhľad.

Mps-F má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, nerezovú farbu.

Mps-F je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ZABRAŇUJE PRENIKANIU VLHKOSTI KU KĽBÁM A ZNÍŽUJE PRENOS ZVUKU V ZÓNE NÁRAZU

Výška Dĺžka Produkt č Povrch mm in mm ft

MPF2430400XXSTANT 40 1-9/16 2438 8 STANT

MPF2430400XXMRANT 40 1-9/16 2438 8 MRANT

MPF2430400XXSTBRO 40 1-9/16 2438 8 STBRO

MPF2430400XXMRBRO 40 1-9/16 2438 8 MRBRO

MPF2430400XXSTCOP 40 1-9/16 2438 8 STCOP

MPF2430400XXMRCOP 40 1-9/16 2438 8 MRCOP

MPF2430400XXSTGLD 40 1-9/16 2438 8 STGLD

MPF2430400XXMRGLD 40 1-9/16 2438 8 MRGLD h

MPF2500400XXSTINX 40 1-9/16 2500 8 1/5" STINX

MPF2500400XXMRINX 40 1-9/16 2500 8 1/5" MRINX

MPF2430400XXSMINX 40 1-9/16 2438

8 SMINX 8-10-12-14mm

MPF2430600XXSTANT 70 2-3/4 2438 8 STANT 5/16"-3/8"-1/2"-9/16"

MPF2430600XXMRANT 70 2-3/4 2438 8 MRANT

MPF2430600XXSTBRO 70 2-3/4 2438 8 STBRO

MPF2430600XXMRBRO 70 2-3/4 2438 8 MRBRO

MPF2430600XXSTCOP 70 2-3/4 2438 8 STCOP

MPF2430600XXMRCOP 70 2-3/4 2438 8 MRCOP MRANT STANT

MPF2430600XXSTGLD 70 2-3/4 2438 8 STGLD antracitové zrkadlo antracitový satén

MPF2430600XXMRGLD 70 2-3/4 2438 8 MRGLD

MPF2500600XXSTINX 70 2-3/4 2500 8 1/5" STINX

MPF2500600XXMRINX 70 2-3/4 2500 8 1/5" MRINX

MPF2430600XXSMINX 70 2-3/4 2438 8 SMINX MRBRO STBRO bronzové zrkadlo bronzový satén

MRCOP STCOP medené zrkadlo medený satén

MRGLD STGLD zlaté zrkadlo zlatý satén

MRINX STINX nerezové zrkadlo inox satén

Super zrkadlo SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 16

KERAMICKÉ HRANICE, PROFILY DLAŽDIČKY KERAMICKÉ OCHRANNÉ PROFILY

Obkladové profily dlaždíc Mox eliminujú chyby v spojoch a aplikácii a zabraňujú poškodeniu keramiky a zároveň poskytujú estetiku vašim obytným priestorom.

Zabraňujú deformáciám v aplikovaných oblastiach tým, že zabraňujú akémukoľvek úniku.

# Zdrojová stránka 17

Mono-Fix

Obloženie hliníkových dlaždíc

Okraj hliníkovej dlaždice Mono Fix dodáva vašim keramickým aplikáciám estetiku vďaka širokej škále povrchových možností kompatibilných s trendovými keramickými farbami a textúrami.

Používa sa ako rám, ktorý zakrýva keramickú časť na koncoch keramických stenových aplikácií alebo ako spoje parkiet.

Zatiaľ čo poskytuje estetiku, ktorá eliminuje chyby v spojoch a aplikácii, zároveň zabraňuje poškodeniu keramiky.

Mono Fix má možnosti matného eloxovania, lesklého eloxovania a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové a čierne eloxované farebné nátery, môže byť tiež natretý elektrostatickým práškovým lakovaním na požadovaný kód RAL.

KERAMICKÁ OCHRANA S ELEGANTNÝM VZHĽADOM

Výška Dĺžka Produkt č Povrch mm in mm ft

MNF250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS 2.5mm

MNF250010003MESAR 10 3/8 2500 8 1/5" MESAR 1/8"

MNF250010003MEINX 10 3/8 2500 8 1/5" MEINX

MNF250010003MESYH 10 3/8 2500 8 1/5" MESYH

MNF250010003PEGMS 10 3/8 2500 8 1/5" PEGMS h

MNF250010003PESAR 10 3/8 2500 8 1/5" PESAR

MNF250010003PEINX 10 3/8 2500 8 1/5" PEINX

MNF250010003PESYH 10 3/8 2500 8 1/5" PESYH

MNF250010003R9016 10 3/8 2500 8 1/5" R9016

MNF250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX MESYH matný inox, eloxovaný matný čierny, elox

PEGMS PESAR žiarivo strieborný, eloxovaný žiarivo žltý, elox

PEINX PESYH svetlý inox, eloxovaný žiarivo čierny, elox

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 18

Round-Fix

Obloženie hliníkových dlaždíc

Obloženie hliníkových dlaždíc Round Fix okrúhly vonkajší roh dodáva vašim keramickým aplikáciám estetiku so širokou škálou povrchových možností kompatibilných s trendovými keramickými farbami a textúrami.

Používa sa v 90 stupňových vonkajších rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Round Fix má matne eloxované, jasne eloxované elektrostatické práškové lakovanie.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové a čierne eloxované farebné nátery, môže byť tiež natretý elektrostatickým práškovým lakovaním na požadovaný kód RAL.

POKROČIŤ SVOJU KERAMICKÚ APLIKÁCIU: BEZPLATNÝ ŠTÝL, BEZKONKURENČNÁ OCHRANA

Výška Dĺžka Produkt č Povrch mm in mm ft

RNF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

RNF250010009MESAR 10 3/8 2500 8 1/5" MESAR

RNF250010009MEINX 10 3/8 2500 8 1/5" MEINX

RNF250010009MESYH 10 3/8 2500 8 1/5" MESYH

RNF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

RNF250010009PESAR 10 3/8 2500 8 1/5" PESAR

RNF250010009PEINX 10 3/8 2500 8 1/5" PEINX

RNF250010009PESYH 10 3/8 2500 8 1/5" PESYH

RNF250010009R9016 10 3/8 2500 8 1/5" R9016

RNF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX MESYH matný inox, eloxovaný matný čierny, elox

PEGMS PESAR žiarivo strieborný, eloxovaný žiarivo žltý, elox

PEINX PESYH svetlý inox, eloxovaný žiarivo čierny, elox

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 19

Square-Fix

Obloženie hliníkových dlaždíc

Obloženie hliníkových dlaždíc Square Fix štvorcový vonkajší roh dodáva vašim keramickým aplikáciám estetiku so širokou škálou povrchových možností kompatibilných s trendovými keramickými farbami a textúrami.

Používa sa v 90 stupňových vonkajších rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Square Fix má možnosti matného eloxovania, lesklého eloxovania a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové a čierne eloxované farebné nátery, môže byť tiež natretý elektrostatickým práškovým lakovaním na požadovaný kód RAL.

BEZCHYBNÝ VZHĽAD NA KERAMICKÝCH POVRCHOCH, ŠIROKÉ MOŽNOSTI FARIEB A EFEKTOV NA PRISPÔSOBENIE TRENDOVÝCH KERAMICKÝCH FARIEB A TEXTÚR

Výška Dĺžka Produkt č Povrch mm in mm ft

SQF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

SQF250010009MESAR 10 3/8 2500 8 1/5" MESAR

SQF250010009MEINX 10 3/8 2500 8 1/5" MEINX

SQF250010009MESYH 10 3/8 2500 8 1/5" MESYH

SQF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

SQF250010009PESAR 10 3/8 2500 8 1/5" PESAR

SQF250010009PEINX 10 3/8 2500 8 1/5" PEINX

SQF250010009PESYH 10 3/8 2500 8 1/5" PESYH

SQF250010009R9016 10 3/8 2500 8 1/5" R9016

SQF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX MESYH matný inox, eloxovaný matný čierny, elox

PEGMS PESAR žiarivo strieborný, eloxovaný žiarivo žltý, elox

PEINX PESYH svetlý inox, eloxovaný žiarivo čierny, elox

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 20

MPS-AG

Obloženie dlaždice z nehrdzavejúcej ocele

Obloženie dlaždíc z nehrdzavejúcej ocele Mps-Ag kruhový vonkajší rohový profil vyniká keramickým ochranným prvkom a elegantným vzhľadom, najmä v kúpeľniach a kuchyniach s keramickým povrchom.

Používa sa v 90 stupňových vonkajších rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Mps-Ag má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-Ag je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ELEGANTNÝ VZHĽAD, KTORÝ ZMÄKČUJE PRECHOD VONKAJŠÍCH ROHOV

Výška DÍžka Produkt č Povrch mm in mm ft

MAG243010008STANT 8 5/16 2438 8 STANT 8mm

MAG243010008MRANT 8 5/16 2438 8 MRANT 5/16"

MAG243010008STBRO 8 5/16 2438 8 STBRO

MAG243010008MRBRO 8 5/16 2438 8 MRBRO

MAG243010008STCOP 8 5/16 2438 8 STCOP h

MAG243010008MRCOP 8 5/16 2438 8 MRCOP

MAG243010008STGLD 8 5/16 2438 8 STGLD

MAG243010008MRGLD 8 5/16 2438 8 MRGLD

MAG250010008STINX 8 5/16 2500 8 1/5" STINX

MAG250010008MRINX 8 5/16 2500 8 1/5" MRINX

MAG243010008SMINX 8 5/16 2438 8 SMINX

MAG243012008STANT 10 3/8 2438 8 STANT

MAG243012008MRANT 10 3/8 2438 8 MRANT

MAG243012008STBRO 10 3/8 2438 8 STBRO

MAG243012008MRBRO 10 3/8 2438 8 MRBRO

MAG243012008STCOP 10 3/8 2438 8 STCOP

MAG243012008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MAG243012008STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MAG243012008MRGLD 10 3/8 2438 8 MRGLD

MAG250012008STINX 10 3/8 2500 8 1/5" STINX

MAG250012008MRINX 10 3/8 2500 8 1/5" MRINX

MAG243012008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MAG243014008STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MAG243014008MRANT 12 1/2 2438 8 MRANT

MAG243014008STBRO 12 1/2 2438 8 STBRO

MAG243014008MRBRO 12 1/2 2438 8 MRBRO

MAG243014008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MAG243014008MRCOP 12 1/2 2438 8 MRCOP

MAG243014008STGLD 12 1/2 2438 8 STGLD

MAG243014008MRGLD 12 1/2 2438 8 MRGLD

MAG250014008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MAG250014008MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MAG243014008SMINX 12 1/2 2438 8 SMINX

MAG243010008STANT 14 9/16 2438 8

STANT

MAG243010008MRANT 14 9/16 2438 8 MRANT

MAG243010008STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MAG243010008MRBRO 14 9/16 2438 8 MRBRO

MAG243010008STCOP 14 9/16 2438 8 STCOP

MAG243010008MRCOP 14 9/16 2438 8 MRCOP

MAG243010008STGLD 14 9/16 2438 8 STGLD

MAG243010008MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MAG250010008STINX 14 9/16 2500 8 1/5" STINX

MAG250010008MRINX 14 9/16 2500 8 1/5" MRINX

MAG243010008SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 21

MPS-BRD

Rám z nehrdzavejúcej ocele

Obrubová lišta Mps-Brd z nehrdzavejúcej ocele sa väčšinou používa ako dekoratívny predel na keramiku.

Jednou z jeho výhod je kompatibilita s inými obkladovými profilmi.

Mps-Brd má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-Brd je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

DEKORATÍVNY HRANIČNÝ PROFIL PRE KERAMICKÉ POVRCHY

Výška DÍžka Produkt č Povrch mm in mm ft

MBD2430XX023STANT 8 5/16 2438 8 STANT

MBD2430XX023MRANT 8 5/16 2438 8 MRANT

MBD2430XX023STBRO 8 5/16 2438 8 STBRO

MBD2430XX023MRBRO 8 5/16 2438 8 MRBRO

MBD2430XX023STCOP 8 5/16 2438 8 STCOP

MBD2430XX023MRCOP 8 5/16 2438 8 MRCOP

MBD2430XX023STGLD 8 5/16 2438 8 STGLD 10-15-20-23mm

MBD2430XX023MRGLD 8 5/16 2438 8 MRGLD 3/8"-9/16"-13/16"-7/8"

MBD2500XX023STINX 8 5/16 2500 8 1/5" STINX

MBD2500XX023MRINX 8 5/16 2500 8 1/5" MRINX h

MBD2430XX023SMINX 8 5/16

2438 8 SMINX

MBD2430XX010STANT 10 3/8 2438 8 STANT

MBD2430XX010MRANT 10 3/8 2438 8 MRANT

MBD2430XX010STBRO 10 3/8 2438 8 STBRO

MBD2430XX010MRBRO 10 3/8 2438 8 MRBRO

MBD2430XX010STCOP 10 3/8 2438 8 STCOP

MBD2430XX010MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MBD2430XX010STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MBD2430XX010MRGLD 10 3/8 2438 8 MRGLD

MBD2500XX010STINX 10 3/8 2500 8 1/5" STINX

MBD2500XX010MRINX 10 3/8 2500 8 1/5" MRINX

MBD2430XX010SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MBD2430XX015STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MBD2430XX015MRANT 12 1/2 2438 8 MRANT

MBD2430XX015STBRO 12 1/2 2438 8 STBRO

MBD2430XX015MRBRO 12 1/2 2438 8 MRBRO

MBD2430XX015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MBD2430XX015MRCOP 12 1/2 2438 8 MRCOP

MBD2430XX015STGLD 12 1/2 2438 8 STGLD

MBD2430XX015MRGLD 12 1/2 2438 8 MRGLD

MBD2500XX015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MBD2500XX015MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MBD2430XX015SMINX 12 1/2 2438 8 SMINX

MBD2430XX020STANT 14 9/16 2438 8

STANT

MBD2430XX020MRANT 14 9/16 2438 8 MRANT

MBD2430XX020STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MBD2430XX020MRBRO 14 9/16 2438 8 MRBRO

MBD2430XX020STCOP 14 9/16 2438 8 STCOP

MBD2430XX020MRCOP 14 9/16 2438 8 MRCOP

MBD2430XX020STGLD 14 9/16 2438 8 STGLD

MBD2430XX020MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MBD2500XX020STINX 14 9/16 2500 8 1/5" STINX

MBD2500XX020MRINX 14 9/16 2500 8 1/5" MRINX

MBD2430XX020SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 22

MPS-C

Obloženie dlaždice z nehrdzavejúcej ocele

Vnútorný rohový profil obkladov z nehrdzavejúcej ocele Mps-C sa prispôsobuje trendovým farbám a textúram keramiky a zároveň dodáva estetický vzhľad vašim keramickým aplikáciám so širokou škálou povrchových možností.

Používa sa v 90 stupňových vnútorných rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Mps-C má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-C je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

KVALITA NEREZOVEJ OCELE PRE VNÚTORNÉ ROHY KERAMICKÝCH APLIKÁCIÍ

Výška Dĺžka Produkt č Povrch mm in mm ft

MPC243010009STANT 8 5/16 2438 8 STANT

MPC243010009MRANT 8 5/16 2438 8 MRANT

MPC243010009STBRO 8 5/16 2438 8 STBRO

MPC243010009MRBRO 8 5/16 2438 8 MRBRO 9mm

MPC243010009STCOP 8 5/16 2438 8 STCOP 3/8"

MPC243010009MRCOP 8 5/16 2438 8 MRCOP

MPC243010009STGLD 8 5/16 2438 8 STGLD

MPC243010009MRGLD 8 5/16 2438 8 MRGLD

MPC250010009STINX 8 5/16 2500 8 1/5" STINX h

MPC250010009MRINX 8 5/16 2500 8 1/5" MRINX

MPC243010009SMINX 8 5/16 2438 8 SMINX

MPC243012009STANT 10 3/8 2438 8 STANT

MPC243012009MRANT 10 3/8 2438 8 MRANT

MPC243012009STBRO 10 3/8 2438 8 STBRO

MPC243012009MRBRO 10 3/8 2438 8 MRBRO

MPC243012009STCOP 10 3/8 2438 8 STCOP

MPC243012009MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPC243012009STGLD 10

3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPC243012009MRGLD 10 3/8 2438 8 MRGLD

MPC250012009STINX 10 3/8 2500 8 1/5" STINX

MPC250012009MRINX 10 3/8 2500 8 1/5" MRINX

MPC243012009SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPC243014009STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MPC243014009MRANT 12 1/2 2438 8 MRANT

MPC243014009STBRO 12 1/2 2438 8 STBRO

MPC243014009MRBRO 12 1/2 2438 8 MRBRO

MPC243014009STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPC243014009MRCOP 12 1/2 2438 8 MRCOP

MPC243014009STGLD 12 1/2 2438 8 STGLD

MPC243014009MRGLD 12 1/2 2438 8 MRGLD

MPC250014009STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPC250014009MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPC243014009SMINX 12 1/2 2438 8 SMINX

MPC243008009STANT 14 9/16 2438 8

STANT

MPC243008009MRANT 14 9/16 2438 8 MRANT

MPC243008009STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPC243008009MRBRO 14 9/16 2438 8 MRBRO

MPC243008009STCOP 14 9/16 2438 8 STCOP

MPC243008009MRCOP 14 9/16 2438 8 MRCOP

MPC243008009STGLD 14 9/16 2438 8 STGLD

MPC243008009MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPC250008009STINX 14 9/16 2500 8 1/5" STINX

MPC250008009MRINX 14 9/16 2500 8 1/5" MRINX

MPC243008009SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 23

MPS-D

Obloženie dlaždice z nehrdzavejúcej ocele

Štvorcový vonkajší rohový profil z nehrdzavejúcej ocele Mps-D sa prispôsobí trendovým keramickým farbám a textúram a zároveň dodá vašim keramickým aplikáciám estetický vzhľad so širokou škálou povrchových možností.

Používa sa v 90 stupňových vonkajších rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Mps-D má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-D je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

POSKYTUJE DOKONALÝ VZHĽAD KERAMICKÝM POVRCHOM A ZABRAŇUJE POŠKODENIA KERAMIKY KVALITOU NEREZOVEJ OCELE

Výška Dĺžka Produkt č Povrch mm in mm ft

MPD243014008STANT 8 5/16 2438 8 STANT 8mm

MPD243014008MRANT 8 5/16 2438 8 MRANT 5/16"

MPD243014008STBRO 8 5/16 2438 8 STBRO

MPD243014008MRBRO 8 5/16 2438 8 MRBRO

MPD243014008STCOP 8 5/16 2438 8 STCOP h

MPD243014008MRCOP 8 5/16 2438 8 MRCOP

MPD243014008STGLD 8 5/16 2438 8 STGLD

MPD243014008MRGLD 8 5/16 2438 8 MRGLD

MPD250014008STINX 8 5/16 2500 8 1/5" STINX

MPD250014008MRINX 8 5/16 2500 8 1/5" MRINX

MPD243014008SMINX 8 5/16 2438 8 SMINX

MPD243008008STANT 10 3/8 2438 8 STANT

MPD243008008MRANT 10 3/8 2438 8 MRANT

MPD243008008STBRO 10 3/8 2438 8 STBRO

MPD243008008MRBRO 10 3/8 2438 8 MRBRO

MPD243008008STCOP 10 3/8 2438 8 STCOP

MPD243008008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPD243008008STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPD243008008MRGLD 10 3/8 2438 8 MRGLD

MPD250008008STINX 10 3/8 2500 8 1/5" STINX

MPD250008008MRINX 10 3/8 2500 8 1/5" MRINX

MPD243008008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPD243010008STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MPD243010008MRANT 12 1/2 2438 8 MRANT

MPD243010008STBRO 12 1/2 2438 8 STBRO

MPD243010008MRBRO 12 1/2 2438 8 MRBRO

MPD243010008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPD243010008MRCOP 12 1/2 2438 8 MRCOP

MPD243010008STGLD 12 1/2 2438 8 STGLD

MPD243010008MRGLD 12 1/2 2438 8 MRGLD

MPD250010008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPD250010008MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPD243010008SMINX 12 1/2 2438 8 SMINX

MPD243012008STANT 14 9/16 2438 8

STANT

MPD243012008MRANT 14 9/16 2438 8 MRANT

MPD243012008STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPD243012008MRBRO 14 9/16 2438 8 MRBRO

MPD243012008STCOP 14 9/16 2438 8 STCOP

MPD243012008MRCOP 14 9/16 2438 8 MRCOP

MPD243012008STGLD 14 9/16 2438 8 STGLD

MPD243012008MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPD250012008STINX 14 9/16 2500 8 1/5" STINX

MPD250012008MRINX 14 9/16 2500 8 1/5" MRINX

MPD243012008SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 24

MPS-L

Obloženie dlaždice z nehrdzavejúcej ocele

Profil okraja dlaždíc z nehrdzavejúcej ocele Mps-L sa prispôsobuje trendovým farbám a textúram keramiky a zároveň dodáva estetický vzhľad vašim keramickým aplikáciám so širokou škálou možností povrchu.

Používa sa ako rám, ktorý zakrýva keramickú časť na koncoch keramických stenových aplikácií alebo ako spoje parkiet.

Zatiaľ čo poskytuje estetiku, ktorá eliminuje chyby v spojoch a aplikácii, zároveň zabraňuje poškodeniu keramiky.

Mps-L má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-L je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ČISTÝ A MINIMÁLNY VZHĽAD KE KERAMICKÝM KOMBINÁCIÁM S JEHO JEDNODUCHÝM DIZAJNOM

Výška Dĺžka Produkt č Povrch mm in mm ft

MPL243010003STANT 8 5/16 2438 8 STANT 3mm

MPL243010003MRANT 8 5/16 2438 8 MRANT 1/8"

MPL243010003STBRO 8 5/16 2438 8 STBRO

MPL243010003MRBRO 8 5/16 2438 8 MRBRO

MPL243010003STCOP 8 5/16 2438 8 STCOP h

MPL243010003MRCOP 8 5/16 2438 8 MRCOP

MPL243010003STGLD 8 5/16 2438 8 STGLD

MPL243010003MRGLD 8 5/16 2438 8 MRGLD

MPL250010003STINX 8 5/16 2500 8 1/5" STINX

MPL250010003MRINX 8 5/16 2500 8 1/5" MRINX

MPL243010003SMINX 8 5/16 2438 8 SMINX

MPL243012003STANT 10 3/8 2438 8 STANT

MPL243012003MRANT 10 3/8 2438 8 MRANT

MPL243012003STBRO 10 3/8 2438 8 STBRO

MPL243012003MRBRO 10 3/8 2438 8 MRBRO

MPL243012003STCOP 10 3/8 2438 8 STCOP

MPL243012003MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPL243012003STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPL243012003MRGLD 10 3/8 2438 8 MRGLD

MPL250012003STINX 10 3/8 2500 8 1/5" STINX

MPL250012003MRINX 10 3/8 2500 8 1/5" MRINX

MPL243012003SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPL243014003STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MPL243014003MRANT 12 1/2 2438 8 MRANT

MPL243014003STBRO 12 1/2 2438 8 STBRO

MPL243014003MRBRO 12 1/2 2438 8 MRBRO

MPL243014003STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPL243014003MRCOP 12 1/2 2438 8 MRCOP

MPL243014003STGLD 12 1/2 2438 8 STGLD

MPL243014003MRGLD 12 1/2 2438 8 MRGLD

MPL250014003STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPL250014003MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPL243014003SMINX 12 1/2 2438 8 SMINX

MPL243008003STANT 14 9/16 2438 8

STANT

MPL243008003MRANT 14 9/16 2438 8 MRANT

MPL243008003STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPL243008003MRBRO 14 9/16 2438 8 MRBRO

MPL243008003STCOP 14 9/16 2438 8 STCOP

MPL243008003MRCOP 14 9/16 2438 8 MRCOP

MPL243008003STGLD 14 9/16 2438 8 STGLD

MPL243008003MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPL250008003STINX 14 9/16 2500 8 1/5" STINX

MPL250008003MRINX 14 9/16 2500 8 1/5" MRINX

MPL243008003SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 25

MPS-S

Obloženie dlaždice z nehrdzavejúcej ocele

Vnútorný rohový profil obkladov z nehrdzavejúcej ocele Mps-S sa prispôsobuje trendovým farbám a textúram keramiky a zároveň dodáva estetický vzhľad vašim keramickým aplikáciám so širokou škálou povrchových možností.

Používa sa v 90 stupňových vnútorných rohových spojoch keramických aplikácií.

Okrem toho, že poskytuje estetiku, ktorá eliminuje chyby spoja a aplikácie, zabraňuje aj poškodeniu keramiky.

Mps-S má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-S je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ZMÄKČUJE PRECHOD VO VNÚTORNÝCH ROHÁCH A POSKYTUJE ELEGANTNÝ VZHĽAD

Výška Dĺžka Produkt č Povrch mm in mm ft

MPS243014020STANT 8 5/16 2438 8 STANT

MPS243014020MRANT 8 5/16 2438 8 MRANT

MPS243014020STBRO 8 5/16 2438 8 STBRO

MPS243014020MRBRO 8 5/16 2438 8 MRBRO

MPS243014020STCOP 8 5/16 2438 8 STCOP m M M P P S S 2 2 4 4 3 3 0 0 1 1 4 4 0 0 2 2 0 0 M ST R G C L O D P 8 8 5 5 / / 1 1 6 6 2 2 4 4 3 3 8 8 8 8 M ST R G C L O D P 2 0 1 m 3/1 6"

MPS243014020MRGLD 8 5/16 2438 8 MRGLD

MPS250014020STINX 8 5/16 2500 8 1/5" STINX h

MPS250014020MRINX 8 5/16 2500 8 1/5" MRINX

MPS243014020SMINX 8 5/16 2438 8 SMINX

MPS243008020STANT 10 3/8 2438 8 STANT

MPS243008020MRANT 10 3/8 2438 8 MRANT

MPS243008020STBRO 10 3/8 2438 8 STBRO

MPS243008020MRBRO 10 3/8 2438 8 MRBRO

MPS243008020STCOP 10 3/8 2438 8 STCOP

MPS243008020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPS243008020STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPS243008020MRGLD 10

3/8 2438 8 MRGLD

MPS250008020STINX 10 3/8 2500 8 1/5" STINX

MPS250008020MRINX 10 3/8 2500 8 1/5" MRINX

MPS243008020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPS243010020STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MPS243010020MRANT 12 1/2 2438 8 MRANT

MPS243010020STBRO 12 1/2 2438 8 STBRO

MPS243010020MRBRO 12 1/2 2438 8 MRBRO

MPS243010020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPS243010020MRCOP 12 1/2 2438 8 MRCOP

MPS243010020STGLD 12 1/2 2438 8 STGLD

MPS243010020MRGLD 12 1/2 2438 8 MRGLD

MPS250010020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPS250010020MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPS243010020SMINX 12 1/2 2438 8 SMINX

MPS243012020STANT 14 9/16 2438 8

STANT

MPS243012020MRANT 14 9/16 2438 8 MRANT

MPS243012020STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPS243012020MRBRO 14 9/16 2438 8 MRBRO

MPS243012020STCOP 14 9/16 2438 8 STCOP

MPS243012020MRCOP 14 9/16 2438 8 MRCOP

MPS243012020STGLD 14 9/16 2438 8 STGLD

MPS243012020MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPS250012020STINX 14 9/16 2500 8 1/5" STINX

MPS250012020MRINX 14 9/16 2500 8 1/5" MRINX

MPS243012020SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 26

PRECHODY RAMP, OCHRANA OKRAJOV KOBERCOV, PODLAHY A RENOVÁCIA, NÁSTUPNÁ OCHRANA NOSU

Podlahové profily Mox zakrývajú medzery medzi podlahovými alebo dvernými prahovými prechodmi a skryjú akúkoľvek chybu aplikácie.

Okrem štandardných prahových profilov obsahujú aj rampové profily, ktoré eliminujú výškové rozdiely medzi podlahami.

# Zdrojová stránka 27

VŠETKO V JEDNOM

Prechod hliníkovej rampy

Hliníkový prechodový profil All in One poskytuje prechod odstránením akéhokoľvek rozdielu medzi dvoma rôznymi podlahovými materiálmi v podlahových aplikáciách.

Vďaka nastaviteľnej funkcii sa prispôsobí každému rozdielu úrovní medzi podlahami.

Na rozdiel od svojich konkurentov môže byť inštalovaný z predĺženia pod podlahu a nevyžaduje lepidlá, vďaka čomu má dlhšiu životnosť.

All in One má možnosti matného eloxovania, lesklého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškového lakovania.

SVOJOU NASTAVITEĽNOSŤOU POSKYTUJE BEZCHYBNÝ VZHĽAD PRECHODU PODLAHY

Výška Dĺžka Produkt č Povrch mm in mm ft

AIO25004024MEGMS hmax 24 15/16 2500 8 1/5’’ MEGMS hmin 1.5 1/16

AIO25004024MESAR hmax 24 15/16 2500 8 1/5" MESAR hmin 1.5 1/16

AIO25004024MEINX hmax 24 15/16 2500 8 1/5" MEINX hmin 1.5 1/16

AIO25004024MESYH hmax 24 15/16 2500 8 1/5" MESYH hmin 1.5 1/16

hmax hmin

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX MESYH matný inox, eloxovaný matný čierny, elox

# Zdrojová stránka 28

REVIO

Hliníkové podlahy

Hliníkový okrajový profil koberca Revio je špeciálne navrhnutý tak, aby zvýšil estetiku a funkčnosť vašej podlahy.

Hliníkový okrajový profil koberca Revio poskytuje nielen plynulý prechod medzi rôznymi povrchmi podláh, ale tiež chráni okraje vášho koberca, čím zabraňuje opotrebovaniu a deformáciám, ktoré môžu časom nastať.

Tieto profily vám pomôžu znížiť náklady na opravu a výmenu predĺžením životnosti vášho koberca.

Revio má možnosť matného eloxovaného náteru v striebornej, žltej a nerezovej farbe.

NAVRHNUTÉ NA ZVÝŠENIE ESTETIKA A FUNKČNOSTI VAŠEJ PODLAHY

Výška Dĺžka Produkt č Povrch mm in mm ft

RVO25001215MEGMS 12 1/2 2500 8 1/5’’ MEGMS

RVO25001215MESAR 12 1/2 2500 8 1/5" MESAR

RVO25001215MEINX 12 1/2 2500 8 1/5" MEINX

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX matný inox, elox

# Zdrojová stránka 29

VISIO

Hliníkové podlahy

Hliníkový kobercový prahový profil Visio poskytuje bezpečné, estetické a dlhotrvajúce vnútorné prechody medzi rôznymi podlahovými materiálmi.

Vytvára bezpečné prostredie, najmä pre deti a starších ľudí, tým, že poskytuje plynulý prechod medzi rôznymi výškami podláh.

Hliníkový kobercový prahový profil Visio je určený na uzavretie medzier medzi kobercom a inými podlahovými krytinami.

Poskytuje hladký prechod medzi kobercom a inými typmi podlahových krytín, čím eliminuje akékoľvek nepravidelnosti alebo nebezpečenstvo zakopnutia, ktoré sa môže vyskytnúť.

Taktiež predlžuje životnosť kobercov tým, že ich chráni pred opotrebovaním.

Visio, ktorý má nielen estetický vzhľad, ale aj funkčné prednosti, zlepšuje celkový vzhľad vášho interiéru.

Hliníkový kobercový prah Visio má možnosť matného eloxovaného náteru v striebornej, žltej a nerezovej farbe.

VYLEPŠTE SVOJ PRECHOD PODLAHY O ŠTÝLOVÝ PROFIL KOBERCOVÉHO PRAHU

Výška DÍžka Produkt č Povrch mm in mm ft

VSO25000927MEGMS h1 9 3/8 2500 8 1/5’’ MEGMS h2 6.3 1/4

VSO25000927MESAR h1 9 3/8 2500 8 1/5" MESAR h2 6.3 1/4

VSO25000927MEINX h1 9 3/8 2500 8 1/5" MEINX h2 6.3 1/4

VSO09000927MEGMS h1 9 3/8 900 2 31/32" MEGMS h2 6.3 1/4

VSO09000927MESAR h1 9 3/8 900 2 31/32" MESAR h2 6.3 1/4

VSO09000927MEINX h1 9 3/8 900 2 31/32" MEINX h2 6.3 1/4

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX matný inox, elox

# Zdrojová stránka 30

Line

Hliníkové podlahy

Hliníkový podlahový okrajový profil Line je vynikajúcou voľbou pre rôzne projekty so svojou všestrannou, odolnou a ľahkou konštrukciou, ktorá uzatvára medzeru medzi podlahami.

Hliníkový podlahový okrajový profil Line je určený na uzavretie medzier medzi dlaždicami rovnakej výšky.

Hliníkový podlahový okrajový profil Line má možnosť svetlého eloxovaného náteru v striebornej a žltej farbe.

PERFEKTNÁ VOĽBA PRE VAŠU PODLAHU S MINIMALISTICKOU FORMOU

Výška Dĺžka Produkt č Povrch mm in mm ft

LIN25001004PEGMS 10 3/8 2500 8 1/5’’ PEGMS

LIN25001004PESAR 10 3/8 2500 8 1/5" PESAR

PEGMS PESAR žiarivo strieborný, eloxovaný žiarivo žltý, elox

# Zdrojová stránka 31

FLEX

Hliníkové podlahy

Hliníkový tvarovateľný podlahový okrajový profil Flex sa používa v parketových alebo keramických aplikáciách ako rám, ktorý zakrýva podlahovú časť a nahrádza spoje.

Okrem toho, že opravuje chyby v spojoch a montáži a zlepšuje estetiku, zabraňuje aj poškodeniu podlahových krytín.

Hliníkový tvarovateľný podlahový okrajový profil Flex je určený na uľahčenie prechodu podlahových materiálov.

Jeho flexibilný dizajn umožňuje jeho ohýbanie do požadovaného tvaru.

Okrem funkčných výhod jeho minimálny vzhľad zvýrazňuje celkový vzhľad vašich návrhov.

Flex má možnosti matného eloxovania, lesklého eloxovania a elektrostatického práškového lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové a čierne eloxované farebné nátery, môže byť tiež natretý elektrostatickým práškovým lakovaním na požadovaný kód RAL.

VYTVORTE NÁPADOVÉ NÁVRHY SVOJEJ PODLAHY S JEJ TVÁRNOU FORMOU

Výška Dĺžka Produkt č Povrch mm in mm ft

FLX250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS

FLX250010003MESAR 10 3/8 2500 8 1/5" MESAR

FLX250010003MEINX 10 3/8 2500 8 1/5" MEINX

FLX250010003MESYH 10 3/8 2500 8 1/5" MESYH

FLX250010003PEGMS 10 3/8 2500 8 1/5" PEGMS

FLX250010003PESAR 10 3/8 2500 8 1/5" PESAR 2.5mm

FLX250010003PEINX 10 3/8 2500 8 1/5" PEINX 1/8"

FLX250010003PESYH 10 3/8 2500 8 1/5" PESYH

FLX250010003R9016 10 3/8 2500 8 1/5" R9016 h

FLX250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR matná strieborná, anodized matte yellow, anodized

MEINX MESYH matný inox, eloxovaný matný čierny, elox

PEGMS PESAR žiarivo strieborný, eloxovaný žiarivo žltý, elox

PEINX PESYH svetlý inox, eloxovaný žiarivo čierny, elox

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

# Zdrojová stránka 32

MPS-E

Podlahový profil z nehrdzavejúcej ocele

Nerezový podlahový prechodový profil Mps-E patrí medzi najpreferovanejšie prechodové profily.

Na rozdiel od svojich konkurentov môže byť inštalovaný z predĺženia pod podlahu a nevyžaduje lepidlá, vďaka čomu má dlhšiu životnosť.

Používa sa ako prechodový okraj pri podlahových aplikáciách.

Mps-E má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-E je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

VHODNÉ PRE VŠETKY ARCHITEKTONICKÉ NÁVRHY S TRADIČNÝM, ALE VYLEPŠENÝM VZHĽADOM

Výška Dĺžka Produkt č Povrch mm in mm ft

MPE243010020STANT 8 5/16 2438 8 STANT

MPE243010020MRANT 8 5/16 2438 8 MRANT

MPE243010020STBRO 8 5/16 2438 8 STBRO

MPE243010020MRBRO 8 5/16 2438 8 MRBRO

MPE243010020STCOP 8 5/16 2438 8 STCOP

MPE243010020MRCOP 8 5/16 2438 8 MRCOP 20mm

MPE243010020STGLD 8 5/16 2438 8 STGLD 13/16"

MPE243010020MRGLD 8 5/16 2438 8 MRGLD

MPE250010020STINX 8 5/16 2500 8 1/5" STINX h

MPE250010020MRINX 8 5/16 2500 8 1/5" MRINX

MPE243010020SMINX 8 5/16 2438 8 SMINX

MPE243012020STANT 10 3/8 2438 8 STANT

MPE243012020MRANT 10 3/8 2438 8 MRANT

MPE243012020STBRO 10 3/8 2438 8 STBRO

MPE243012020MRBRO 10 3/8 2438 8 MRBRO

MPE243012020STCOP 10 3/8 2438 8 STCOP

MPE243012020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPE243012020STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPE243012020MRGLD 10 3/8 2438 8 MRGLD

MPE250012020STINX 10 3/8 2500 8 1/5" STINX

MPE250012020MRINX 10 3/8 2500 8 1/5" MRINX

MPE243012020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPE243014020STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MPE243014020MRANT 12 1/2 2438 8 MRANT

MPE243014020STBRO 12 1/2 2438 8 STBRO

MPE243014020MRBRO 12 1/2 2438 8 MRBRO

MPE243014020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPE243014020MRCOP 12 1/2 2438 8 MRCOP

MPE243014020STGLD 12 1/2 2438 8 STGLD

MPE243014020MRGLD 12 1/2 2438 8 MRGLD

MPE250014020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPE250014020MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPE243014020SMINX 12 1/2 2438 8 SMINX

MPE243008020STANT 14 9/16 2438 8

STANT

MPE243008020MRANT 14 9/16 2438 8 MRANT

MPE243008020STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPE243008020MRBRO 14 9/16 2438 8 MRBRO

MPE243008020STCOP 14 9/16 2438 8 STCOP

MPE243008020MRCOP 14 9/16 2438 8 MRCOP

MPE243008020STGLD 14 9/16 2438 8 STGLD

MPE243008020MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPE250008020STINX 14 9/16 2500 8 1/5" STINX

MPE250008020MRINX 14 9/16 2500 8 1/5" MRINX

MPE243008020SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 33

MPS-N

Podlahový profil z nehrdzavejúcej ocele

Nerezový rampový prechodový profil Mps-N sa používa ako oddeľovací lemový a prechodový profil medzi podlahami rôznych úrovní v podlahových aplikáciách.

Môže byť vyrobený vo vlastných výškach pre akýkoľvek výškový rozdiel.

Mps-N má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-N je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ZMÄKČUJE PRECHOD MEDZI RÔZNYMI ÚROVŇAMI

Výška Dĺžka Produkt č Povrch mm in mm ft

MPN243014050STANT 8 5/16 2438 8 STANT

MPN243014050MRANT 8 5/16 2438 8 MRANT

MPN243014050STBRO 8 5/16 2438 8 STBRO

MPN243014050MRBRO 8 5/16 2438 8 MRBRO

MPN243014050STCOP 8 5/16 2438 8 STCOP

MPN243014050MRCOP 8 5/16 2438 8 MRCOP 50mm

MPN243014050STGLD 8 5/16 2438 8 STGLD 2"

MPN243014050MRGLD 8 5/16 2438 8 MRGLD

MPN250014050STINX 8 5/16 2500 8 1/5" STINX h

MPN250014050MRINX 8 5/16 2500 8 1/5" MRINX

MPN243014050SMINX 8 5/16 2438 8 SMINX

MPN243008050STANT

10 3/8 2438 8 STANT

MPN243008050MRANT 10 3/8 2438 8 MRANT

MPN243008050STBRO 10 3/8 2438 8 STBRO

MPN243008050MRBRO 10 3/8 2438 8 MRBRO

MPN243008050STCOP 10 3/8 2438 8 STCOP

MPN243008050MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPN243008050STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MPN243008050MRGLD 10 3/8 2438 8 MRGLD

MPN250008050STINX 10 3/8 2500 8 1/5" STINX

MPN250008050MRINX 10 3/8 2500 8 1/5" MRINX

MPN243008050SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPN243010050STANT 12 1/2 2438 8

STANT bronzové zrkadlo bronzový satén

MPN243010050MRANT 12 1/2 2438 8 MRANT

MPN243010050STBRO 12 1/2 2438 8 STBRO

MPN243010050MRBRO 12 1/2 2438 8 MRBRO

MPN243010050STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPN243010050MRCOP 12 1/2 2438 8 MRCOP

MPN243010050STGLD 12 1/2 2438 8 STGLD

MPN243010050MRGLD 12 1/2 2438 8 MRGLD

MPN250010050STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPN250010050MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPN243010050SMINX 12 1/2 2438 8 SMINX

MPN243012050STANT 14 9/16 2438 8

STANT

MPN243012050MRANT 14 9/16 2438 8 MRANT

MPN243012050STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPN243012050MRBRO 14 9/16 2438 8 MRBRO

MPN243012050STCOP 14 9/16 2438 8 STCOP

MPN243012050MRCOP 14 9/16 2438 8 MRCOP

MPN243012050STGLD 14 9/16 2438 8 STGLD

MPN243012050MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MPN250012050STINX 14 9/16 2500 8 1/5" STINX

MPN250012050MRINX 14 9/16 2500 8 1/5" MRINX

MPN243012050SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 34

MPS-TB

Podlahový profil z nehrdzavejúcej ocele

Nerezová podlaha T prechod Mps-Tb je jedným z najodolnejších prechodových profilov.

Na rozdiel od svojich konkurentov môže byť inštalovaný z predĺženia pod podlahu a nevyžaduje lepidlá, vďaka čomu má dlhšiu životnosť.

Zakrýva medzery a chyby aplikácie medzi podlahovými prechodmi a prechodmi prahu dverí.

Používa sa tiež ako oddeľovací rám v podlahových aplikáciách.

Mps-Tb má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, nerezovú farbu.

Mps-Tb je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

S TVAROM T POSKYTUJE JEDNODUCHÝ VZHĽAD TRADIČNÝCH PRECHODOV

Výška Dĺžka Produkt č Povrch mm in mm ft

MTB243010025STANT 8 5/16 2438 8 STANT

MTB243010025MRANT 8 5/16 2438 8 MRANT

MTB243010025STBRO 8 5/16 2438 8 STBRO

MTB243010025MRBRO 8 5/16 2438 8 MRBRO

MTB243010025STCOP 8 5/16 2438 8 STCOP

MTB243010025MRCOP 8 5/16 2438 8 MRCOP 25mm 1"

MTB243010025STGLD 8 5/16 2438 8 STGLD

MTB243010025MRGLD 8 5/16 2438 8 MRGLD

MTB250010025STINX 8 5/16 2500 8 1/5" STINX h

MTB250010025MRINX 8 5/16 2500 8 1/5" MRINX

MTB243010025SMINX 8 5/16 2438 8 SMINX

MTB243012025STANT

10 3/8 2438 8 STANT

MTB243012025MRANT 10 3/8 2438 8 MRANT

MTB243012025STBRO 10 3/8 2438 8 STBRO

MTB243012025MRBRO 10 3/8 2438 8 MRBRO

MTB243012025STCOP 10 3/8 2438 8 STCOP

MTB243012025MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MTB243012025STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MTB243012025MRGLD 10 3/8 2438 8 MRGLD

MTB250012025STINX 10 3/8 2500 8 1/5" STINX

MTB250012025MRINX 10 3/8 2500 8 1/5" MRINX

MTB243012025SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MTB243014025STANT 12 1/2 2438 8

STANT bronzové zrkadlo bronzový satén

MTB243014025MRANT 12 1/2 2438 8 MRANT

MTB243014025STBRO 12 1/2 2438 8 STBRO

MTB243014025MRBRO 12 1/2 2438 8 MRBRO

MTB243014025STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MTB243014025MRCOP 12 1/2 2438 8 MRCOP

MTB243014025STGLD 12 1/2 2438 8 STGLD

MTB243014025MRGLD 12 1/2 2438 8 MRGLD

MTB250014025STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MTB250014025MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MTB243014025SMINX 12 1/2 2438 8 SMINX

MTB243008025STANT 14 9/16 2438 8

STANT

MTB243008025MRANT 14 9/16 2438 8 MRANT

MTB243008025STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MTB243008025MRBRO 14 9/16 2438 8 MRBRO

MTB243008025STCOP 14 9/16 2438 8 STCOP

MTB243008025MRCOP 14 9/16 2438 8 MRCOP

MTB243008025STGLD 14 9/16 2438 8 STGLD

MTB243008025MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MTB250008025STINX 14 9/16 2500 8 1/5" STINX

MTB250008025MRINX 14 9/16 2500 8 1/5" MRINX

MTB243008025SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 35

MPS-YD

Podlahový profil z nehrdzavejúcej ocele

Nerezový dilatačný profil Mps-Yd poskytuje najlepšie riešenia pre aplikácie keramických podláh, najmä na miestach s veľkými plochami, ako sú nemocnice, nákupné centrá a školy.

Absorbuje tlak spôsobený štrukturálnymi expanziami a poskytuje ochranu keramike.

Mps-Yd má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-Yd je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ABSORBUJE TLAK STAVEBNÉHO ROZŤAHU A POSKYTUJE OCHRANU KERAMIKE

Výška Dĺžka Produkt č Povrch mm in mm ft

MYD243014015STANT 8 5/16 2438 8 STANT

MYD243014015MRANT 8 5/16 2438 8 MRANT

MYD243014015STBRO 8 5/16 2438 8 STBRO

MYD243014015MRBRO 8 5/16 2438 8 MRBRO

MYD243014015STCOP 8 5/16 2438 8 STCOP

MYD243014015MRCOP 8 5/16 2438 8 MRCOP

MYD243014015STGLD 8 5/16 2438 8 STGLD 15mm 9/16"

MYD243014015MRGLD 8 5/16 2438 8 MRGLD

MYD250014015STINX 8 5/16 2500 8 1/5" STINX h

MYD250014015MRINX 8 5/16 2500 8 1/5" MRINX

MYD243014015SMINX 8 5/16 2438 8 SMINX

MYD243008015STANT 10 3/8 2438 8 STANT

MYD243008015MRANT 10 3/8 2438 8 MRANT

MYD243008015STBRO 10 3/8 2438 8 STBRO

MYD243008015MRBRO 10 3/8 2438 8 MRBRO

MYD243008015STCOP 10 3/8 2438 8 STCOP

MYD243008015MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MYD243008015STGLD 10 3/8 2438 8 STGLD antracitové zrkadlo antracitový satén

MYD243008015MRGLD 10 3/8 2438 8 MRGLD

MYD250008015STINX 10 3/8 2500 8 1/5" STINX

MYD250008015MRINX 10 3/8 2500 8 1/5" MRINX

MYD243008015SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MYD243010015STANT 12 1/2 2438 8 STANT bronzové zrkadlo bronzový satén

MYD243010015MRANT 12 1/2 2438 8 MRANT

MYD243010015STBRO 12 1/2 2438 8 STBRO

MYD243010015MRBRO 12 1/2 2438 8 MRBRO

MYD243010015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MYD243010015MRCOP 12 1/2 2438 8 MRCOP

MYD243010015STGLD 12 1/2 2438 8 STGLD

MYD243010015MRGLD 12 1/2 2438 8 MRGLD

MYD250010015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MYD250010015MRINX 12 1/2 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MYD243010015SMINX 12 1/2 2438 8 SMINX

MYD243012015STANT 14 9/16 2438 8

STANT

MYD243012015MRANT 14 9/16 2438 8 MRANT

MYD243012015STBRO 14 9/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MYD243012015MRBRO 14 9/16 2438 8 MRBRO

MYD243012015STCOP 14 9/16 2438 8 STCOP

MYD243012015MRCOP 14 9/16 2438 8 MRCOP

MYD243012015STGLD 14 9/16 2438 8 STGLD

MYD243012015MRGLD 14 9/16 2438 8 MRGLD SMINX Super zrkadlo

MYD250012015STINX 14 9/16 2500 8 1/5" STINX

MYD250012015MRINX 14 9/16 2500 8 1/5" MRINX

MYD243012015SMINX 14 9/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 36

MPS-B

Stupňový nos z nehrdzavejúcej ocele

Ochranný profil schodov z nehrdzavejúcej ocele Mps-B pokrýva chyby spôsobené pri aplikácii a chráni schodíky, ako je mramor a parkety.

Chráni keramické schodíky proti deformácii a zlomeniu a zároveň poskytuje bezpečnosť vďaka svojmu protišmykovému dizajnu.

Mps-B má zrkadlové, saténové, exkluzívne super zrkadlové povrchy a antracitovú, bronzovú, medenú, zlatú, inoxovú farbu.

Mps-B je možné vyrobiť v neobmedzených možnostiach výšky a šírky.

ODSTRAŇUJE CHYBY APLIKÁCIE SCHODISKA, AKO JE MRAMOR A PARKETY

Výška Dĺžka Produkt č Povrch mm in mm ft

MPB243010040STANT 10 3/8 2438 8 STANT

MPB243010040MRANT 10 3/8 2438 8 MRANT 40mm

MPB243010040STBRO 10 3/8 2438 8 STBRO 1-9/16"

MPB243010040MRBRO 10 3/8 2438 8 MRBRO

MPB243010040STCOP 10 3/8 2438 8 STCOP h

MPB243010040MRCOP 10 3/8 2438 8 MRCOP

MPB243010040STGLD 10 3/8 2438 8 STGLD

MPB243010040MRGLD 10 3/8 2438 8 MRGLD

MPB250010040STINX 10 3/8 2500 8 1/5" STINX

MPB250010040MRINX 10 3/8 2500 8 1/5" MRINX

MPB243010040SMINX 10 3/8 2438 8 SMINX

MPB243012040STANT 12 1/2 2438 8 STANT

MPB243012040MRANT 12 1/2 2438 8 MRANT

MPB243012040STBRO 12 1/2 2438 8 STBRO

MPB243012040MRBRO 12 1/2 2438 8 MRBRO

MPB243012040STCOP 12 1/2 2438 8 STCOP

MPB243012040MRCOP 12 1/2 2438 8 MRCOP MRANT STANT

MPB243012040STGLD 12 1/2 2438 8 STGLD antracitové zrkadlo antracitový satén

MPB243012040MRGLD 12 1/2 2438 8 MRGLD

MPB250012040STINX 12 1/2 2500 8 1/5" STINX

MPB250012040MRINX 12 1/2 2500 8 1/5" MRINX

MPB243012040SMINX 12 1/2 2438 8 SMINX MRBRO STBRO

MPB243014040STANT 14 9/16 2438 8 STANT bronzové zrkadlo bronzový satén

MPB243014040MRANT 14 9/16 2438 8 MRANT

MPB243014040STBRO 14 9/16 2438 8 STBRO

MPB243014040MRBRO 14 9/16 2438 8 MRBRO

MPB243014040STCOP 14 9/16 2438 8 STCOP MRCOP STCOP medené zrkadlo medený satén

MPB243014040MRCOP 14 9/16 2438 8 MRCOP

MPB243014040STGLD 14 9/16 2438 8 STGLD

MPB243014040MRGLD 14 9/16 2438 8 MRGLD

MPB250014040STINX 14 9/16 2500 8 1/5" STINX MRGLD STGLD

MPB250014040MRINX 14 9/16 2500 8 1/5" MRINX zlaté zrkadlo zlatý satén

MPB243014040SMINX 14 9/16 2438 8 SMINX

MPB243020040STANT 20 13/16

2438 8 STANT

MPB243020040MRANT 20 13/16 2438 8 MRANT

MPB243020040STBRO 20 13/16 2438 8 STBRO MRINX STINX nerezové zrkadlo inox satén

MPB243020040MRBRO 20 13/16 2438 8 MRBRO

MPB243020040STCOP 20 13/16 2438 8 STCOP

MPB243020040MRCOP 20 13/16 2438 8 MRCOP

MPB243020040STGLD 20 13/16 2438 8 STGLD

MPB243020040MRGLD 20 13/16 2438 8 MRGLD SMINX Super zrkadlo

MPB250020040STINX 20 13/16 2500 8 1/5" STINX

MPB250020040MRINX 20 13/16 2500 8 1/5" MRINX

MPB243020040SMINX 20 13/16 2438 8 SMINX

Výrobky z nehrdzavejúcej ocele je možné vyrobiť v akejkoľvek požadovanej výške (h).

Dĺžky (L) sa môžu líšiť podľa povrchových možností výrobkov z nehrdzavejúcej ocele.

# Zdrojová stránka 37

Istanbul Office EGS Business Park B1 No 394 Yesilkoy, Istanbul, Turecko +90 212 559 0636

UK Warehouse 869 High Road Tottenham, Londýn, N17 8EY, UK +44 751 2934322

mox@moxsystems.com moxsystems.com

# Originálne výkresy a referenčné strany



PRODUCT CATALOG

## LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS


LUCEO 10
guiding light source for security purposes, as well as to enjoy the touch of light in design

LEUX 12
brings classical designs and modern lighting together

WISHLED 14
suitable for any environment with unlimited design

LATO 16
ideal for all living spaces with minimal, slim design. practical corner solutions

SOLE 18
designed for all classical, luxurious and prestigious living spaces

CRISPO 20
for areas with large gaps between wall and flooring

SENTIO 22
order cables in areas such as workplaces and put an end to the mess

VELO 24
provides sealing and eliminates joint defects to floor-wall joints in wet areas

GRAVITY 26
complementary element of your interior designs

MPS-F 28
prevents moisture penetration to joints and reduces sound transmission in the impact zone


## CERAMIC BORDERS, TILE TRIM PROFILES CERAMIC PROTECTION PROFILES


MONO-FIX 32
ceramic protection with an elegant appearance

ROUND-FIX 34
elevate your ceramic applications: seamless style, unmatched protection

SQUARE-FIX 36
flawless appearance on ceramic surfaces, wide range of color and effect options to adapt trending ceramic colors and textures

MPS-AG 38
an elegant appearance that softens the transition of the outer corners







MPS-BRD 40
decorative border profile for ceramic surfaces

MPS-C 42
Quality of stainless steel for inner corners of ceramic applications

MPS-D 44
provides perfect appearance to ceramic surfaces and prevents damage to ceramics with the quality of stainless steel

MPS-L 46
Pure and minimal appearance to ceramic combinations with its simple design

MPS-S 48
softens the transition in the inner corners and provides an elegant appearance


## RAMP TRANSITIONS, CARPET EDGE PROTECTION, FLOORING AND RENOVATION, STEP NOSE PROTECTION


ALL IN ONE 52
with its adjustability, it provides a flawless appearance to floor transitions

REVIO 54
designed to enhance the aesthetics and functionality of your flooring

VISIO 56
enhance your flooring transition with a stylish carpet threshold profile

LINE 58
perfect choice for your flooring with its minimalist form

FLEX 60
create imaginative designs for your flooring with its formable form

MPS-E 62
suitable for all architectural designs with its traditional but enhanced appearance

MPS-N 64
softens the transition between different levels

MPS-TB 66
with the T shape, provides the simple look of traditional transitions

MPS-YD 68
absorbs the pressure of building expansions and provides protection to ceramics

MPS-B 70
eliminates application errors of stairs such as marble and parquet

# ABOUT MOX

Orego Metal, one of the main suppliers of well known international brands, has entered the Turkey market with Mox Profile Systems by maintaining high quality raw material, correct operation and perfect surfaces which led it to become a favorite brand for many customers in the World and especially in Europe.

We assure that your application places will be both aesthetically pleasing and distinguishable, with our wide range of products including skirting boards, tile trims, stair nose profiles, flooring transition and ramp transition profiles with aluminum and stainless steel materials.

We promise not only to provide quality product and service for applying all processes with the same precision for transforming raw material to aluminum decorative profile, but also best prices by means of our manufacturing capabilities.

Always prioritizing customer satisfaction and respecting their feedback plays the most important role in increasing our growth figures every year in the European, American, Middle Eastern and African markets.





**DESIGN**


We are here with our technical team to be your solution partner for your application areas. We offer both our standard products or if required non-standard products that are customized according to your need. With being a manufacturer and having nearly 3,000 existing molds, we can offer non-standard solutions.

**MOLDING**

If our existing products do not provide the solution you need, our design team will work in coordination with you to design a product according to your request and provide complete technical details. According to your annual consumption numbers and your surface type and quality expectation, we optimize and produce the mold in our own workshop so that the design is not shared with any third parties.

**PROJECT MANAGEMENT**

We offer and deliver custom profiles up to 6m length, in order to save you from cutting work and cost of waste. We have the capability of producing unlimited RAL color in our own integrated powder coating facility, and silver, yellow, bronze, inox and black color options for matte and bright surfaces in our anodizing facility. Chrome plating and nickel colors in profiles up to 3 meters are also among our production capabilities.







## LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES **SKIRTING BOARDS**

Mox skirting boards cover the defects in floor and wall joints. They prevent dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.


# LUCEO

## Aluminum LED Skirting Board

Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LCE250100013MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LCE250100013R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LCE250100013R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LCE250100013R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LCEEXT100013COLOR - External Corner | | | | | |
| LCEINT100013COLOR - Internal Corner | | | | | |
| LCEEND100013COLOR - End Cap | | | | | |




## BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# LEUX

## Aluminum LED Skirting Board

Leux aluminum LED skirting board is mostly preferred in exclusive classical design projects through its decorative lighting feature and Victorian design. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Leux brings classical appearance and modern lighting together. Leux is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.




BRINGS CLASSICAL DESIGNS AND MODERN LIGHTING TOGETHER







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LUX250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LUX250100020RR9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LUX250100020R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LUX250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LUXEXT100020COLOR - External Corner | | | | | |
| LUXINT100020COLOR - Internal Corner | | | | | |
| LUXEND100020COLOR - End Cap | | | | | |




## BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# WISHLED

## Aluminum LED Skirting Board

Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.



SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| WSL250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| WSL250100020R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| WSL250100020R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| WSL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| WSLEXT100020COLOR - External Corner | | | | | |
| WSLINT100020COLOR - Internal Corner | | | | | |
| WSLEND100020COLOR - End Cap | | | | | |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

## CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







# LATO

## Aluminum Skirting Board

Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LAT250080014MEGMS | 83 | 3-1/4 | 2500 | 8 1/5" | MEGMS |
| LAT250080014R9005 | 83 | 3-1/4 | 2500 | 8 1/5" | R9005 |
| LAT250080014R9016 | 83 | 3-1/4 | 2500 | 8 1/5" | R9016 |
| LAT250080014R7016 | 83 | 3-1/4 | 2500 | 8 1/5" | R7016 |
| LAT250100014MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| LAT250100014R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| LAT250100014R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| LAT250100014R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |
| LAT250120014MEGMS | 120 | 4-3/4 | 2500 | 8 1/5" | MEGMS |
| LAT250120014R9005 | 120 | 4-3/4 | 2500 | 8 1/5" | R9005 |
| LAT250120014R9016 | 120 | 4-3/4 | 2500 | 8 1/5" | R9016 |
| LAT250120014R7016 | 120 | 4-3/4 | 2500 | 8 1/5" | R7016 |
| LAT250150014MEGMS | 150 | 5-7/8 | 2500 | 8 1/5" | MEGMS |
| LAT250150014R9005 | 150 | 5-7/8 | 2500 | 8 1/5" | R9005 |
| LAT250150014R9016 | 150 | 5-7/8 | 2500 | 8 1/5" | R9016 |
| LAT250150014R7016 | 150 | 5-7/8 | 2500 | 8 1/5" | R7016 |
| LAT250180014MEGMS | 180 | 7-1/16 | 2500 | 8 1/5" | MEGMS |
| LAT250180014R9005 | 180 | 7-1/16 | 2500 | 8 1/5" | R9005 |
| LAT250180014R9016 | 180 | 7-1/16 | 2500 | 8 1/5" | R9016 |
| LAT250180014R7016 | 180 | 7-1/16 | 2500 | 8 1/5" | R7016 |




MEGMS
matte silver, anodized


R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated

CORNER SOLUTIONS







# SOLE

## Aluminum Skirting Board



Sole aluminum skirting board is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SOL250100020MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| SOL250100020R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| SOL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| SOL250100020R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS







# CRISPO

## Aluminum Skirting Board



Crispo aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Crispo provides unity with its oval transition appearance and is compatible with both classical and modern architecture.

Crispo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options.

While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FOR AREAS WITH LARGE GAPS BETWEEN
WALL AND FLOORING








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| CRS250070025MEGMS | 70 | 2-3/4 | 2500 | 8 1/5" | MEGMS |
| CRS250070025R9005 | 70 | 2-3/4 | 2500 | 8 1/5" | R9005 |
| CRS250070025R9016 | 70 | 2-3/4 | 2500 | 8 1/5" | R9016 |
| CRS250070025R7016 | 70 | 2-3/4 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# SENTIO

## Aluminum Skirting Board



Sentio aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. With the extended hollow area in its design, it collects the telephone, electricity and internet cables to organize environments such as workplaces and offices. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. Sentio has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.


ORDER CABLES IN AREAS SUCH AS
WORKPLACES AND PUT AN END TO THE MESS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SNT250080023MEGMS | 80 | 3-1/8 | 2500 | 8 1/5" | MEGMS |
| SNT250080023R9005 | 80 | 3-1/8 | 2500 | 8 1/5" | R9005 |
| SNT250080023R9016 | 80 | 3-1/8 | 2500 | 8 1/5" | R9016 |
| SNT250080023R7016 | 80 | 3-1/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# VELO

## Aluminum Skirting Board



Velo aluminum skirting board provides skirting solutions especially for wet areas like bathrooms and kitchens. It takes up less space and offers ease of installation. It provides leak proofing as well as aesthetics by covering the wall-floor joint defects especially on wet areas. Velo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

PROVIDES SEALING AND ELIMINATES JOINT
DEFECTS TO FLOOR-WALL JOINTS IN WET AREAS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| VLO250060012MEGMS | 60 | 2-3/8 | 2500 | 8 1/5" | MEGMS |
| VLO250060012R9005 | 60 | 2-3/8 | 2500 | 8 1/5" | R9005 |
| VLO250060012R9016 | 60 | 2-3/8 | 2500 | 8 1/5" | R9016 |
| VLO250060012R7016 | 60 | 2-3/8 | 2500 | 8 1/5" | R7016 |
| VLO250100012MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |
| VLO250100012R9005 | 100 | 3-15/16 | 2500 | 8 1/5" | R9005 |
| VLO250100012R9016 | 100 | 3-15/16 | 2500 | 8 1/5" | R9016 |
| VLO250100012R7016 | 100 | 3-15/16 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# GRAVITY

## Aluminum Skirting Board



Gravity aluminum skirting board is a specially designed profile that is attached to the lower edges of the wall and provide a neat and clean appearance to carpeted areas. Gravity aluminum skirting board not only provides a seamless transition between the floor and the wall, but also provides protection for carpet edges.

Gravity aluminum skirting board has a matte anodized coating option in silver color.

COMPLEMENTARY ELEMENT OF YOUR INTERIOR DESIGNS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| GRV250100010MEGMS | 100 | 3-15/16 | 2500 | 8 1/5" | MEGMS |






MEGMS
matte silver, anodized

# MPS-F

## Stainless Steel Skirting Board

MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension. MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-F can be produced in unlimited height and width options.




PREVENTS MOISTURE PENETRATION TO JOINTS AND
REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPF2430400XXSTANT | 40 | 1-9/16 | 2438 | 8 | STANT |
| MPF2430400XXMRANT | 40 | 1-9/16 | 2438 | 8 | MRANT |
| MPF2430400XXSTBRO | 40 | 1-9/16 | 2438 | 8 | STBRO |
| MPF2430400XXMRBRO | 40 | 1-9/16 | 2438 | 8 | MRBRO |
| MPF2430400XXSTCOP | 40 | 1-9/16 | 2438 | 8 | STCOP |
| MPF2430400XXMRCOP | 40 | 1-9/16 | 2438 | 8 | MRCOP |
| MPF2430400XXSTGLD | 40 | 1-9/16 | 2438 | 8 | STGLD |
| MPF2430400XXMRGLD | 40 | 1-9/16 | 2438 | 8 | MRGLD |
| MPF2500400XXSTINX | 40 | 1-9/16 | 2500 | 8 1/5" | STINX |
| MPF2500400XXMRINX | 40 | 1-9/16 | 2500 | 8 1/5" | MRINX |
| MPF2430400XXSMINX | 40 | 1-9/16 | 2438 | 8 | SMINX |
| MPF2430600XXSTANT | 70 | 2-3/4 | 2438 | 8 | STANT |
| MPF2430600XXMRANT | 70 | 2-3/4 | 2438 | 8 | MRANT |
| MPF2430600XXSTBRO | 70 | 2-3/4 | 2438 | 8 | STBRO |
| MPF2430600XXMRBRO | 70 | 2-3/4 | 2438 | 8 | MRBRO |
| MPF2430600XXSTCOP | 70 | 2-3/4 | 2438 | 8 | STCOP |
| MPF2430600XXMRCOP | 70 | 2-3/4 | 2438 | 8 | MRCOP |
| MPF2430600XXSTGLD | 70 | 2-3/4 | 2438 | 8 | STGLD |
| MPF2430600XXMRGLD | 70 | 2-3/4 | 2438 | 8 | MRGLD |
| MPF2500600XXSTINX | 70 | 2-3/4 | 2500 | 8 1/5" | STINX |
| MPF2500600XXMRINX | 70 | 2-3/4 | 2500 | 8 1/5" | MRINX |
| MPF2430600XXSMINX | 70 | 2-3/4 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).


Lengths (L) may vary according to surface options of stainless steel products.

## CERAMIC BORDERS, **TILE TRIM PROFILES**
## CERAMIC PROTECTION PROFILES

Mox tile trim profiles will eliminate joint and application flaws and prevent damage to ceramics while providing aesthetics to your living spaces. They prevent deformations in applied areas by preventing any leakage.







# MONO-FIX

## Aluminum Tile Trim



Mono Fix aluminium tile trim edge adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage.

Mono Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CERAMIC PROTECTION WITH AN ELEGANT APPEARANCE








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MNF250010003MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| MNF250010003MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| MNF250010003MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| MNF250010003MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| MNF250010003PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| MNF250010003PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| MNF250010003PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| MNF250010003PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| MNF250010003R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| MNF250010003R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# ROUND-FIX

## Aluminum Tile Trim

Round Fix aluminium tile trim round external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

Round Fix has matte anodized, bright anodized electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




ELEVATE YOUR CERAMIC APPLICATIONS:
SEAMLESS STYLE, UNMATCHED PROTECTION








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| RNF250010009MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| RNF250010009MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| RNF250010009MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| RNF250010009MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| RNF250010009PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| RNF250010009PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| RNF250010009PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| RNF250010009PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| RNF250010009R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| RNF250010009R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# SQUARE-FIX

## Aluminum Tile Trim



Square Fix aluminium tile trim square external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.

Square Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FLAWLESS APPEARANCE ON CERAMIC SURFACES,
WIDE RANGE OF COLOR AND EFFECT OPTIONS TO
ADAPT TRENDING CERAMIC COLORS AND TEXTURES








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| SQF250010009MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| SQF250010009MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| SQF250010009MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| SQF250010009MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| SQF250010009PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| SQF250010009PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| SQF250010009PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| SQF250010009PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| SQF250010009R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| SQF250010009R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized


PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# MPS-AG

## Stainless Steel Tile Trim



MPS-AG stainless steel tile trim round external corner profile stands out with its ceramic protection feature and elegant appearance, especially in bathrooms and kitchens with ceramic surfaces. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-AG has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-AG can be produced in unlimited height and width options.


AN ELEGANT APPEARANCE THAT SOFTENS THE TRANSITION OF THE OUTER CORNERS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MAG243010008STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MAG243010008MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MAG243010008STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MAG243010008MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MAG243010008STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MAG243010008MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MAG243010008STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MAG243010008MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MAG250010008STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MAG250010008MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MAG243010008SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MAG243012008STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MAG243012008MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MAG243012008STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MAG243012008MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MAG243012008STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MAG243012008MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MAG243012008STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MAG243012008MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MAG250012008STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MAG250012008MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MAG243012008SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MAG243014008STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MAG243014008MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MAG243014008STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MAG243014008MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MAG243014008STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MAG243014008MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MAG243014008STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MAG243014008MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MAG250014008STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MAG250014008MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MAG243014008SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MAG243010008STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MAG243010008MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MAG243010008STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MAG243010008MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MAG243010008STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MAG243010008MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MAG243010008STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MAG243010008MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MAG250010008STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MAG250010008MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MAG243010008SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


# MPS-BRD

## Stainless Steel Border



MPS-BRD stainless steel tile trim border is mostly used as a decorative divider for ceramics. Being compatible with other tile trim profiles is one of its advantages. MPS-BRD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-BRD can be produced in unlimited height and width options.


DECORATIVE BORDER PROFILE FOR CERAMIC SURFACES







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MBD2430XX023STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MBD2430XX023MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MBD2430XX023STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MBD2430XX023MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MBD2430XX023STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MBD2430XX023MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MBD2430XX023STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MBD2430XX023MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MBD2500XX023STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MBD2500XX023MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MBD2430XX023SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MBD2430XX010STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MBD2430XX010MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MBD2430XX010STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MBD2430XX010MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MBD2430XX010STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MBD2430XX010MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MBD2430XX010STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MBD2430XX010MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MBD2500XX010STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MBD2500XX010MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MBD2430XX010SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MBD2430XX015STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MBD2430XX015MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MBD2430XX015STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MBD2430XX015MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MBD2430XX015STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MBD2430XX015MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MBD2430XX015STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MBD2430XX015MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MBD2500XX015STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MBD2500XX015MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MBD2430XX015SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MBD2430XX020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MBD2430XX020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MBD2430XX020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MBD2430XX020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MBD2430XX020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MBD2430XX020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MBD2430XX020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MBD2430XX020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MBD2500XX020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MBD2500XX020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MBD2430XX020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-C

## Stainless Steel Tile Trim




MPS-C stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-C has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-C can be produced in unlimited height and width options.


QUALITY OF STAINLESS STEEL FOR INNER CORNERS OF CERAMIC APPLICATIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPC243010009STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPC243010009MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPC243010009STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPC243010009MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPC243010009STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPC243010009MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPC243010009STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPC243010009MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPC250010009STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPC250010009MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPC243010009SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPC243012009STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPC243012009MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPC243012009STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPC243012009MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPC243012009STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPC243012009MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPC243012009STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPC243012009MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPC250012009STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPC250012009MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPC243012009SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPC243014009STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPC243014009MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPC243014009STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPC243014009MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPC243014009STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPC243014009MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPC243014009STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPC243014009MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPC250014009STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPC250014009MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPC243014009SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPC243008009STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPC243008009MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPC243008009STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPC243008009MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPC243008009STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPC243008009MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPC243008009STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPC243008009MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPC250008009STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPC250008009MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPC243008009SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-D

## Stainless Steel Tile Trim



MPS-D stainless steel tile trim square external corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-D has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-D can be produced in unlimited height and width options.


PROVIDES PERFECT APPEARANCE TO CERAMIC SURFACES AND PREVENTS DAMAGE TO CERAMICS WITH THE QUALITY OF STAINLESS STEEL







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPD243014008STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPD243014008MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPD243014008STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPD243014008MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPD243014008STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPD243014008MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPD243014008STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPD243014008MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPD250014008STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPD250014008MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPD243014008SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPD243008008STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPD243008008MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPD243008008STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPD243008008MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPD243008008STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPD243008008MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPD243008008STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPD243008008MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPD250008008STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPD250008008MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPD243008008SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPD243010008STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPD243010008MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPD243010008STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPD243010008MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPD243010008STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPD243010008MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPD243010008STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPD243010008MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPD250010008STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPD250010008MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPD243010008SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPD243012008STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPD243012008MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPD243012008STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPD243012008MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPD243012008STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPD243012008MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPD243012008STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPD243012008MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPD250012008STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPD250012008MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPD243012008SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-L

## Stainless Steel Tile Trim



MPS-L stainless steel tile trim edge profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage. MPS-L has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-L can be produced in unlimited height and width options.


PURE AND MINIMAL APPEARANCE TO CERAMIC COMBINATIONS WITH ITS SIMPLE DESIGN







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPL243010003STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPL243010003MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPL243010003STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPL243010003MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPL243010003STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPL243010003MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPL243010003STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPL243010003MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPL250010003STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPL250010003MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPL243010003SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPL243012003STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPL243012003MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPL243012003STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPL243012003MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPL243012003STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPL243012003MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPL243012003STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPL243012003MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPL250012003STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPL250012003MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPL243012003SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPL243014003STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPL243014003MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPL243014003STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPL243014003MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPL243014003STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPL243014003MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPL243014003STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPL243014003MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPL250014003STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPL250014003MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPL243014003SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPL243008003STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPL243008003MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPL243008003STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPL243008003MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPL243008003STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPL243008003MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPL243008003STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPL243008003MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPL250008003STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPL250008003MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPL243008003SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-S

## Stainless Steel Tile Trim



MPS-S stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-S has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-S can be produced in unlimited height and width options.


SOFTENS THE TRANSITION IN THE INNER CORNERS
AND PROVIDES AN ELEGANT APPEARANCE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPS243014020STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPS243014020MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPS243014020STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPS243014020MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPS243014020STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPS243014020MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPS243014020STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPS243014020MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPS250014020STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPS250014020MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPS243014020SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPS243008020STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPS243008020MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPS243008020STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPS243008020MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPS243008020STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPS243008020MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPS243008020STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPS243008020MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPS250008020STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPS250008020MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPS243008020SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPS243010020STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPS243010020MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPS243010020STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPS243010020MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPS243010020STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPS243010020MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPS243010020STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPS243010020MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPS250010020STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPS250010020MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPS243010020SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPS243012020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPS243012020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPS243012020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPS243012020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPS243012020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPS243012020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPS243012020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPS243012020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPS250012020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPS250012020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPS243012020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.








## RAMP TRANSITIONS, CARPET EDGE PROTECTION, **FLOORING AND RENOVATION**, STEP NOSE PROTECTION

Mox flooring profiles cover the gaps between flooring or door threshold transitions, hiding any application defect. In addition to standard threshold profiles, they also include ramp profiles that eliminate level differences between floors.


# ALL IN ONE

## Aluminum Ramp Transition



All in One aluminium ramp transition profile provides transition by eliminating any level difference between two different flooring materials in floor applications. With its adjustable feature, it adapts to every level difference between floorings. Unlike its competitors it can be installed from its extension beneath the floorings and doesn't require adhesives which makes it more long-lasting. All in One has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.


WITH ITS ADJUSTABILITY, IT PROVIDES A
FLAWLESS APPEARANCE TO FLOOR TRANSITIONS








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| AIO25004024MEGMS | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5” | MEGMS |
| AIO25004024MESAR | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MESAR |
| AIO25004024MEINX | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MEINX |
| AIO25004024MESYH | hmax 24<br>hmin 1.5 | 15/16<br>1/16 | 2500 | 8 1/5" | MESYH |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

# REVIO

## Aluminum Flooring

Revio aluminum carpet edge profile is specially designed to increase the aesthetics and functionality of your floor. Revio aluminum carpet edge profile not only provides a seamless transition between different flooring surfaces, but also protects the edges of your carpet, preventing wear and deformation that may occur over time. These profiles help you reduce repair and replacement costs by extending the life of your carpet.

Revio has a matte anodized coating option in silver, yellow and inox colors.



DESIGNED TO ENHANCE THE AESTHETICS AND FUNCTIONALITY OF YOUR FLOORING








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| RVO25001215MEGMS | 12 | 1/2 | 2500 | 8 1/5” | MEGMS |
| RVO25001215MESAR | 12 | 1/2 | 2500 | 8 1/5" | MESAR |
| RVO25001215MEINX | 12 | 1/2 | 2500 | 8 1/5" | MEINX |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

# VISIO

## Aluminum Flooring



Visio aluminum carpet threshold profile provides safe, aesthetic and long-lasting interior transitions between different flooring materials. It creates a safe environment, especially for children and the elderly, by providing a smooth transition between different flooring heights. Visio aluminum carpet threshold profile is designed to close gaps between carpet and other floor coverings. It provides a smooth transition between carpet and other floor covering types, eliminating any irregularities or tripping hazards that may occur. It also prolongs the life of carpets by protecting them against wear and tear. Visio, which has an aesthetic appearance as well as functional advantages, improves the overall appearance of your interior design. Visio aluminum carpet threshold profile has a matte anodized coating option in silver, yellow and inox colors.

ENHANCE YOUR FLOORING TRANSITION WITH A STYLISH CARPET THRESHOLD PROFILE








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| VSO25000927MEGMS | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5” | MEGMS |
| VSO25000927MESAR | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5" | MESAR |
| VSO25000927MEINX | h1 9<br>h2 6.3 | 3/8<br>1/4 | 2500 | 8 1/5" | MEINX |
| VSO09000927MEGMS | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MEGMS |
| VSO09000927MESAR | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MESAR |
| VSO09000927MEINX | h1 9<br>h2 6.3 | 3/8<br>1/4 | 900 | 2 31/32" | MEINX |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

# LINE

## Aluminum Flooring



Line aluminum flooring edge profile is an excellent choice for various projects with its versatile, durable and lightweight structure that closes the gap between floorings. Line aluminum flooring edge profile is designed to close the gaps between floor tiles of the same height. Line aluminum flooring edge profile has a bright anodized coating option in silver and yellow colors.

PERFECT CHOICE FOR YOUR FLOORING WITH ITS MINIMALIST FORM








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| LIN25001004PEGMS | 10 | 3/8 | 2500 | 8 1/5” | PEGMS |
| LIN25001004PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |








PEGMS
bright silver, anodized



PESAR
bright yellow, anodized

# FLEX

## Aluminum Flooring



Flex aluminum formable flooring edge profile is used in parquet or ceramic applications as a frame that conceals the floor section, replacing joints. In addition to correcting joint and installation mistakes and improving aesthetics, it also prevents damage to the floor coverings. Flex aluminum formable flooring edge profile is designed to facilitate the transition of flooring materials. Its flexible design allows it to be bent into the desired shape. In addition to its functional advantages, its minimal appearance enhances the overall look of your designs.

Flex has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CREATE IMAGINATIVE DESIGNS FOR YOUR
FLOORING WITH ITS FORMABLE FORM








| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| FLX250010003MEGMS | 10 | 3/8 | 2500 | 8 1/5” | MEGMS |
| FLX250010003MESAR | 10 | 3/8 | 2500 | 8 1/5" | MESAR |
| FLX250010003MEINX | 10 | 3/8 | 2500 | 8 1/5" | MEINX |
| FLX250010003MESYH | 10 | 3/8 | 2500 | 8 1/5" | MESYH |
| FLX250010003PEGMS | 10 | 3/8 | 2500 | 8 1/5" | PEGMS |
| FLX250010003PESAR | 10 | 3/8 | 2500 | 8 1/5" | PESAR |
| FLX250010003PEINX | 10 | 3/8 | 2500 | 8 1/5" | PEINX |
| FLX250010003PESYH | 10 | 3/8 | 2500 | 8 1/5" | PESYH |
| FLX250010003R9016 | 10 | 3/8 | 2500 | 8 1/5" | R9016 |
| FLX250010003R7016 | 10 | 3/8 | 2500 | 8 1/5" | R7016 |






MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

# MPS-E

## Stainless Steel Flooring Profile



MPS-E stainless steel floor transition profile is one of the most preferred transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It is used as a transition border in flooring applications. MPS-E has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-E can be produced in unlimited height and width options.


SUITABLE FOR ALL ARCHITECTURAL DESIGNS WITH
ITS TRADITIONAL BUT ENHANCED APPEARANCE







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPE243010020STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPE243010020MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPE243010020STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPE243010020MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPE243010020STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPE243010020MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPE243010020STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPE243010020MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPE250010020STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPE250010020MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPE243010020SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPE243012020STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPE243012020MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPE243012020STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPE243012020MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPE243012020STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPE243012020MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPE243012020STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPE243012020MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPE250012020STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPE250012020MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPE243012020SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPE243014020STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPE243014020MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPE243014020STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPE243014020MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPE243014020STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPE243014020MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPE243014020STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPE243014020MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPE250014020STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPE250014020MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPE243014020SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPE243008020STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPE243008020MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPE243008020STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPE243008020MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPE243008020STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPE243008020MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPE243008020STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPE243008020MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPE250008020STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPE250008020MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPE243008020SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-N

## Stainless Steel Flooring Profile



MPS-N stainless steel ramp transition profile is used as a separating border and transition profile between floors of different levels in floor applications. It can be produced in custom heights for any level difference.

MPS-N has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-N can be produced in unlimited height and width options.


SOFTENS THE TRANSITION BETWEEN DIFFERENT LEVELS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPN243014050STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MPN243014050MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MPN243014050STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MPN243014050MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MPN243014050STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MPN243014050MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MPN243014050STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MPN243014050MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MPN250014050STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MPN250014050MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MPN243014050SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MPN243008050STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPN243008050MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPN243008050STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPN243008050MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPN243008050STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPN243008050MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPN243008050STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPN243008050MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPN250008050STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPN250008050MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPN243008050SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPN243010050STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPN243010050MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPN243010050STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPN243010050MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPN243010050STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPN243010050MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPN243010050STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPN243010050MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPN250010050STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPN250010050MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPN243010050SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPN243012050STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPN243012050MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPN243012050STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPN243012050MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPN243012050STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPN243012050MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPN243012050STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPN243012050MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPN250012050STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPN250012050MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPN243012050SMINX | 14 | 9/16 | 2438 | 8 | SMINX |







MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-TB

## Stainless Steel Flooring Profile



MPS-TB stainless steel floor T transition is one of the most durable transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It covers the gaps and application flaws between floor transitions and door threshold transitions. It is also used as a separator frame in floor applications. MPS-TB has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-TB can be produced in unlimited height and width options.


WITH THE T SHAPE, PROVIDES THE SIMPLE
LOOK OF TRADITIONAL TRANSITIONS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MTB243010025STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MTB243010025MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MTB243010025STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MTB243010025MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MTB243010025STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MTB243010025MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MTB243010025STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MTB243010025MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MTB250010025STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MTB250010025MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MTB243010025SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MTB243012025STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MTB243012025MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MTB243012025STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MTB243012025MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MTB243012025STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MTB243012025MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MTB243012025STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MTB243012025MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MTB250012025STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MTB250012025MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MTB243012025SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MTB243014025STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MTB243014025MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MTB243014025STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MTB243014025MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MTB243014025STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MTB243014025MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MTB243014025STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MTB243014025MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MTB250014025STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MTB250014025MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MTB243014025SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MTB243008025STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MTB243008025MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MTB243008025STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MTB243008025MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MTB243008025STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MTB243008025MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MTB243008025STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MTB243008025MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MTB250008025STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MTB250008025MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MTB243008025SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

# MPS-YD

## Stainless Steel Flooring Profile



MPS-YD stainless steel expansion joint profile provides the best solutions for ceramic floor applications especially in places with large areas such as hospitals, shopping malls and schools. It absorbs the pressure caused by structural expansions and provides protection to ceramics. MPS-YD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-YD can be produced in unlimited height and width options.


ABSORBS THE PRESSURE OF BUILDING EXPANSIONS
AND PROVIDES PROTECTION TO CERAMICS







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MYD243014015STANT | 8 | 5/16 | 2438 | 8 | STANT |
| MYD243014015MRANT | 8 | 5/16 | 2438 | 8 | MRANT |
| MYD243014015STBRO | 8 | 5/16 | 2438 | 8 | STBRO |
| MYD243014015MRBRO | 8 | 5/16 | 2438 | 8 | MRBRO |
| MYD243014015STCOP | 8 | 5/16 | 2438 | 8 | STCOP |
| MYD243014015MRCOP | 8 | 5/16 | 2438 | 8 | MRCOP |
| MYD243014015STGLD | 8 | 5/16 | 2438 | 8 | STGLD |
| MYD243014015MRGLD | 8 | 5/16 | 2438 | 8 | MRGLD |
| MYD250014015STINX | 8 | 5/16 | 2500 | 8 1/5" | STINX |
| MYD250014015MRINX | 8 | 5/16 | 2500 | 8 1/5" | MRINX |
| MYD243014015SMINX | 8 | 5/16 | 2438 | 8 | SMINX |
| MYD243008015STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MYD243008015MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MYD243008015STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MYD243008015MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MYD243008015STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MYD243008015MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MYD243008015STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MYD243008015MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MYD250008015STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MYD250008015MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MYD243008015SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MYD243010015STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MYD243010015MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MYD243010015STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MYD243010015MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MYD243010015STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MYD243010015MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MYD243010015STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MYD243010015MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MYD250010015STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MYD250010015MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MYD243010015SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MYD243012015STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MYD243012015MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MYD243012015STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MYD243012015MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MYD243012015STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MYD243012015MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MYD243012015STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MYD243012015MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MYD250012015STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MYD250012015MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MYD243012015SMINX | 14 | 9/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


# MPS-B

## Stainless Steel Step Nose



MPS-B stainless steel tile step protection profile covers the defects caused during application and protects the step tiles such as marble and parquet. It protects ceramic steps against deformation and fracture while providing safety with its non-slip design. MPS-B has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-B can be produced in unlimited height and width options.


ELIMINATES APPLICATION ERRORS OF
STAIRS SUCH AS MARBLE AND PARQUET







| Product No | Height | | Length | | Surface |
|---|---|---|---|---|---|
| | mm | in | mm | ft | |
| MPB243010040STANT | 10 | 3/8 | 2438 | 8 | STANT |
| MPB243010040MRANT | 10 | 3/8 | 2438 | 8 | MRANT |
| MPB243010040STBRO | 10 | 3/8 | 2438 | 8 | STBRO |
| MPB243010040MRBRO | 10 | 3/8 | 2438 | 8 | MRBRO |
| MPB243010040STCOP | 10 | 3/8 | 2438 | 8 | STCOP |
| MPB243010040MRCOP | 10 | 3/8 | 2438 | 8 | MRCOP |
| MPB243010040STGLD | 10 | 3/8 | 2438 | 8 | STGLD |
| MPB243010040MRGLD | 10 | 3/8 | 2438 | 8 | MRGLD |
| MPB250010040STINX | 10 | 3/8 | 2500 | 8 1/5" | STINX |
| MPB250010040MRINX | 10 | 3/8 | 2500 | 8 1/5" | MRINX |
| MPB243010040SMINX | 10 | 3/8 | 2438 | 8 | SMINX |
| MPB243012040STANT | 12 | 1/2 | 2438 | 8 | STANT |
| MPB243012040MRANT | 12 | 1/2 | 2438 | 8 | MRANT |
| MPB243012040STBRO | 12 | 1/2 | 2438 | 8 | STBRO |
| MPB243012040MRBRO | 12 | 1/2 | 2438 | 8 | MRBRO |
| MPB243012040STCOP | 12 | 1/2 | 2438 | 8 | STCOP |
| MPB243012040MRCOP | 12 | 1/2 | 2438 | 8 | MRCOP |
| MPB243012040STGLD | 12 | 1/2 | 2438 | 8 | STGLD |
| MPB243012040MRGLD | 12 | 1/2 | 2438 | 8 | MRGLD |
| MPB250012040STINX | 12 | 1/2 | 2500 | 8 1/5" | STINX |
| MPB250012040MRINX | 12 | 1/2 | 2500 | 8 1/5" | MRINX |
| MPB243012040SMINX | 12 | 1/2 | 2438 | 8 | SMINX |
| MPB243014040STANT | 14 | 9/16 | 2438 | 8 | STANT |
| MPB243014040MRANT | 14 | 9/16 | 2438 | 8 | MRANT |
| MPB243014040STBRO | 14 | 9/16 | 2438 | 8 | STBRO |
| MPB243014040MRBRO | 14 | 9/16 | 2438 | 8 | MRBRO |
| MPB243014040STCOP | 14 | 9/16 | 2438 | 8 | STCOP |
| MPB243014040MRCOP | 14 | 9/16 | 2438 | 8 | MRCOP |
| MPB243014040STGLD | 14 | 9/16 | 2438 | 8 | STGLD |
| MPB243014040MRGLD | 14 | 9/16 | 2438 | 8 | MRGLD |
| MPB250014040STINX | 14 | 9/16 | 2500 | 8 1/5" | STINX |
| MPB250014040MRINX | 14 | 9/16 | 2500 | 8 1/5" | MRINX |
| MPB243014040SMINX | 14 | 9/16 | 2438 | 8 | SMINX |
| MPB243020040STANT | 20 | 13/16 | 2438 | 8 | STANT |
| MPB243020040MRANT | 20 | 13/16 | 2438 | 8 | MRANT |
| MPB243020040STBRO | 20 | 13/16 | 2438 | 8 | STBRO |
| MPB243020040MRBRO | 20 | 13/16 | 2438 | 8 | MRBRO |
| MPB243020040STCOP | 20 | 13/16 | 2438 | 8 | STCOP |
| MPB243020040MRCOP | 20 | 13/16 | 2438 | 8 | MRCOP |
| MPB243020040STGLD | 20 | 13/16 | 2438 | 8 | STGLD |
| MPB243020040MRGLD | 20 | 13/16 | 2438 | 8 | MRGLD |
| MPB250020040STINX | 20 | 13/16 | 2500 | 8 1/5" | STINX |
| MPB250020040MRINX | 20 | 13/16 | 2500 | 8 1/5" | MRINX |
| MPB243020040SMINX | 20 | 13/16 | 2438 | 8 | SMINX |






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

Istanbul Office
EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey
+90 212 559 0636

UK Warehouse
869 High Road Tottenham,
London, N17 8EY, UK
+44 751 2934322

mox@moxsystems.com
moxsystems.com