

MOX Systems - technická dokumentácia

product-wishled-en.pdf

Technický preklad: rozmery nájdete na pôvodných výkresoch a referenčných stránkach.

Zdrojová stránka 1

WISHLED

Hliníková soklová lišta s LED

Hliníková LED lišta Wishled sa hodí do akéhokoľvek prostredia vďaka neobmedzeným možnostiam vzorov.

Najviac sa uprednostňuje ako nočné osvetlenie v detských izbách s vymeniteľným dizajnovým potlačeným krytom.

Dá sa využiť aj na reklamu a prezentáciu firemnej identity vo verejných priestoroch.

Okrem osvetľovacej funkcie pokrýva aj chyby v spojoch podlahy a stien.

Aplikácia bude dokončená montážou predného dizajnového potlačeného difúzneho panelu so systémom snap lock.

S vnútornými, vonkajšími a koncovými kryciami krytkami, ktoré majú rovnakú farbu ako profily, je možné ľahko aplikovať hladké rohové zákruty bez potreby šikmého rezu.

Wishled má možnosti matného eloxovania, svetlého eloxovania, saténovo chemicky jasne eloxovaného a elektrostatického práškoveho lakovania.

Zatiaľ čo sú k dispozícii strieborné, žlté, inoxové, bronzové a čierne eloxované farebné nátery, môže byť tiež lakovaný podľa požadovaného RAL kódu pomocou elektrostatického práškoveho lakovania.

Okrem existujúcich vzorov, ktoré ponúkame pre osvetľovací panel, je možné použiť aj personalizované vzory.

VHODNÉ DO KAŽDÉHO PROSTREDIA S NEOBMEDZENÝM DIZAJNOM

Výška Dĺžka Produkt č Povrch mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Vonkajší roh h

WSLINT100020COLOR - Vnútorný roh

WSLEND100020COLOR - Koncový uzáver

MEGMS R9005 matná strieborná, eloxovaná čierna, pololesk, práškovou farbou

R9016 R7016 biela, pololesklá, antracitová, pololesklá, práškovo lakovaná

Ovládač RGB24R a RGB24P s odolným, tenkým kovovým puzdrom.

LED-STL RGB LED páskové svetlo 5m

RGB24R & RGB24P Kompatibilné s diaľkovým ovládačom alebo nástenným ovládacím panelom.

ROHOVÉ RIEŠENIA

So svojimi vstavanými alebo základnými aplikačnými metódami môže byť zapustená do steny alebo použitá ako tradičná soklová lišta.

Originálne výkresy a referenčné strany


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					






MEGMS
matte silver, anodized



R9005
black, semi gloss,
powder coated



R9016
white, semi gloss,
powder coated



R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or
wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

