

MOX sistemi - tehnična dokumentacija

product-wishled-en.pdf

Tehnični prevod: za dimenzije si oglejte izvirne risbe in referenčne strani.

Izvorna stran 1

WISHLED

Aluminijasta LED talna letev

Wishled aluminijasta LED letev se lahko ujema z vsakim okoljem zaradi neomejenih možnosti oblikovanja vzorcev.

Večinoma je priljubljen kot nočna razsvetljava v otroških sobah z zamenljivim dizajnerskim potiskom.

Lahko se uporablja tudi za oglaševanje in predstavitev celostne grafične podobe na javnih površinah.

Poleg funkcije osvetlitve pokriva tudi napake na spojih tal in sten.

Aplikacija bo zaključena z namestitvijo natisnjene sprednje difuzorske plošče s sistemom zaskočnega zaklepanja.

Z notranjo, zunanjo in končno prekrivno kapo, ki so enake barve kot profili, je mogoče enostavno nanesti gladke kotne zavoje brez potrebe po kotnem rezu.

Wishled ima možnosti mat eloksiranega, svetlo eloksiranega, satenasto kemično svetlo eloksiranega in elektrostatičnega prašnega barvanja.

Medtem ko so na voljo srebrni, rumeni, inox, bronasti in črni anodizirani barvni premazi, ga je mogoče tudi pobarvati na zeleno oznako RAL z elektrostatičnim prašnim barvanjem.

Poleg obstoječih modelov vzorcev, ki jih ponujamo za osvetljevalno ploščo, je mogoče uporabiti tudi personalizirane dizajne.

PRIMERNO ZA VSAKO OKOLJE Z NEOMEJENIM DIZAJNOM

Višina Dolžina št. izdelka Površina mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Zunanji kotiček h

WSLINT100020COLOR - Notranji kotiček

WSLEND100020COLOR - Končna kapica

MEGMS R9005 mat srebrna, eloksiran črn, pol sijaj, prašno barvano

R9016 R7016 bela, pol sijaj, antracit, pol sijaj, prašno lakirano prašno lakirano

Gonilnik RGB24R in RGB24P s trpežnim, tankim kovinskim ohišjem.

LED-STL RGB LED trak 5m

RGB24R & RGB24P Združljivo z daljinskim upravljalnikom ali stensko nadzorno ploščo.

KOTNE REŠITVE

Z vgradnimi ali osnovnimi metodami nanašanja ga je mogoče poravnati s steno ali uporabiti kot tradicionalno letev.

Izvirne risbe in referenčne strani


WISHLED

Aluminum LED Skirting Board


Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.





SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					



- 
MEGMS
matte silver, anodized
- 
R9005
black, semi gloss,
powder coated
- 
R9016
white, semi gloss,
powder coated
- 
R7016
anthracite, semi gloss,
powder coated

 RGB24R & RGB24P
Driver with durable, slim-design metal case.

 LED-STL
RGB Led Strip light 5m

 RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.

