MOX Systems - dokumentacion teknik

mox_profile_systems_catalog_new.pdf

Përkthimi teknik: konsultohuni me vizatimet origjinale dhe faqet e referencës për dimensionet.

Faqja burimore 1

Faqja burimore 2

KATALOGJI I PRODUKTEVE

Faqja burimore 3

NDRIÇIMI LED, ORGANIZATORËT KAMBLE, PROFILE SHOK DHE TË PERSONALIZUARA

Luceo 10 burim drite udhëzues për qëllime sigurie, si dhe për të shijuar prekjen e dritës në dizajn Leux 12 sjell së bashku dizajne klasike dhe ndriçim modern Wishled 14 i përshtatshëm për çdo ambient me dizajn të pakufizuar Lato 16 ideal për të gjitha hapësirat e banimit me dizajn minimal dhe të hollë. zgjidhje praktike qoshe Sole 18 të dizajnuara për të gjitha ambientet klasike, luksoze dhe prestigjioze të banimit Crispo 20 për zona me boshllëqe të mëdha midis murit dhe dyshemesë Sentio 22 porositni kabllo në zona si p.sh.

vendet e punës dhe t’i jepni fund rrëmujës. VELO 24: siguron izolim dhe eliminon defektet në bashkimet dysheme-mur në zonat e lagështa. GRAVITY 26: element plotësues i dizajnit tuaj të brendshëm. MPS-F 28: parandalon depërtimin e lagështisë në nyje dhe zvogëlon transmetimin e zërit në zonën e goditjes.

KUFITA QERAMIKE, PROFILE KONTROLLET E Pllakave PROFILE MBROJTJESE QERAMIKE

MONO-FIX 32: mbrojtje e qeramikës me pamje elegante. ROUND-FIX 34: përmirësoni aplikimet e qeramikës me stil të harmonizuar dhe mbrojtje të shkëlqyer. SQUARE-FIX 36: pamje e përsosur në sipërfaqet qeramike, me shumë ngjyra dhe efekte për ngjyrat dhe teksturat moderne të qeramikës. MPS-AG 38: pamje elegante që zbut kalimin në qoshet e jashtme.

Profili i kufirit dekorativ Mps-Brd 40 për sipërfaqet qeramike Mps-C 42 Cilësia e çelikut inoks për qoshet e brendshme të aplikimeve qeramike Mps-D 44 ofron pamje perfekte të sipërfaqeve qeramike dhe parandalon dëmtimin e qeramikës me cilësinë e çelikut inox Mps-L Mps-L me dizajnin e saj minimal prej ceramike 46 P. 48 zbut tranzicionin në qoshet e brendshme dhe siguron një pamje elegante

KALIMET E RAMPIT, MBROJTJA E BUZËVE TË TAPETIVE, PARETIMI DHE RINOVIMI, MBROJTJA E HENDËS SË HAPI

ALL IN ONE 52: mundësia e rregullimit siguron pamje të përsosur në kalimet e dyshemesë. REVIO 54: projektuar për të përmirësuar estetikën dhe funksionalitetin e dyshemesë. VISIO 56: profil elegant pragu për kalimet drejt tapetit. LINE 58: zgjedhje e përsosur për dyshemenë me formën minimaliste. FLEX 60: krijoni dizajne imagjinative dyshemeje me profil që mund të formësohet. MPS-E 62: i përshtatshëm për të gjitha projektet arkitekturore me pamjen tradicionale, por të përmirësuar. MPS-N 64.

zbut kalimin midis niveleve të ndryshme Mps-Tb 66 me formën T, siguron pamjen e thjeshtë të tranzicioneve tradicionale Mps-Yd 68 thith presionin e zgjerimeve të ndërtesave dhe siguron mbrojtje ndaj qeramikës Mps-B 70 eliminon gabimet e aplikimit të shkallëve si mermeri dhe parketi

Faqja burimore 4

RRETH MOX-it

Orego Metal, një nga furnizuesit kryesorë të markave të njohura ndërkombëtare, ka hyrë në tregun e Turqisë me Mox Profile Systems duke ruajtur lëndë të parë cilësore, funksionim korrekt dhe sipërfaqe perfekte, gjë që e bëri atë të bëhet një markë e preferuar për shumë klientë në Botë dhe veçanërisht në Evropë.

Ne sigurojmë që vendet tuaja të aplikimit do të jenë estetikisht të këndshme dhe të dallueshme, me gamën tonë të gjerë të produkteve duke përfshirë dërrasat e skajeve, veshjet e pllakave, profilet e hundës së shkallëve, profilet e tranzicionit të dyshemesë dhe profilet e tranzicionit të rampës me materiale alumini dhe çeliku inoks.

Ne premtojmë jo vetëm të ofrojmë produkte dhe shërbime cilësore për aplikimin e të gjitha proceseve me të njëjtën saktësi për transformimin e lëndës së parë në profilin dekorativ të aluminit, por edhe çmimet më të mira me anë të aftësive tona prodhuese.

Gjithmonë prioritizimi i kënaqësisë së klientit dhe respektimi i komenteve të tyre luan rolin më të rëndësishëm në rritjen e shifrave tona të rritjes çdo vit në tregjet evropiane, amerikane, të Lindjes së Mesme dhe Afrikës.

DIZAJNI

Ne jemi këtu me ekipin tonë teknik për të qenë partneri juaj i zgjidhjes për fushat tuaja të aplikimit.

Ne ofrojmë të dy produktet tona standarde ose nëse kërkohen produkte jo standarde që janë të personalizuara sipas nevojës tuaj.

Duke qenë prodhues dhe duke pasur rreth 3000 kallëpe ekzistuese, ne mund të ofrojmë zgjidhje jo standarde.

DERDIMI

Nëse produktet tona ekzistuese nuk ofrojnë zgjidhjen që ju nevojitet, ekipi ynë i projektimit do të punojë në koordinim me ju për të hartuar një produkt sipas kërkesës tuaj dhe për të ofruar detaje të plota teknike.

Sipas shifrave tuaja të konsumit vjetor dhe llojit të sipërfaqes tuaj dhe pritjeve të cilësisë, ne optimizojmë dhe prodhojmë kallëpin në punishten tonë, në mënyrë që dizajni të mos ndahet me asnjë palë të tretë.

MENAXHIMI I PROJEKTIT

Ne ofrojmë dhe shpërndajmë profile me porosi deri në 6 m gjatësi, në mënyrë që t'ju shpëtojmë nga puna e prerjes dhe kostoja e mbeturinave.

Ne kemi aftësinë për të prodhuar ngjyra të pakufizuara RAL në objektin tonë të integruar të veshjes me pluhur dhe opsione ngjyrash argjendi, të verdhë, bronzi, inox dhe të zeza për sipërfaqet mat dhe të ndritshme në objektin tonë të anodizimit.

Veshja me krom dhe ngjyrat e nikelit në profile deri në 3 metra janë gjithashtu ndër aftësitë tona të prodhimit.

Faqja burimore 5

NDRIÇIMI LED, ORGANIZATORËT KAMBLE, PROFILE SHOK DHE TË PERSONALIZUARA

Dërrasat e skajit Mox mbulojnë defektet në nyjet e dyshemesë dhe murit.

Ato parandalojnë grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Faqja burimore 6

LUCEO

Plintë alumini me LED

Pantallona të gjera LED prej alumini Luceo preferohet kryesisht në projektet ekskluzive përmes veçorisë së saj të ndriçimit dekorativ.

Mund të përdoret gjithashtu si dritë udhëzuese në vende të errëta.

Përveç veçorisë së tij ndriçuese, ai gjithashtu mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Me zonën e zbrazët në dizajnin e saj, mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedisin tuaj.

Luceo ka një pamje të thjeshtë dhe minimale me formën e tij të hollë.

Luceo ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndritshëm, të anodizuar me saten dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

BURIM UDHËZUES TË DRITËS PËR QËLLIMET E SIGURISË, SI DHE PËR TË GËZUAR PRIKIMIN E DRITËS NË DIZAJN

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

LCE250100013MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LCE250100013R9005 100 3-15/16 2500 8 1/5" R9005

LCE250100013R9016 100 3-15/16 2500 8 1/5" R9016

LCE250100013R7016 100 3-15/16 2500 8 1/5" R7016

LCEEXT100013COLOR - Këndi i jashtëm h

LCEINT100013COLOR - Këndi i brendshëm

LCEEND100013COLOR - Kapaku i fundit

OPTION I NDËRTUAR

Me metodat e tij të integruara ose bazë të aplikimit, mund të vendoset 13 mm në mur ose të përdoret si një dërrasë tradicionale e skajit. 1/2"

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Drejtues RGB24R & RGB24P me kasë metalike të qëndrueshme dhe me dizajn të hollë.

LED-STL RGB Dritë Led Strip 5m

RGB24R & RGB24P E përputhshme me telekomandën ose panelin e kontrollit në mur.

ZGJIDHJE KËNDORE

Me metodat e tij të integruara ose bazë të aplikimit, mund të vendoset në mur ose të përdoret si një dërrasë tradicionale e skajit.

Faqja burimore 7

LEUX

Plintë alumini me LED

Pantallonat LED prej alumini Leux preferohen kryesisht në projektet ekskluzive të dizajnit klasik përmes veçorisë së tij të ndriçimit dekorativ dhe dizajnit viktorian.

Mund të përdoret gjithashtu si dritë udhëzuese në vende të errëta.

Përveç veçorisë së tij ndriçuese, ai gjithashtu mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Me zonën e zbrazët në dizajnin e saj, mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedisin tuaj.

Leux bashkon pamjen klasike dhe ndriçimin modern.

Leux është një produkt i serisë së eklipsit.

Produktet e aluminit me shënues eklipsi kanë opsione ngjyrash RAL7016 dhe RAL9016.

SJELL DIZAJNE KLASIKE DHE NDRIÇIM MODERN BASHKË

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

LUX250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

LUX250100020RR9005 100 3-15/16 2500 8 1/5" R9005

LUX250100020R9016 100 3-15/16 2500 8 1/5" R9016

LUX250100020R7016 100 3-15/16 2500 8 1/5" R7016

LUXEXT100020COLOR - Këndi i jashtëm h

LUXINT100020COLOR - Këndi i brendshëm

LUXEND100020COLOR - Kapaku i fundit

OPTION I NDËRTUAR

Me metodat e tij të integruara ose bazë të aplikimit, mund të vendoset 20 mm në mur ose të përdoret si një dërrasë tradicionale e skajit. 13/16"

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Drejtues RGB24R & RGB24P me kasë metalike të qëndrueshme dhe me dizajn të hollë.

LED-STL RGB Dritë Led Strip 5m

RGB24R & RGB24P E përputhshme me telekomandën ose panelin e kontrollit në mur.

ZGJIDHJE KËNDORE

Me metodat e tij të integruara ose bazë të aplikimit, mund të vendoset në mur ose të përdoret si një dërrasë tradicionale e skajit.

Faqja burimore 8

WISHLED

Plintë alumini me LED

Pantallonat LED prej alumini Wishled mund të përputhen me çdo mjedis për shkak të opsioneve të saj të pakufizuara të modeleve.

Preferohet më së shumti si ndriçim nate në dhomat e fëmijëve me kapakun e tij të printuar me dizajn të zëvendësueshëm.

Mund të përdoret gjithashtu për reklamim dhe për të paraqitur identitetin e korporatës në hapësira publike.

Përveç veçorisë së tij ndriçuese, ai gjithashtu mbulon defektet në nyjet e dyshemesë dhe murit.

Aplikimi do të plotësohet duke montuar panelin e difuzorit të printuar të dizajnit të përparmë me sistemin e tij të bllokimit të parakohshëm.

Me kapakët mbulues të brendshëm, të jashtëm dhe fundor, të cilat kanë të njëjtën ngjyrë me profilet, kthesat e lëmuara të qosheve mund të aplikohen lehtësisht pa pasur nevojë për një prerje këndore.

Wishled ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndritshëm, të anodizuar nga sateni dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

Përveç modeleve ekzistuese që ne ofrojmë për panelin e ndriçimit, mund të aplikohen edhe dizajne të personalizuara.

I PERSHTATSHEM PER CDO AMBIENT ME DIZAJN TE PAKUFIZUAR

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

WSL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

WSL250100020R9005 100 3-15/16 2500 8 1/5" R9005

WSL250100020R9016 100 3-15/16 2500 8 1/5" R9016

WSL250100020R7016 100 3-15/16 2500 8 1/5" R7016

WSLEXT100020COLOR - Këndi i jashtëm h

WSLINT100020COLOR - Këndi i brendshëm

WSLEND100020COLOR - Kapaku i fundit

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Drejtues RGB24R & RGB24P me kasë metalike të qëndrueshme dhe me dizajn të hollë.

LED-STL RGB Dritë Led Strip 5m

RGB24R & RGB24P E përputhshme me telekomandën ose panelin e kontrollit në mur.

ZGJIDHJE KËNDORE

Me metodat e tij të integruara ose bazë të aplikimit, mund të vendoset në mur ose të përdoret si një dërrasë tradicionale e skajit.

Faqja burimore 9

LATO

Plintë alumini

Pantallonat prej alumini Lato preferohen kryesisht në të gjitha ambientet e banimit dhe ambientet publike si zyra, hotele, spitale, shkolla, qendra tregtare dhe terminale.

Ka copa qoshe alumini me opsione sipërfaqësore dhe ngjyrash identike me profilet.

Mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Me zonën e zbrazët në dizajnin e saj, mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedisin tuaj.

Lato ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndritshëm, të anodizuar nga sateni dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

IDEAL PËR TË GJITHA HAPËSIRAT E JETËSISË ME DIZAJN MINIMAL, TË HOLLA.

ZGJIDHJE PRAKTIKE KËNDORE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

ZGJIDHJE KËNDORE

Faqja burimore 10

SOLE

Plintë alumini

Pantallona të gjera prej alumini Sole preferohet më së shumti në të gjitha ambientet e banimit dhe ambientet publike me koncepte dizajni klasik.

Mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Me zonën e zbrazët në dizajnin e saj, mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedisin tuaj.

Sole është një produkt i serisë së eklipsit.

Produktet e aluminit me shënues eklipsi kanë opsione ngjyrash RAL7016 dhe RAL9016.

E DIZAJNUAR PER TE GJITHA HAPËSIRAT E JETËSISË KLASIKE, LUKSURORE DHE PRISTIJOZE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

SOL250100020MEGMS 100 3-15/16 2500 8 1/5" MEGMS

SOL250100020R9005 100 3-15/16 2500 8 1/5" R9005

SOL250100020R7016 100 3-15/16 2500 8 1/5" R9016

SOL250100020R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

ZGJIDHJE KËNDORE

Faqja burimore 11

CRISPO

Plintë alumini

Pllaka e skajit prej alumini Crispo preferohet kryesisht në zonat me boshllëqe të mëdha midis murit dhe dyshemesë për shkak të formës së gjerë.

Mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Me zonën e zbrazët në dizajnin e saj, mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedisin tuaj.

Crispo siguron unitet me pamjen e tij të tranzicionit ovale dhe është në përputhje me arkitekturën klasike dhe moderne.

Crispo ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndritshëm, të anodizuar nga sateni dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

PËR ZONAT ME HEQJE TË MËDHA MES MURIT DHE PARTIVE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

CRS250070025MEGMS 70 2-3/4 2500 8 1/5" MEGMS

CRS250070025R9005 70 2-3/4 2500 8 1/5" R9005

CRS250070025R9016 70 2-3/4 2500 8 1/5" R9016

CRS250070025R7016 70 2-3/4 2500 8 1/5" R7016

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 12

SENTIO

Plintë alumini

Pllaka e skajit prej alumini Sentio preferohet kryesisht në zonat me boshllëqe të mëdha midis murit dhe dyshemesë për shkak të formës së gjerë.

Me zonën e zgavër të zgjeruar në dizajnin e saj, ai mbledh kabllot e telefonit, energjisë elektrike dhe internetit për të organizuar mjedise të tilla si vendet e punës dhe zyrat.

Mbulon defektet në nyjet e dyshemesë dhe murit.

Parandalon grumbullimin e papastërtive dhe organizmave të dëmshëm për të siguruar përdorim higjienik dhe të shëndetshëm për shumë vite.

Sentio ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të shndritshëm, të anodizuar me saten dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

Porositni kabllot në zona të tilla si VENDET E PUNËS DHE LËNDONI rrëmujën

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

SNT250080023MEGMS 80 3-1/8 2500 8 1/5" MEGMS

SNT250080023R9005 80 3-1/8 2500 8 1/5" R9005

SNT250080023R9016 80 3-1/8 2500 8 1/5" R9016

SNT250080023R7016 80 3-1/8 2500 8 1/5" R7016

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 13

VELO

Plintë alumini

Pantallona të gjera prej alumini Velo ofron zgjidhje të skajeve veçanërisht për zonat e lagura si banjot dhe kuzhinat.

Ai merr më pak hapësirë dhe ofron lehtësi instalimi.

Siguron mbrojtje kundër rrjedhjeve si dhe estetikë duke mbuluar defektet e fugave mur-dysheme veçanërisht në zonat e lagura.

Velo ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të shndritshëm, të anodizuar me ngjyrë sateni dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

SIGURON MBYLLIM DHE ELEMINON DEFEKTET E NDËRMARRJEVE NË LIDHJET KATI-MURI NË ZONAT E LAGËGUARA

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

VLO250060012MEGMS 60 2-3/8 2500 8 1/5" MEGMS

VLO250060012R9005 60 2-3/8 2500 8 1/5" R9005

VLO250060012R9016 60 2-3/8 2500 8 1/5" R9016

VLO250060012R7016 60 2-3/8 2500 8 1/5" R7016

VLO250100012MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

VLO250100012R9005 100 3-15/16 2500 8 1/5" R9005

VLO250100012R9016 100 3-15/16 2500 8 1/5" R9016

VLO250100012R7016 100 3-15/16 2500 8 1/5" R7016

MEGMS R9005 argjendi mat, e zezë e anodizuar, gjysmë shkëlqim, i veshur me pluhur

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 14

GRAVITET MOX

Plintë alumini

Pantallona e skajit prej alumini Gravity është një profil i projektuar posaçërisht që ngjitet në skajet e poshtme të murit dhe siguron një pamje të pastër dhe të pastër në zonat e shtruara me tapet.

Pllaka e skajit prej alumini Gravity jo vetëm që siguron një kalim të qetë midis dyshemesë dhe murit, por gjithashtu siguron mbrojtje për skajet e tapetit.

Pantallona të gjera prej alumini Gravity ka një opsion veshjeje të anodizuar mat në ngjyrë argjendi.

ELEMENTI PLOTËSUES I DIZAJNVE TUAJ TË BRENDSHËM

Lartësia Gjatësia 10mm Produkti Nr Sipërfaqja 3/8" mm in mm ft

GRV250100010MEGMS 100 3-15/16 2500 8 1/5" MEGMS

MEGMS argjendi mat, anodized

Faqja burimore 15

MPS-F

Plintë prej çeliku inox

Profili i dërrasës së skajit prej çeliku inox Mps-F është projektuar për të siguruar skaj në aplikime qeramike.

Parandalon lagështinë në zonat e aplikimit dhe redukton transmetimin e zërit të goditjes.

Jep një pamje estetike duke fshehur defektet e aplikimit në tranzicionet e dyshemesë dhe mureve.

Është jashtëzakonisht i qëndrueshëm, jetëgjatë dhe rezistent ndaj korrozionit pasi është prodhuar nga çelik inox me cilësi 304L. Në dispozicion gjithashtu alternativë prej çeliku inox cilësor 201.

Mps-F siguron një pamje të sheshtë me zgjatimin e saj të përbashkët.

Mps-F ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-F mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

PARANDALON DEPERTIMIN E LAGËSHTURISË NË NGJYJET DHE ul TRANSMETIMIN E TINGURIVE NË ZONËN E NDIKIMIT

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPF2430400XXSTANT 40 1-9/16 2438 8 STANT

MPF2430400XXMRANT 40 1-9/16 2438 8 MRANT

MPF2430400XXSTBRO 40 1-9/16 2438 8 STBRO

MPF2430400XXMRBRO 40 1-9/16 2438 8 MRBRO

MPF2430400XXSTCOP 40 1-9/16 2438 8 STCOP

MPF2430400XXMRCOP 40 1-9/16 2438 8 MRCOP

MPF2430400XXSTGLD 40 1-9/16 2438 8 STGLD

MPF2430400XXMRGLD 40 1-9/16 2438 8 MRGLD h

MPF2500400XXSTINX 40 1-9/16 2500 8 1/5" STINX

MPF2500400XXMRINX 40 1-9/16 2500 8 1/5" MRINX

MPF2430400XXSMINX 40 1-9/16 2438

8 SMINX 8-10-12-14mm

MPF2430600XXSTANT 70 2-3/4 2438 8 STANT 5/16"-3/8"-1/2"-9/16"

MPF2430600XXMRANT 70 2-3/4 2438 8 MRANT

MPF2430600XXSTBRO 70 2-3/4 2438 8 STBRO

MPF2430600XXMRBRO 70 2-3/4 2438 8 MRBRO

MPF2430600XXSTCOP 70 2-3/4 2438 8 STCOP

MPF2430600XXMRCOP 70 2-3/4 2438 8 MRCOP MRANT STANT

MPF2430600XXSTGLD 70 2-3/4 2438 8 STGLD pasqyrë antracit saten antracit

MPF2430600XXMRGLD 70 2-3/4 2438 8 MRGLD

MPF2500600XXSTINX 70 2-3/4 2500 8 1/5" STINX

MPF2500600XXMRINX 70 2-3/4 2500 8 1/5" MRINX

MPF2430600XXSMINX 70 2-3/4 2438 8 SMINX MRBRO STBRO pasqyrë bronzi saten bronzi

MRCOP STCOP pasqyrë bakri saten bakri

MRGLD STGLD pasqyrë ari saten ari

MRINX STINX pasqyrë inox saten inox

Super pasqyrë SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 16

KUFITA QERAMIKE, PROFILE KONTROLLET E Pllakave PROFILE MBROJTJESE QERAMIKE

Profilet e zbukurimit të pllakave Mox do të eliminojnë të metat e fugave dhe të aplikimit dhe do të parandalojnë dëmtimin e qeramikës duke ofruar estetikë në hapësirat tuaja të banimit.

Ato parandalojnë deformimet në zonat e aplikuara duke parandaluar çdo rrjedhje.

Faqja burimore 17

MOX MONO-FIKS

Shtresa e pllakave prej alumini

Buza e zbukurimit të pllakave prej alumini Mono Fix shton estetikën në aplikacionet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqeve të pajtueshme me ngjyrat dhe teksturat e qeramikës në trend.

Përdoret si kornizë që fsheh seksionin qeramik në skajet e aplikimeve të mureve qeramike ose si fuga parketi.

Ndërsa siguron estetikë që do të eliminojë të metat e nyjeve dhe të aplikimit, ai gjithashtu parandalon dëmtimin e qeramikës.

Mono Fix ka opsione të anodizuara mat, të anodizuara të ndritshme dhe lyerje elektrostatike me pluhur.

Ndërsa janë të disponueshme veshje me ngjyra argjendi, të verdhë, inoks dhe të zi të anodizuar, ato gjithashtu mund të lyhen në kodin e dëshiruar RAL me lyerje elektrostatike pluhur.

MBROJTJE QERAMIKE ME PARAQITJE ELEGANTE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MNF250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS 2.5mm

MNF250010003MESAR 10 3/8 2500 8 1/5" MESAR 1/8"

MNF250010003MEINX 10 3/8 2500 8 1/5" MEINX

MNF250010003MESYH 10 3/8 2500 8 1/5" MESYH

MNF250010003PEGMS 10 3/8 2500 8 1/5" PEGMS h

MNF250010003PESAR 10 3/8 2500 8 1/5" PESAR

MNF250010003PEINX 10 3/8 2500 8 1/5" PEINX

MNF250010003PESYH 10 3/8 2500 8 1/5" PESYH

MNF250010003R9016 10 3/8 2500 8 1/5" R9016

MNF250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX MESYH mat inox, i zi mat i anodizuar, i anodizuar

PEGMS PESAR argjend i ndritshëm, i verdhë i ndezur i anodizuar, i anodizuar

PEINX PESYH inox i ndritshëm, i zi i ndezur i anodizuar, i anodizuar

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 18

MOX RRUGULL-FIKS

Shtresa e pllakave prej alumini

Prerja e pllakës së aluminit Round Fix me kënd të jashtëm të rrumbullakët shton estetikën në aplikacionet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqeve të përputhshme me ngjyrat dhe teksturat e qeramikës në trend.

Përdoret në fuga të këndit të jashtëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Round Fix ka opsione të lyerjes me pluhur elektrostatik të anodizuar mat dhe të ndezur.

Ndërsa janë të disponueshme veshje me ngjyra argjendi, të verdhë, inoks dhe të zi të anodizuar, ato gjithashtu mund të lyhen në kodin e dëshiruar RAL me lyerje elektrostatike pluhur.

NGRITJENI APLIKACIONET TUAJ QERAMIKE: STILI PA SHKALLA, MBROJTJE E PAKRAHASUESHME

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

RNF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

RNF250010009MESAR 10 3/8 2500 8 1/5" MESAR

RNF250010009MEINX 10 3/8 2500 8 1/5" MEINX

RNF250010009MESYH 10 3/8 2500 8 1/5" MESYH

RNF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

RNF250010009PESAR 10 3/8 2500 8 1/5" PESAR

RNF250010009PEINX 10 3/8 2500 8 1/5" PEINX

RNF250010009PESYH 10 3/8 2500 8 1/5" PESYH

RNF250010009R9016 10 3/8 2500 8 1/5" R9016

RNF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX MESYH mat inox, i zi mat i anodizuar, i anodizuar

PEGMS PESAR argjend i ndritshëm, i verdhë i ndezur i anodizuar, i anodizuar

PEINX PESYH inox i ndritshëm, i zi i ndezur i anodizuar, i anodizuar

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 19

Square-Fix

Shtresa e pllakave prej alumini

Prerja e pllakave prej alumini Square Fix këndi i jashtëm katror shton estetikën në aplikacionet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqeve të përputhshme me ngjyrat dhe teksturat e qeramikës në trend.

Përdoret në fuga të këndit të jashtëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Square Fix ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndezur dhe elektrostatike.

Ndërsa janë të disponueshme veshje me ngjyra argjendi, të verdhë, inoks dhe të zi të anodizuar, ato gjithashtu mund të lyhen në kodin e dëshiruar RAL me lyerje elektrostatike pluhur.

PARAQITJE E PAQETË NË SIPËRFAQET QERAMIKE, GAME E GJERË NGJYRAVE DHE OPCIONEVE TË EFEKTEVE PËR TË PËRSHTATUR NGJYRAT DHE TEKSTURA NË TENDERIMIN E QERAMIKËS

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

SQF250010009MEGMS 10 3/8 2500 8 1/5’’ MEGMS

SQF250010009MESAR 10 3/8 2500 8 1/5" MESAR

SQF250010009MEINX 10 3/8 2500 8 1/5" MEINX

SQF250010009MESYH 10 3/8 2500 8 1/5" MESYH

SQF250010009PEGMS 10 3/8 2500 8 1/5" PEGMS h

SQF250010009PESAR 10 3/8 2500 8 1/5" PESAR

SQF250010009PEINX 10 3/8 2500 8 1/5" PEINX

SQF250010009PESYH 10 3/8 2500 8 1/5" PESYH

SQF250010009R9016 10 3/8 2500 8 1/5" R9016

SQF250010009R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX MESYH mat inox, i zi mat i anodizuar, i anodizuar

PEGMS PESAR argjend i ndritshëm, i verdhë i ndezur i anodizuar, i anodizuar

PEINX PESYH inox i ndritshëm, i zi i ndezur i anodizuar, i anodizuar

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 20

MPS-AG

Prerje pllakash prej çeliku inox

Mbështetja e pllakave inox Mps-Ag, profili i rrumbullakët i këndit të jashtëm, dallohet me veçorinë e tij mbrojtëse qeramike dhe pamjen elegante, veçanërisht në banjat dhe kuzhinat me sipërfaqe qeramike.

Përdoret në fuga të këndit të jashtëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Mps-Ag ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-Ag mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

NJË PARAQITJE ELEGANTE QË ZBUTON KALIMIN E KËNDVE TË JASHTËM

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MAG243010008STANT 8 5/16 2438 8 STANT 8mm

MAG243010008MRANT 8 5/16 2438 8 MRANT 5/16"

MAG243010008STBRO 8 5/16 2438 8 STBRO

MAG243010008MRBRO 8 5/16 2438 8 MRBRO

MAG243010008STCOP 8 5/16 2438 8 STCOP h

MAG243010008MRCOP 8 5/16 2438 8 MRCOP

MAG243010008STGLD 8 5/16 2438 8 STGLD

MAG243010008MRGLD 8 5/16 2438 8 MRGLD

MAG250010008STINX 8 5/16 2500 8 1/5" STINX

MAG250010008MRINX 8 5/16 2500 8 1/5" MRINX

MAG243010008SMINX 8 5/16 2438 8 SMINX

MAG243012008STANT 10 3/8 2438 8 STANT

MAG243012008MRANT 10 3/8 2438 8 MRANT

MAG243012008STBRO 10 3/8 2438 8 STBRO

MAG243012008MRBRO 10 3/8 2438 8 MRBRO

MAG243012008STCOP 10 3/8 2438 8 STCOP

MAG243012008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MAG243012008STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MAG243012008MRGLD 10 3/8 2438 8 MRGLD

MAG250012008STINX 10 3/8 2500 8 1/5" STINX

MAG250012008MRINX 10 3/8 2500 8 1/5" MRINX

MAG243012008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MAG243014008STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MAG243014008MRANT 12 1/2 2438 8 MRANT

MAG243014008STBRO 12 1/2 2438 8 STBRO

MAG243014008MRBRO 12 1/2 2438 8 MRBRO

MAG243014008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MAG243014008MRCOP 12 1/2 2438 8 MRCOP

MAG243014008STGLD 12 1/2 2438 8 STGLD

MAG243014008MRGLD 12 1/2 2438 8 MRGLD

MAG250014008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MAG250014008MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MAG243014008SMINX 12 1/2 2438 8 SMINX

MAG243010008STANT 14 9/16 2438 8

STANT

MAG243010008MRANT 14 9/16 2438 8 MRANT

MAG243010008STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MAG243010008MRBRO 14 9/16 2438 8 MRBRO

MAG243010008STCOP 14 9/16 2438 8 STCOP

MAG243010008MRCOP 14 9/16 2438 8 MRCOP

MAG243010008STGLD 14 9/16 2438 8 STGLD

MAG243010008MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MAG250010008STINX 14 9/16 2500 8 1/5" STINX

MAG250010008MRINX 14 9/16 2500 8 1/5" MRINX

MAG243010008SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 21

MPS-BRD

Kufiri prej çeliku inox

Korniza e pllakave prej çeliku inox Mps-Brd përdoret kryesisht si ndarës dekorativ për qeramikë.

Përputhshmëria me profilet e tjera të zbukurimit të pllakave është një nga avantazhet e saj.

Mps-Brd ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronz, bakër, ar, inox.

Mps-Brd mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

PROFILI KUFIRI DEKORATIVE PËR SIPËRFAQET QERAMIKE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MBD2430XX023STANT 8 5/16 2438 8 STANT

MBD2430XX023MRANT 8 5/16 2438 8 MRANT

MBD2430XX023STBRO 8 5/16 2438 8 STBRO

MBD2430XX023MRBRO 8 5/16 2438 8 MRBRO

MBD2430XX023STCOP 8 5/16 2438 8 STCOP

MBD2430XX023MRCOP 8 5/16 2438 8 MRCOP

MBD2430XX023STGLD 8 5/16 2438 8 STGLD 10-15-20-23mm

MBD2430XX023MRGLD 8 5/16 2438 8 MRGLD 3/8"-9/16"-13/16"-7/8"

MBD2500XX023STINX 8 5/16 2500 8 1/5" STINX

MBD2500XX023MRINX 8 5/16 2500 8 1/5" MRINX h

MBD2430XX023SMINX 8 5/16

2438 8 SMINX

MBD2430XX010STANT 10 3/8 2438 8 STANT

MBD2430XX010MRANT 10 3/8 2438 8 MRANT

MBD2430XX010STBRO 10 3/8 2438 8 STBRO

MBD2430XX010MRBRO 10 3/8 2438 8 MRBRO

MBD2430XX010STCOP 10 3/8 2438 8 STCOP

MBD2430XX010MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MBD2430XX010STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MBD2430XX010MRGLD 10 3/8 2438 8 MRGLD

MBD2500XX010STINX 10 3/8 2500 8 1/5" STINX

MBD2500XX010MRINX 10 3/8 2500 8 1/5" MRINX

MBD2430XX010SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MBD2430XX015STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MBD2430XX015MRANT 12 1/2 2438 8 MRANT

MBD2430XX015STBRO 12 1/2 2438 8 STBRO

MBD2430XX015MRBRO 12 1/2 2438 8 MRBRO

MBD2430XX015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MBD2430XX015MRCOP 12 1/2 2438 8 MRCOP

MBD2430XX015STGLD 12 1/2 2438 8 STGLD

MBD2430XX015MRGLD 12 1/2 2438 8 MRGLD

MBD2500XX015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MBD2500XX015MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MBD2430XX015SMINX 12 1/2 2438 8 SMINX

MBD2430XX020STANT 14 9/16 2438 8

STANT

MBD2430XX020MRANT 14 9/16 2438 8 MRANT

MBD2430XX020STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MBD2430XX020MRBRO 14 9/16 2438 8 MRBRO

MBD2430XX020STCOP 14 9/16 2438 8 STCOP

MBD2430XX020MRCOP 14 9/16 2438 8 MRCOP

MBD2430XX020STGLD 14 9/16 2438 8 STGLD

MBD2430XX020MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MBD2500XX020STINX 14 9/16 2500 8 1/5" STINX

MBD2500XX020MRINX 14 9/16 2500 8 1/5" MRINX

MBD2430XX020SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 22

MPS-C

Prerje pllakash prej çeliku inox

Mps-C profili i brendshëm i këndit të prerjes së pllakave prej çeliku të pandryshkshëm përshtatet me ngjyrat dhe teksturat e qeramikës në trend, ndërsa shton estetikën në aplikimet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqes.

Përdoret në fuga të këndit të brendshëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Mps-C ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-C mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

CILËSIA E ÇELIKUT PER KËNDET E BRENDSHME TË APLIKAKIMEVE QERAMIKE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPC243010009STANT 8 5/16 2438 8 STANT

MPC243010009MRANT 8 5/16 2438 8 MRANT

MPC243010009STBRO 8 5/16 2438 8 STBRO

MPC243010009MRBRO 8 5/16 2438 8 MRBRO 9mm

MPC243010009STCOP 8 5/16 2438 8 STCOP 3/8"

MPC243010009MRCOP 8 5/16 2438 8 MRCOP

MPC243010009STGLD 8 5/16 2438 8 STGLD

MPC243010009MRGLD 8 5/16 2438 8 MRGLD

MPC250010009STINX 8 5/16 2500 8 1/5" STINX h

MPC250010009MRINX 8 5/16 2500 8 1/5" MRINX

MPC243010009SMINX 8 5/16 2438 8 SMINX

MPC243012009STANT 10 3/8 2438 8 STANT

MPC243012009MRANT 10 3/8 2438 8 MRANT

MPC243012009STBRO 10 3/8 2438 8 STBRO

MPC243012009MRBRO 10 3/8 2438 8 MRBRO

MPC243012009STCOP 10 3/8 2438 8 STCOP

MPC243012009MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPC243012009STGLD 10

3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPC243012009MRGLD 10 3/8 2438 8 MRGLD

MPC250012009STINX 10 3/8 2500 8 1/5" STINX

MPC250012009MRINX 10 3/8 2500 8 1/5" MRINX

MPC243012009SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPC243014009STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MPC243014009MRANT 12 1/2 2438 8 MRANT

MPC243014009STBRO 12 1/2 2438 8 STBRO

MPC243014009MRBRO 12 1/2 2438 8 MRBRO

MPC243014009STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPC243014009MRCOP 12 1/2 2438 8 MRCOP

MPC243014009STGLD 12 1/2 2438 8 STGLD

MPC243014009MRGLD 12 1/2 2438 8 MRGLD

MPC250014009STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPC250014009MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPC243014009SMINX 12 1/2 2438 8 SMINX

MPC243008009STANT 14 9/16 2438 8

STANT

MPC243008009MRANT 14 9/16 2438 8 MRANT

MPC243008009STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPC243008009MRBRO 14 9/16 2438 8 MRBRO

MPC243008009STCOP 14 9/16 2438 8 STCOP

MPC243008009MRCOP 14 9/16 2438 8 MRCOP

MPC243008009STGLD 14 9/16 2438 8 STGLD

MPC243008009MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPC250008009STINX 14 9/16 2500 8 1/5" STINX

MPC250008009MRINX 14 9/16 2500 8 1/5" MRINX

MPC243008009SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 23

MPS-D

Prerje pllakash prej çeliku inox

Profili i këndit të jashtëm katror të prerjes së pllakave prej çeliku inox Mps-D përshtatet me ngjyrat dhe teksturat e qeramikës në trend, ndërsa shton estetikën në aplikimet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqes.

Përdoret në fuga të këndit të jashtëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Mps-D ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-D mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

SIGURON PARAQITJE PERFEKTE SIPËRFAQEVE QERAMIKE DHE PARANDALON DËMTIMET E QERAMIKËS ME CILËSINË E ÇELIKUT

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPD243014008STANT 8 5/16 2438 8 STANT 8mm

MPD243014008MRANT 8 5/16 2438 8 MRANT 5/16"

MPD243014008STBRO 8 5/16 2438 8 STBRO

MPD243014008MRBRO 8 5/16 2438 8 MRBRO

MPD243014008STCOP 8 5/16 2438 8 STCOP h

MPD243014008MRCOP 8 5/16 2438 8 MRCOP

MPD243014008STGLD 8 5/16 2438 8 STGLD

MPD243014008MRGLD 8 5/16 2438 8 MRGLD

MPD250014008STINX 8 5/16 2500 8 1/5" STINX

MPD250014008MRINX 8 5/16 2500 8 1/5" MRINX

MPD243014008SMINX 8 5/16 2438 8 SMINX

MPD243008008STANT 10 3/8 2438 8 STANT

MPD243008008MRANT 10 3/8 2438 8 MRANT

MPD243008008STBRO 10 3/8 2438 8 STBRO

MPD243008008MRBRO 10 3/8 2438 8 MRBRO

MPD243008008STCOP 10 3/8 2438 8 STCOP

MPD243008008MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPD243008008STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPD243008008MRGLD 10 3/8 2438 8 MRGLD

MPD250008008STINX 10 3/8 2500 8 1/5" STINX

MPD250008008MRINX 10 3/8 2500 8 1/5" MRINX

MPD243008008SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPD243010008STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MPD243010008MRANT 12 1/2 2438 8 MRANT

MPD243010008STBRO 12 1/2 2438 8 STBRO

MPD243010008MRBRO 12 1/2 2438 8 MRBRO

MPD243010008STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPD243010008MRCOP 12 1/2 2438 8 MRCOP

MPD243010008STGLD 12 1/2 2438 8 STGLD

MPD243010008MRGLD 12 1/2 2438 8 MRGLD

MPD250010008STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPD250010008MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPD243010008SMINX 12 1/2 2438 8 SMINX

MPD243012008STANT 14 9/16 2438 8

STANT

MPD243012008MRANT 14 9/16 2438 8 MRANT

MPD243012008STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPD243012008MRBRO 14 9/16 2438 8 MRBRO

MPD243012008STCOP 14 9/16 2438 8 STCOP

MPD243012008MRCOP 14 9/16 2438 8 MRCOP

MPD243012008STGLD 14 9/16 2438 8 STGLD

MPD243012008MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPD250012008STINX 14 9/16 2500 8 1/5" STINX

MPD250012008MRINX 14 9/16 2500 8 1/5" MRINX

MPD243012008SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 24

MPS-L

Prerje pllakash prej çeliku inox

Mps-L Profili i skajit të skajit të pllakave prej çeliku të pandryshkshëm përshtatet me ngjyrat dhe teksturat e qeramikës në trend, ndërsa shton estetikën në aplikimet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqes.

Përdoret si kornizë që fsheh seksionin qeramik në skajet e aplikimeve të mureve qeramike ose si fuga parketi.

Ndërsa siguron estetikë që do të eliminojë të metat e nyjeve dhe të aplikimit, ai gjithashtu parandalon dëmtimin e qeramikës.

Mps-L ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-L mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

PARAQITJE E PASTER DHE MINIMAL TE KOMBINIMET QERAMIKE ME DIZAJNIN E SAJ TE THJESHTE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPL243010003STANT 8 5/16 2438 8 STANT 3mm

MPL243010003MRANT 8 5/16 2438 8 MRANT 1/8"

MPL243010003STBRO 8 5/16 2438 8 STBRO

MPL243010003MRBRO 8 5/16 2438 8 MRBRO

MPL243010003STCOP 8 5/16 2438 8 STCOP h

MPL243010003MRCOP 8 5/16 2438 8 MRCOP

MPL243010003STGLD 8 5/16 2438 8 STGLD

MPL243010003MRGLD 8 5/16 2438 8 MRGLD

MPL250010003STINX 8 5/16 2500 8 1/5" STINX

MPL250010003MRINX 8 5/16 2500 8 1/5" MRINX

MPL243010003SMINX 8 5/16 2438 8 SMINX

MPL243012003STANT 10 3/8 2438 8 STANT

MPL243012003MRANT 10 3/8 2438 8 MRANT

MPL243012003STBRO 10 3/8 2438 8 STBRO

MPL243012003MRBRO 10 3/8 2438 8 MRBRO

MPL243012003STCOP 10 3/8 2438 8 STCOP

MPL243012003MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPL243012003STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPL243012003MRGLD 10 3/8 2438 8 MRGLD

MPL250012003STINX 10 3/8 2500 8 1/5" STINX

MPL250012003MRINX 10 3/8 2500 8 1/5" MRINX

MPL243012003SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPL243014003STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MPL243014003MRANT 12 1/2 2438 8 MRANT

MPL243014003STBRO 12 1/2 2438 8 STBRO

MPL243014003MRBRO 12 1/2 2438 8 MRBRO

MPL243014003STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPL243014003MRCOP 12 1/2 2438 8 MRCOP

MPL243014003STGLD 12 1/2 2438 8 STGLD

MPL243014003MRGLD 12 1/2 2438 8 MRGLD

MPL250014003STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPL250014003MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPL243014003SMINX 12 1/2 2438 8 SMINX

MPL243008003STANT 14 9/16 2438 8

STANT

MPL243008003MRANT 14 9/16 2438 8 MRANT

MPL243008003STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPL243008003MRBRO 14 9/16 2438 8 MRBRO

MPL243008003STCOP 14 9/16 2438 8 STCOP

MPL243008003MRCOP 14 9/16 2438 8 MRCOP

MPL243008003STGLD 14 9/16 2438 8 STGLD

MPL243008003MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPL250008003STINX 14 9/16 2500 8 1/5" STINX

MPL250008003MRINX 14 9/16 2500 8 1/5" MRINX

MPL243008003SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 25

MPS-S

Prerje pllakash prej çeliku inox

Mps-S Profili i brendshëm i këndit të prerjes së pllakave prej çeliku të pandryshkshëm përshtatet me ngjyrat dhe teksturat e qeramikës në trend, ndërsa shton estetikën në aplikimet tuaja qeramike me gamën e gjerë të opsioneve të sipërfaqes.

Përdoret në fuga të këndit të brendshëm 90 gradë të aplikimeve qeramike.

Përveç sigurimit të estetikës që do të eliminojë të metat e nyjeve dhe të aplikimit, gjithashtu parandalon dëmtimin e qeramikës.

Mps-S ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-S mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

ZBUTON TRANSIONIN NË KËNDET E BRENDSHME DHE SIGURON NJË PARAQITJE ELEGANTE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPS243014020STANT 8 5/16 2438 8 STANT

MPS243014020MRANT 8 5/16 2438 8 MRANT

MPS243014020STBRO 8 5/16 2438 8 STBRO

MPS243014020MRBRO 8 5/16 2438 8 MRBRO

MPS243014020STCOP 8 5/16 2438 8 STCOP m M M P P S S 2 2 4 4 3 3 0 0 1 1 4 4 0 0 2 2 0 0 M ST R G C L O D P 8 8 5 5 / / 1 1 6 6 2 2 4 4 3 3 8 8 8 8 M ST R G C L O D P 2 0 1 m 3/1 6"

MPS243014020MRGLD 8 5/16 2438 8 MRGLD

MPS250014020STINX 8 5/16 2500 8 1/5" STINX h

MPS250014020MRINX 8 5/16 2500 8 1/5" MRINX

MPS243014020SMINX 8 5/16 2438 8 SMINX

MPS243008020STANT 10 3/8 2438 8 STANT

MPS243008020MRANT 10 3/8 2438 8 MRANT

MPS243008020STBRO 10 3/8 2438 8 STBRO

MPS243008020MRBRO 10 3/8 2438 8 MRBRO

MPS243008020STCOP 10 3/8 2438 8 STCOP

MPS243008020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPS243008020STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPS243008020MRGLD 10

3/8 2438 8 MRGLD

MPS250008020STINX 10 3/8 2500 8 1/5" STINX

MPS250008020MRINX 10 3/8 2500 8 1/5" MRINX

MPS243008020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPS243010020STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MPS243010020MRANT 12 1/2 2438 8 MRANT

MPS243010020STBRO 12 1/2 2438 8 STBRO

MPS243010020MRBRO 12 1/2 2438 8 MRBRO

MPS243010020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPS243010020MRCOP 12 1/2 2438 8 MRCOP

MPS243010020STGLD 12 1/2 2438 8 STGLD

MPS243010020MRGLD 12 1/2 2438 8 MRGLD

MPS250010020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPS250010020MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPS243010020SMINX 12 1/2 2438 8 SMINX

MPS243012020STANT 14 9/16 2438 8

STANT

MPS243012020MRANT 14 9/16 2438 8 MRANT

MPS243012020STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPS243012020MRBRO 14 9/16 2438 8 MRBRO

MPS243012020STCOP 14 9/16 2438 8 STCOP

MPS243012020MRCOP 14 9/16 2438 8 MRCOP

MPS243012020STGLD 14 9/16 2438 8 STGLD

MPS243012020MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPS250012020STINX 14 9/16 2500 8 1/5" STINX

MPS250012020MRINX 14 9/16 2500 8 1/5" MRINX

MPS243012020SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 26

KALIMET E RAMPIT, MBROJTJA E BUZËVE TË TAPETIVE, PARETIMI DHE RINOVIMI, MBROJTJA E HENDËS SË HAPI

Profilet e dyshemesë Mox mbulojnë boshllëqet midis kalimeve të dyshemesë ose pragut të derës, duke fshehur çdo defekt në aplikim.

Përveç profileve standarde të pragut, ato përfshijnë gjithashtu profile rampash që eliminojnë dallimet e nivelit midis kateve.

Faqja burimore 27

TË GJITHA NË NJË

Tranzicioni i rampës së aluminit

Profili i tranzicionit të platformës së aluminit All in One ofron kalim duke eliminuar çdo ndryshim niveli midis dy materialeve të ndryshme të dyshemesë në aplikimet e dyshemesë.

Me veçorinë e tij të rregullueshme, ai përshtatet me çdo ndryshim niveli midis dyshemeve.

Ndryshe nga konkurrentët e tij, ai mund të instalohet nga shtrirja e tij nën dysheme dhe nuk kërkon ngjitës, gjë që e bën atë më jetëgjatë.

All in One ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të shndritshëm, të anodizuar me saten dhe të lyerjes me pluhur elektrostatik.

Ndërsa disponohen veshje me ngjyra argjendi, të verdhë, inoks, bronzi dhe të zeza të anodizuara, ato gjithashtu mund të lyhen sipas kodit të dëshiruar RAL me lyerje elektrostatike pluhur.

ME RREGULLSHMËRIMIN E TIJ, SIGURON NJË PARAQITJE TË PAQETË NË KALIMET E KATEVE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

AIO25004024MEGMS hmax 24 15/16 2500 8 1/5’’ MEGMS hmin 1.5 1/16

AIO25004024MESAR hmax 24 15/16 2500 8 1/5" MESAR hmin 1.5 1/16

AIO25004024MEINX hmax 24 15/16 2500 8 1/5" MEINX hmin 1.5 1/16

AIO25004024MESYH hmax 24 15/16 2500 8 1/5" MESYH hmin 1.5 1/16

hmax hmin

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX MESYH mat inox, i zi mat i anodizuar, i anodizuar

Faqja burimore 28

REVIO

Dysheme Alumini

Profili i buzës së tapetit prej alumini Revio është projektuar posaçërisht për të rritur estetikën dhe funksionalitetin e dyshemesë tuaj.

Profili i skajit të tapetit prej alumini Revio jo vetëm që siguron një kalim të qetë midis sipërfaqeve të ndryshme të dyshemesë, por gjithashtu mbron skajet e tapetit tuaj, duke parandaluar konsumimin dhe deformimin që mund të ndodhë me kalimin e kohës.

Këto profile ju ndihmojnë të zvogëloni kostot e riparimit dhe zëvendësimit duke zgjatur jetën e tapetit tuaj.

Revio ka një opsion veshjeje të anodizuar mat në ngjyra argjendi, të verdhë dhe inox.

E DIZAJNUAR PËR TË RRITUR ESTETIKEN DHE FUNKSIONALITETIN E PARETIT TUAJ

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

RVO25001215MEGMS 12 1/2 2500 8 1/5’’ MEGMS

RVO25001215MESAR 12 1/2 2500 8 1/5" MESAR

RVO25001215MEINX 12 1/2 2500 8 1/5" MEINX

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX mat inoks, i anodizuar

Faqja burimore 29

VISIO

Dysheme Alumini

Profili i pragut të tapetit prej alumini Visio siguron kalime të brendshme të sigurta, estetike dhe afatgjatë midis materialeve të ndryshme të dyshemesë.

Krijon një mjedis të sigurt, veçanërisht për fëmijët dhe të moshuarit, duke siguruar një kalim të qetë midis lartësive të ndryshme të dyshemesë.

Profili i pragut të tapetit prej alumini Visio është projektuar për të mbyllur boshllëqet midis tapetit dhe mbulesave të tjera të dyshemesë.

Ai siguron një tranzicion të qetë midis qilimit dhe llojeve të tjera të mbulesës së dyshemesë, duke eliminuar çdo parregullsi ose rrezik fikjeje që mund të ndodhë.

Gjithashtu zgjat jetën e qilimave duke i mbrojtur nga konsumimi.

Visio, i cili ka një pamje estetike si dhe avantazhe funksionale, përmirëson pamjen e përgjithshme të dizajnit tuaj të brendshëm.

Profili i pragut të tapetit prej alumini Visio ka një opsion veshjeje të anodizuar mat në ngjyrat argjendi, të verdhë dhe inox.

PËRMIRËSINI TRANSIONIN TUAJ TË DREJTIMIT ME NJË PROFILI SILAK TË PARGUT TË qilimit

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

VSO25000927MEGMS h1 9 3/8 2500 8 1/5’’ MEGMS h2 6.3 1/4

VSO25000927MESAR h1 9 3/8 2500 8 1/5" MESAR h2 6.3 1/4

VSO25000927MEINX h1 9 3/8 2500 8 1/5" MEINX h2 6.3 1/4

VSO09000927MEGMS h1 9 3/8 900 2 31/32" MEGMS h2 6.3 1/4

VSO09000927MESAR h1 9 3/8 900 2 31/32" MESAR h2 6.3 1/4

VSO09000927MEINX h1 9 3/8 900 2 31/32" MEINX h2 6.3 1/4

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX mat inoks, i anodizuar

Faqja burimore 30

LINJA MOX

Dysheme Alumini

Profili i skajit të dyshemesë prej alumini Line është një zgjedhje e shkëlqyer për projekte të ndryshme me strukturën e tij të gjithanshme, të qëndrueshme dhe të lehtë që mbyll hendekun midis dyshemeve.

Profili i skajit të dyshemesë prej alumini Line është projektuar për të mbyllur boshllëqet midis pllakave të dyshemesë me të njëjtën lartësi.

Profili i skajit të dyshemesë prej alumini Line ka një opsion veshjeje të ndritshme të anodizuar me ngjyra argjendi dhe të verdhë.

ZGJEDHJE PERFEKTE PER PARETIN TUAJ ME FORMEN MINIMALISTE

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

LIN25001004PEGMS 10 3/8 2500 8 1/5’’ PEGMS

LIN25001004PESAR 10 3/8 2500 8 1/5" PESAR

PEGMS PESAR argjend i ndritshëm, i verdhë i ndezur i anodizuar, i anodizuar

Faqja burimore 31

FLEX

Dysheme Alumini

Profili i skajit të dyshemesë së formueshme prej alumini Flex përdoret në aplikime parketi ose qeramike si një kornizë që fsheh pjesën e dyshemesë, duke zëvendësuar fugat.

Përveç korrigjimit të gabimeve të nyjeve dhe instalimeve dhe përmirësimit të estetikës, ai gjithashtu parandalon dëmtimin e mbulesave të dyshemesë.

Profili i skajit të dyshemesë së formueshme prej alumini Flex është projektuar për të lehtësuar kalimin e materialeve të dyshemesë.

Dizajni i tij fleksibël e lejon atë të përkulet në formën e dëshiruar.

Përveç avantazheve të tij funksionale, pamja e tij minimale rrit pamjen e përgjithshme të modeleve tuaja.

Flex ka opsione të lyerjes me pluhur të anodizuar mat, të anodizuar të ndezur dhe elektrostatike.

Ndërsa janë të disponueshme veshje me ngjyra argjendi, të verdhë, inoks dhe të zi të anodizuar, ato gjithashtu mund të lyhen në kodin e dëshiruar RAL me lyerje elektrostatike pluhur.

KRIJONI DIZAJNA IMAGJINATIVE PËR PARETIN TUAJ ME FORMËN TË FORMUESHME

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

FLX250010003MEGMS 10 3/8 2500 8 1/5’’ MEGMS

FLX250010003MESAR 10 3/8 2500 8 1/5" MESAR

FLX250010003MEINX 10 3/8 2500 8 1/5" MEINX

FLX250010003MESYH 10 3/8 2500 8 1/5" MESYH

FLX250010003PEGMS 10 3/8 2500 8 1/5" PEGMS

FLX250010003PESAR 10 3/8 2500 8 1/5" PESAR 2.5mm

FLX250010003PEINX 10 3/8 2500 8 1/5" PEINX 1/8"

FLX250010003PESYH 10 3/8 2500 8 1/5" PESYH

FLX250010003R9016 10 3/8 2500 8 1/5" R9016 h

FLX250010003R7016 10 3/8 2500 8 1/5" R7016

MEGMS MESAR argjendi mat, anodized matte yellow, anodized

MEINX MESYH mat inox, i zi mat i anodizuar, i anodizuar

PEGMS PESAR argjend i ndritshëm, i verdhë i ndezur i anodizuar, i anodizuar

PEINX PESYH inox i ndritshëm, i zi i ndezur i anodizuar, i anodizuar

R9016 R7016 e bardhe, gjysme shkelqim, antracit, gjysme shkelqim, pluhur i lyer me pluhur

Faqja burimore 32

MPS-E

Profili i dyshemesë prej çeliku inox

Profili i tranzicionit të dyshemesë prej çeliku inox Mps-E është një nga profilet e tranzicionit më të preferuar.

Ndryshe nga konkurrentët e tij, ai mund të instalohet nga shtrirja e tij poshtë dyshemesë dhe nuk kërkon ngjitës, gjë që e bën atë më jetëgjatë.

Përdoret si kufi kalimtar në aplikimet e dyshemesë.

Mps-E ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-E mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

I PERSHTATSHEM PER TE GJITHA DIZAJNET ARKITEKTONIKE ME PARAQITEN TRADICIONALE POR TE RRITUR

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPE243010020STANT 8 5/16 2438 8 STANT

MPE243010020MRANT 8 5/16 2438 8 MRANT

MPE243010020STBRO 8 5/16 2438 8 STBRO

MPE243010020MRBRO 8 5/16 2438 8 MRBRO

MPE243010020STCOP 8 5/16 2438 8 STCOP

MPE243010020MRCOP 8 5/16 2438 8 MRCOP 20mm

MPE243010020STGLD 8 5/16 2438 8 STGLD 13/16"

MPE243010020MRGLD 8 5/16 2438 8 MRGLD

MPE250010020STINX 8 5/16 2500 8 1/5" STINX h

MPE250010020MRINX 8 5/16 2500 8 1/5" MRINX

MPE243010020SMINX 8 5/16 2438 8 SMINX

MPE243012020STANT 10 3/8 2438 8 STANT

MPE243012020MRANT 10 3/8 2438 8 MRANT

MPE243012020STBRO 10 3/8 2438 8 STBRO

MPE243012020MRBRO 10 3/8 2438 8 MRBRO

MPE243012020STCOP 10 3/8 2438 8 STCOP

MPE243012020MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPE243012020STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPE243012020MRGLD 10 3/8 2438 8 MRGLD

MPE250012020STINX 10 3/8 2500 8 1/5" STINX

MPE250012020MRINX 10 3/8 2500 8 1/5" MRINX

MPE243012020SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPE243014020STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MPE243014020MRANT 12 1/2 2438 8 MRANT

MPE243014020STBRO 12 1/2 2438 8 STBRO

MPE243014020MRBRO 12 1/2 2438 8 MRBRO

MPE243014020STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPE243014020MRCOP 12 1/2 2438 8 MRCOP

MPE243014020STGLD 12 1/2 2438 8 STGLD

MPE243014020MRGLD 12 1/2 2438 8 MRGLD

MPE250014020STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPE250014020MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPE243014020SMINX 12 1/2 2438 8 SMINX

MPE243008020STANT 14 9/16 2438 8

STANT

MPE243008020MRANT 14 9/16 2438 8 MRANT

MPE243008020STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPE243008020MRBRO 14 9/16 2438 8 MRBRO

MPE243008020STCOP 14 9/16 2438 8 STCOP

MPE243008020MRCOP 14 9/16 2438 8 MRCOP

MPE243008020STGLD 14 9/16 2438 8 STGLD

MPE243008020MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPE250008020STINX 14 9/16 2500 8 1/5" STINX

MPE250008020MRINX 14 9/16 2500 8 1/5" MRINX

MPE243008020SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 33

MPS-N

Profili i dyshemesë prej çeliku inox

Profili i tranzicionit të rampës prej çeliku inox Mps-N përdoret si një kufi ndarës dhe profil kalimi midis kateve të niveleve të ndryshme në aplikimet e dyshemesë.

Mund të prodhohet në lartësi me porosi për çdo ndryshim niveli.

Mps-N ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-N mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

ZBUTON KALIMIN MES NIVELEVE TË NDRYSHME

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPN243014050STANT 8 5/16 2438 8 STANT

MPN243014050MRANT 8 5/16 2438 8 MRANT

MPN243014050STBRO 8 5/16 2438 8 STBRO

MPN243014050MRBRO 8 5/16 2438 8 MRBRO

MPN243014050STCOP 8 5/16 2438 8 STCOP

MPN243014050MRCOP 8 5/16 2438 8 MRCOP 50mm

MPN243014050STGLD 8 5/16 2438 8 STGLD 2"

MPN243014050MRGLD 8 5/16 2438 8 MRGLD

MPN250014050STINX 8 5/16 2500 8 1/5" STINX h

MPN250014050MRINX 8 5/16 2500 8 1/5" MRINX

MPN243014050SMINX 8 5/16 2438 8 SMINX

MPN243008050STANT

10 3/8 2438 8 STANT

MPN243008050MRANT 10 3/8 2438 8 MRANT

MPN243008050STBRO 10 3/8 2438 8 STBRO

MPN243008050MRBRO 10 3/8 2438 8 MRBRO

MPN243008050STCOP 10 3/8 2438 8 STCOP

MPN243008050MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MPN243008050STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MPN243008050MRGLD 10 3/8 2438 8 MRGLD

MPN250008050STINX 10 3/8 2500 8 1/5" STINX

MPN250008050MRINX 10 3/8 2500 8 1/5" MRINX

MPN243008050SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MPN243010050STANT 12 1/2 2438 8

STANT pasqyrë bronzi saten bronzi

MPN243010050MRANT 12 1/2 2438 8 MRANT

MPN243010050STBRO 12 1/2 2438 8 STBRO

MPN243010050MRBRO 12 1/2 2438 8 MRBRO

MPN243010050STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPN243010050MRCOP 12 1/2 2438 8 MRCOP

MPN243010050STGLD 12 1/2 2438 8 STGLD

MPN243010050MRGLD 12 1/2 2438 8 MRGLD

MPN250010050STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MPN250010050MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MPN243010050SMINX 12 1/2 2438 8 SMINX

MPN243012050STANT 14 9/16 2438 8

STANT

MPN243012050MRANT 14 9/16 2438 8 MRANT

MPN243012050STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPN243012050MRBRO 14 9/16 2438 8 MRBRO

MPN243012050STCOP 14 9/16 2438 8 STCOP

MPN243012050MRCOP 14 9/16 2438 8 MRCOP

MPN243012050STGLD 14 9/16 2438 8 STGLD

MPN243012050MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MPN250012050STINX 14 9/16 2500 8 1/5" STINX

MPN250012050MRINX 14 9/16 2500 8 1/5" MRINX

MPN243012050SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 34

MPS-TB

Profili i dyshemesë prej çeliku inox

Tranzicioni T i dyshemesë prej çeliku inox Mps-Tb është një nga profilet më të qëndrueshme të tranzicionit.

Ndryshe nga konkurrentët e tij, ai mund të instalohet nga shtrirja e tij poshtë dyshemesë dhe nuk kërkon ngjitës, gjë që e bën atë më jetëgjatë.

Ai mbulon boshllëqet dhe të metat e aplikimit midis kalimeve të dyshemesë dhe kalimeve të pragut të derës.

Përdoret gjithashtu si kornizë ndarëse në aplikimet e dyshemesë.

Mps-Tb ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronz, bakër, ar, inox.

Mps-Tb mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

ME FORMEN T, SIGURON PAMJEN E THJESHTE TE TRANZICIONIT TRADICIONAL

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MTB243010025STANT 8 5/16 2438 8 STANT

MTB243010025MRANT 8 5/16 2438 8 MRANT

MTB243010025STBRO 8 5/16 2438 8 STBRO

MTB243010025MRBRO 8 5/16 2438 8 MRBRO

MTB243010025STCOP 8 5/16 2438 8 STCOP

MTB243010025MRCOP 8 5/16 2438 8 MRCOP 25mm 1"

MTB243010025STGLD 8 5/16 2438 8 STGLD

MTB243010025MRGLD 8 5/16 2438 8 MRGLD

MTB250010025STINX 8 5/16 2500 8 1/5" STINX h

MTB250010025MRINX 8 5/16 2500 8 1/5" MRINX

MTB243010025SMINX 8 5/16 2438 8 SMINX

MTB243012025STANT

10 3/8 2438 8 STANT

MTB243012025MRANT 10 3/8 2438 8 MRANT

MTB243012025STBRO 10 3/8 2438 8 STBRO

MTB243012025MRBRO 10 3/8 2438 8 MRBRO

MTB243012025STCOP 10 3/8 2438 8 STCOP

MTB243012025MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MTB243012025STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MTB243012025MRGLD 10 3/8 2438 8 MRGLD

MTB250012025STINX 10 3/8 2500 8 1/5" STINX

MTB250012025MRINX 10 3/8 2500 8 1/5" MRINX

MTB243012025SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MTB243014025STANT 12 1/2 2438 8

STANT pasqyrë bronzi saten bronzi

MTB243014025MRANT 12 1/2 2438 8 MRANT

MTB243014025STBRO 12 1/2 2438 8 STBRO

MTB243014025MRBRO 12 1/2 2438 8 MRBRO

MTB243014025STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MTB243014025MRCOP 12 1/2 2438 8 MRCOP

MTB243014025STGLD 12 1/2 2438 8 STGLD

MTB243014025MRGLD 12 1/2 2438 8 MRGLD

MTB250014025STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MTB250014025MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MTB243014025SMINX 12 1/2 2438 8 SMINX

MTB243008025STANT 14 9/16 2438 8

STANT

MTB243008025MRANT 14 9/16 2438 8 MRANT

MTB243008025STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MTB243008025MRBRO 14 9/16 2438 8 MRBRO

MTB243008025STCOP 14 9/16 2438 8 STCOP

MTB243008025MRCOP 14 9/16 2438 8 MRCOP

MTB243008025STGLD 14 9/16 2438 8 STGLD

MTB243008025MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MTB250008025STINX 14 9/16 2500 8 1/5" STINX

MTB250008025MRINX 14 9/16 2500 8 1/5" MRINX

MTB243008025SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 35

MPS-YD

Profili i dyshemesë prej çeliku inox

Profili i fugave të zgjerimit të çelikut inox Mps-Yd ofron zgjidhjet më të mira për aplikimet e dyshemeve prej qeramike veçanërisht në vende me zona të mëdha si spitale, qendra tregtare dhe shkolla.

Thith presionin e shkaktuar nga zgjerimet strukturore dhe siguron mbrojtje për qeramikën.

Mps-Yd ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronz, bakri, ari, inox.

Mps-Yd mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

THYSH PRISJEN E ZGJERIMIT TË NDËRTESAVE DHE SIGURON MBROJTJE QERAMIKËS

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MYD243014015STANT 8 5/16 2438 8 STANT

MYD243014015MRANT 8 5/16 2438 8 MRANT

MYD243014015STBRO 8 5/16 2438 8 STBRO

MYD243014015MRBRO 8 5/16 2438 8 MRBRO

MYD243014015STCOP 8 5/16 2438 8 STCOP

MYD243014015MRCOP 8 5/16 2438 8 MRCOP

MYD243014015STGLD 8 5/16 2438 8 STGLD 15mm 9/16"

MYD243014015MRGLD 8 5/16 2438 8 MRGLD

MYD250014015STINX 8 5/16 2500 8 1/5" STINX h

MYD250014015MRINX 8 5/16 2500 8 1/5" MRINX

MYD243014015SMINX 8 5/16 2438 8 SMINX

MYD243008015STANT 10 3/8 2438 8 STANT

MYD243008015MRANT 10 3/8 2438 8 MRANT

MYD243008015STBRO 10 3/8 2438 8 STBRO

MYD243008015MRBRO 10 3/8 2438 8 MRBRO

MYD243008015STCOP 10 3/8 2438 8 STCOP

MYD243008015MRCOP 10 3/8 2438 8 MRCOP MRANT STANT

MYD243008015STGLD 10 3/8 2438 8 STGLD pasqyrë antracit saten antracit

MYD243008015MRGLD 10 3/8 2438 8 MRGLD

MYD250008015STINX 10 3/8 2500 8 1/5" STINX

MYD250008015MRINX 10 3/8 2500 8 1/5" MRINX

MYD243008015SMINX 10 3/8 2438 8 SMINX MRBRO STBRO

MYD243010015STANT 12 1/2 2438 8 STANT pasqyrë bronzi saten bronzi

MYD243010015MRANT 12 1/2 2438 8 MRANT

MYD243010015STBRO 12 1/2 2438 8 STBRO

MYD243010015MRBRO 12 1/2 2438 8 MRBRO

MYD243010015STCOP 12 1/2 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MYD243010015MRCOP 12 1/2 2438 8 MRCOP

MYD243010015STGLD 12 1/2 2438 8 STGLD

MYD243010015MRGLD 12 1/2 2438 8 MRGLD

MYD250010015STINX 12 1/2 2500 8 1/5" STINX MRGLD STGLD

MYD250010015MRINX 12 1/2 2500 8 1/5" MRINX pasqyrë ari saten ari

MYD243010015SMINX 12 1/2 2438 8 SMINX

MYD243012015STANT 14 9/16 2438 8

STANT

MYD243012015MRANT 14 9/16 2438 8 MRANT

MYD243012015STBRO 14 9/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MYD243012015MRBRO 14 9/16 2438 8 MRBRO

MYD243012015STCOP 14 9/16 2438 8 STCOP

MYD243012015MRCOP 14 9/16 2438 8 MRCOP

MYD243012015STGLD 14 9/16 2438 8 STGLD

MYD243012015MRGLD 14 9/16 2438 8 MRGLD SMINX Super pasqyrë

MYD250012015STINX 14 9/16 2500 8 1/5" STINX

MYD250012015MRINX 14 9/16 2500 8 1/5" MRINX

MYD243012015SMINX 14 9/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 36

MPS-B

Hundë me hapa prej çeliku inox

Profili i mbrojtjes së shkallëve të pllakave inox MPS-B MOX mbulon defektet e shkaktuara gjatë aplikimit dhe mbron pllakat e shkallëve si mermeri dhe parketi.

Mbron hapat qeramike kundër deformimeve dhe thyerjeve duke ofruar siguri me dizajnin e tij jo rrëshqitës.

Mps-B ka pasqyrë, saten, sipërfaqe ekskluzive super pasqyre dhe opsione ngjyrash antracit, bronzi, bakri, ari, inox.

Mps-B mund të prodhohet në opsione të pakufizuara të lartësisë dhe gjerësisë.

ELEMINON GABIME TE APLIKIMIT TE SHKALLAVE SI MERMER DHE PARQET

Lartësia Gjatësia Produkti Nr Sipërfaqja mm in mm ft

MPB243010040STANT 10 3/8 2438 8 STANT

MPB243010040MRANT 10 3/8 2438 8 MRANT 40mm

MPB243010040STBRO 10 3/8 2438 8 STBRO 1-9/16"

MPB243010040MRBRO 10 3/8 2438 8 MRBRO

MPB243010040STCOP 10 3/8 2438 8 STCOP h

MPB243010040MRCOP 10 3/8 2438 8 MRCOP

MPB243010040STGLD 10 3/8 2438 8 STGLD

MPB243010040MRGLD 10 3/8 2438 8 MRGLD

MPB250010040STINX 10 3/8 2500 8 1/5" STINX

MPB250010040MRINX 10 3/8 2500 8 1/5" MRINX

MPB243010040SMINX 10 3/8 2438 8 SMINX

MPB243012040STANT 12 1/2 2438 8 STANT

MPB243012040MRANT 12 1/2 2438 8 MRANT

MPB243012040STBRO 12 1/2 2438 8 STBRO

MPB243012040MRBRO 12 1/2 2438 8 MRBRO

MPB243012040STCOP 12 1/2 2438 8 STCOP

MPB243012040MRCOP 12 1/2 2438 8 MRCOP MRANT STANT

MPB243012040STGLD 12 1/2 2438 8 STGLD pasqyrë antracit saten antracit

MPB243012040MRGLD 12 1/2 2438 8 MRGLD

MPB250012040STINX 12 1/2 2500 8 1/5" STINX

MPB250012040MRINX 12 1/2 2500 8 1/5" MRINX

MPB243012040SMINX 12 1/2 2438 8 SMINX MRBRO STBRO

MPB243014040STANT 14 9/16 2438 8 STANT pasqyrë bronzi saten bronzi

MPB243014040MRANT 14 9/16 2438 8 MRANT

MPB243014040STBRO 14 9/16 2438 8 STBRO

MPB243014040MRBRO 14 9/16 2438 8 MRBRO

MPB243014040STCOP 14 9/16 2438 8 STCOP MRCOP STCOP pasqyrë bakri saten bakri

MPB243014040MRCOP 14 9/16 2438 8 MRCOP

MPB243014040STGLD 14 9/16 2438 8 STGLD

MPB243014040MRGLD 14 9/16 2438 8 MRGLD

MPB250014040STINX 14 9/16 2500 8 1/5" STINX MRGLD STGLD

MPB250014040MRINX 14 9/16 2500 8 1/5" MRINX pasqyrë ari saten ari

MPB243014040SMINX 14 9/16 2438 8 SMINX

MPB243020040STANT 20 13/16

2438 8 STANT

MPB243020040MRANT 20 13/16 2438 8 MRANT

MPB243020040STBRO 20 13/16 2438 8 STBRO MRINX STINX pasqyrë inox saten inox

MPB243020040MRBRO 20 13/16 2438 8 MRBRO

MPB243020040STCOP 20 13/16 2438 8 STCOP

MPB243020040MRCOP 20 13/16 2438 8 MRCOP

MPB243020040STGLD 20 13/16 2438 8 STGLD

MPB243020040MRGLD 20 13/16 2438 8 MRGLD SMINX Super pasqyrë

MPB250020040STINX 20 13/16 2500 8 1/5" STINX

MPB250020040MRINX 20 13/16 2500 8 1/5" MRINX

MPB243020040SMINX 20 13/16 2438 8 SMINX

Produktet prej çeliku inox mund të prodhohen në çdo lartësi të kërkuar (h).

Gjatësitë (L) mund të ndryshojnë sipas opsioneve të sipërfaqes së produkteve prej çeliku inox.

Faqja burimore 37

Stamboll Office EGS Business Park B1 No 394 Yesilkoy, Stamboll, Turkey +90 212 559 0636

UK Warehouse 869 High Road Tottenham, Londër, N17 8EY, UK +44 751 2934322

mox@moxsystems.com moxsystems.com

Vizatime origjinale dhe faqe referimi



PRODUCT CATALOG

LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES SKIRTING BOARDS

LUCEO 10
guiding light source for security purposes, as well as to enjoy the touch of light in design

LEUX 12
brings classical designs and modern lighting together

WISHLED 14
suitable for any environment with unlimited design

LATO 16
ideal for all living spaces with minimal, slim design. practical corner solutions

SOLE 18
designed for all classical, luxurious and prestigious living spaces

CRISPO 20
for areas with large gaps between wall and flooring

SENTIO 22
order cables in areas such as workplaces and put an end to the mess

VELO 24
provides sealing and eliminates joint defects to floor-wall joints in wet areas

GRAVITY 26
complementary element of your interior designs

MPS-F 28
prevents moisture penetration to joints and reduces sound transmission in the impact zone

CERAMIC BORDERS, TILE TRIM PROFILES CERAMIC PROTECTION PROFILES

MONO-FIX 32
ceramic protection with an elegant appearance

ROUND-FIX 34
elevate your ceramic applications: seamless style, unmatched protection

SQUARE-FIX 36
flawless appearance on ceramic surfaces, wide range of color and effect options to adapt trending ceramic colors and textures

MPS-AG 38
an elegant appearance that softens the transition of the outer corners

MPS-BRD 40
decorative border profile for ceramic surfaces

MPS-C 42
Quality of stainless steel for inner corners of ceramic applications

MPS-D 44
provides perfect appearance to ceramic surfaces and prevents damage to ceramics with the quality of stainless steel

MPS-L 46
Pure and minimal appearance to ceramic combinations with its simple design

MPS-S 48
softens the transition in the inner corners and provides an elegant appearance

RAMP TRANSITIONS, CARPET EDGE PROTECTION, FLOORING AND RENOVATION, STEP NOSE PROTECTION

ALL IN ONE 52
with its adjustability, it provides a flawless appearance to floor transitions

REVIO 54
designed to enhance the aesthetics and functionality of your flooring

VISIO 56
enhance your flooring transition with a stylish carpet threshold profile

LINE 58
perfect choice for your flooring with its minimalist form

FLEX 60
create imaginative designs for your flooring with its formable form

MPS-E 62
suitable for all architectural designs with its traditional but enhanced appearance

MPS-N 64
softens the transition between different levels

MPS-TB 66
with the T shape, provides the simple look of traditional transitions

MPS-YD 68
absorbs the pressure of building expansions and provides protection to ceramics

MPS-B 70
eliminates application errors of stairs such as marble and parquet

ABOUT MOX

Orego Metal, one of the main suppliers of well known international brands, has entered the Turkey market with Mox Profile Systems by maintaining high quality raw material, correct operation and perfect surfaces which led it to become a favorite brand for many customers in the World and especially in Europe.

We assure that your application places will be both aesthetically pleasing and distinguishable, with our wide range of products including skirting boards, tile trims, stair nose profiles, flooring transition and ramp transition profiles with aluminum and stainless steel materials.

We promise not only to provide quality product and service for applying all processes with the same precision for transforming raw material to aluminum decorative profile, but also best prices by means of our manufacturing capabilities.

Always prioritizing customer satisfaction and respecting their feedback plays the most important role in increasing our growth figures every year in the European, American, Middle Eastern and African markets.

DESIGN


We are here with our technical team to be your solution partner for your application areas. We offer both our standard products or if required non-standard products that are customized according to your need. With being a manufacturer and having nearly 3,000 existing molds, we can offer non-standard solutions.

MOLDING

If our existing products do not provide the solution you need, our design team will work in coordination with you to design a product according to your request and provide complete technical details. According to your annual consumption numbers and your surface type and quality expectation, we optimize and produce the mold in our own workshop so that the design is not shared with any third parties.

PROJECT MANAGEMENT

We offer and deliver custom profiles up to 6m length, in order to save you from cutting work and cost of waste. We have the capability of producing unlimited RAL color in our own integrated powder coating facility, and silver, yellow, bronze, inox and black color options for matte and bright surfaces in our anodizing facility. Chrome plating and nickel colors in profiles up to 3 meters are also among our production capabilities.



LED LIGHTING, CABLE ORGANIZATORS, STYLISH AND CUSTOMIZABLE PROFILES **SKIRTING BOARDS**

Mox skirting boards cover the defects in floor and wall joints. They prevent dirt accumulation and harmful organisms to provide hygienic and healthy use for many years.


LUCEO

Aluminum LED Skirting Board


Luceo aluminum LED skirting board is mostly preferred in exclusive projects through its decorative lighting feature. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Luceo has a plain and minimal appearance with its slim form. Luceo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



GUIDING LIGHT SOURCE FOR SECURITY PURPOSES, AS WELL AS TO ENJOY THE TOUCH OF LIGHT IN DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
LCE250100013MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LCE250100013R9005	100	3-15/16	2500	8 1/5"	R9005
LCE250100013R9016	100	3-15/16	2500	8 1/5"	R9016
LCE250100013R7016	100	3-15/16	2500	8 1/5"	R7016
LCEEXT100013COLOR - External Corner					
LCEINT100013COLOR - Internal Corner					
LCEEND100013COLOR - End Cap					



BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







LEUX

Aluminum LED Skirting Board


Leux aluminum LED skirting board is mostly preferred in exclusive classical design projects through its decorative lighting feature and Victorian design. It can also be used as a guiding light in dark places. In addition to its illumination feature, it also covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Leux brings classical appearance and modern lighting together. Leux is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.



BRINGS CLASSICAL DESIGNS AND MODERN LIGHTING TOGETHER



Product No	Height		Length		Surface
	mm	in	mm	ft	
LUX250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LUX250100020RR9005	100	3-15/16	2500	8 1/5"	R9005
LUX250100020R9016	100	3-15/16	2500	8 1/5"	R9016
LUX250100020R7016	100	3-15/16	2500	8 1/5"	R7016
LUXEXT100020COLOR - External Corner					
LUXINT100020COLOR - Internal Corner					
LUXEND100020COLOR - End Cap					



BUILT-IN OPTION

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.



MEGMS
matte silver, anodized

R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







WISHLED

Aluminum LED Skirting Board

Wishled aluminum LED skirting board can match with any environment due to its unlimited pattern designs options. It is mostly preferred as night lighting in children's rooms with its replaceable design printed cover. It can also be used for advertising and to present corporate identity in public areas. In addition to its illumination feature, it also covers the defects in floor and wall joints. Application will be completed by mounting the front design printed diffuser panel with its snap lock system. With the inner, outer and end covering caps, which are the same color as the profiles, smooth corner turns can be easily applied without the need for an angled cut. Wishled has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting. In addition to existing pattern designs we offer for the illumination panel, personalized designs can also be applied.




SUITABLE FOR ANY ENVIRONMENT WITH UNLIMITED DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
WSL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
WSL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
WSL250100020R9016	100	3-15/16	2500	8 1/5"	R9016
WSL250100020R7016	100	3-15/16	2500	8 1/5"	R7016
WSLEXT100020COLOR - External Corner					
WSLINT100020COLOR - Internal Corner					
WSLEND100020COLOR - End Cap					





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated



RGB24R & RGB24P
Driver with durable, slim-design metal case.



LED-STL
RGB Led Strip light 5m



RGB24R & RGB24P
Compatible with remote control or wall control panel.

CORNER SOLUTIONS

With its built-in or basic application methods, it can be flush to wall or used as a traditional skirting board.







LATO

Aluminum Skirting Board


Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
LAT250080014MEGMS	83	3-1/4	2500	8 1/5"	MEGMS
LAT250080014R9005	83	3-1/4	2500	8 1/5"	R9005
LAT250080014R9016	83	3-1/4	2500	8 1/5"	R9016
LAT250080014R7016	83	3-1/4	2500	8 1/5"	R7016
LAT250100014MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
LAT250100014R9005	100	3-15/16	2500	8 1/5"	R9005
LAT250100014R9016	100	3-15/16	2500	8 1/5"	R9016
LAT250100014R7016	100	3-15/16	2500	8 1/5"	R7016
LAT250120014MEGMS	120	4-3/4	2500	8 1/5"	MEGMS
LAT250120014R9005	120	4-3/4	2500	8 1/5"	R9005
LAT250120014R9016	120	4-3/4	2500	8 1/5"	R9016
LAT250120014R7016	120	4-3/4	2500	8 1/5"	R7016
LAT250150014MEGMS	150	5-7/8	2500	8 1/5"	MEGMS
LAT250150014R9005	150	5-7/8	2500	8 1/5"	R9005
LAT250150014R9016	150	5-7/8	2500	8 1/5"	R9016
LAT250150014R7016	150	5-7/8	2500	8 1/5"	R7016
LAT250180014MEGMS	180	7-1/16	2500	8 1/5"	MEGMS
LAT250180014R9005	180	7-1/16	2500	8 1/5"	R9005
LAT250180014R9016	180	7-1/16	2500	8 1/5"	R9016
LAT250180014R7016	180	7-1/16	2500	8 1/5"	R7016



MEGMS
matte silver, anodized


R9005
black, semi gloss, powder coated

R9016
white, semi gloss, powder coated

R7016
anthracite, semi gloss, powder coated

CORNER SOLUTIONS







SOLE

Aluminum Skirting Board




Sole aluminum skirting board is mostly preferred in all living areas and public areas with classical design concepts. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Sole is an eclipse series product. Aluminum products with eclipse marker have RAL7016 and RAL9016 color options.

DESIGNED FOR ALL CLASSICAL, LUXURIOUS
AND PRESTIGIOUS LIVING SPACES



Product No	Height		Length		Surface
	mm	in	mm	ft	
SOL250100020MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
SOL250100020R9005	100	3-15/16	2500	8 1/5"	R9005
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R9016
SOL250100020R7016	100	3-15/16	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

CORNER SOLUTIONS







CRISPO

Aluminum Skirting Board



Crispo aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Crispo provides unity with its oval transition appearance and is compatible with both classical and modern architecture.

Crispo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options.


While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FOR AREAS WITH LARGE GAPS BETWEEN
WALL AND FLOORING



Product No	Height		Length		Surface
	mm	in	mm	ft	
CRS250070025MEGMS	70	2-3/4	2500	8 1/5"	MEGMS
CRS250070025R9005	70	2-3/4	2500	8 1/5"	R9005
CRS250070025R9016	70	2-3/4	2500	8 1/5"	R9016
CRS250070025R7016	70	2-3/4	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

SENTIO

Aluminum Skirting Board





Sentio aluminum skirting board is mostly preferred in areas with large gaps between wall and flooring due to its wide form. With the extended hollow area in its design, it collects the telephone, electricity and internet cables to organize environments such as workplaces and offices. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. Sentio has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

ORDER CABLES IN AREAS SUCH AS
WORKPLACES AND PUT AN END TO THE MESS



Product No	Height		Length		Surface
	mm	in	mm	ft	
SNT250080023MEGMS	80	3-1/8	2500	8 1/5"	MEGMS
SNT250080023R9005	80	3-1/8	2500	8 1/5"	R9005
SNT250080023R9016	80	3-1/8	2500	8 1/5"	R9016
SNT250080023R7016	80	3-1/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

VELO

Aluminum Skirting Board




Velo aluminum skirting board provides skirting solutions especially for wet areas like bathrooms and kitchens. It takes up less space and offers ease of installation. It provides leak proofing as well as aesthetics by covering the wall-floor joint defects especially on wet areas. Velo has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

PROVIDES SEALING AND ELIMINATES JOINT
DEFECTS TO FLOOR-WALL JOINTS IN WET AREAS



Product No	Height		Length		Surface
	mm	in	mm	ft	
VLO250060012MEGMS	60	2-3/8	2500	8 1/5"	MEGMS
VLO250060012R9005	60	2-3/8	2500	8 1/5"	R9005
VLO250060012R9016	60	2-3/8	2500	8 1/5"	R9016
VLO250060012R7016	60	2-3/8	2500	8 1/5"	R7016
VLO250100012MEGMS	100	3-15/16	2500	8 1/5"	MEGMS
VLO250100012R9005	100	3-15/16	2500	8 1/5"	R9005
VLO250100012R9016	100	3-15/16	2500	8 1/5"	R9016
VLO250100012R7016	100	3-15/16	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

R9005
black, semi gloss,
powder coated

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

GRAVITY

Aluminum Skirting Board



Gravity aluminum skirting board is a specially designed profile that is attached to the lower edges of the wall and provide a neat and clean appearance to carpeted areas. Gravity aluminum skirting board not only provides a seamless transition between the floor and the wall, but also provides protection for carpet edges.


Gravity aluminum skirting board has a matte anodized coating option in silver color.

COMPLEMENTARY ELEMENT OF YOUR INTERIOR DESIGNS



Product No	Height		Length		Surface
	mm	in	mm	ft	
GRV250100010MEGMS	100	3-15/16	2500	8 1/5"	MEGMS





MEGMS
matte silver, anodized

MPS-F

Stainless Steel Skirting Board


MPS-F stainless steel skirting board profile is designed to provide skirting in ceramic applications. It prevents moisture in the application areas and reduces the transmission of impact sound. Gives an aesthetic appearance by hiding application defects in floor and wall transitions. It is extremely durable, long-lasting and corrosion resistant since it is produced from 304L quality stainless steel. 201 quality stainless steel alternative also available. MPS-F provides a flush appearance with its joint extension. MPS-F has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-F can be produced in unlimited height and width options.



PREVENTS MOISTURE PENETRATION TO JOINTS AND
REDUCES SOUND TRANSMISSION IN THE IMPACT ZONE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPF2430400XXSTANT	40	1-9/16	2438	8	STANT
MPF2430400XXMRANT	40	1-9/16	2438	8	MRANT
MPF2430400XXSTBRO	40	1-9/16	2438	8	STBRO
MPF2430400XXMRBRO	40	1-9/16	2438	8	MRBRO
MPF2430400XXSTCOP	40	1-9/16	2438	8	STCOP
MPF2430400XXMRCOP	40	1-9/16	2438	8	MRCOP
MPF2430400XXSTGLD	40	1-9/16	2438	8	STGLD
MPF2430400XXMRGLD	40	1-9/16	2438	8	MRGLD
MPF2500400XXSTINX	40	1-9/16	2500	8 1/5"	STINX
MPF2500400XXMRINX	40	1-9/16	2500	8 1/5"	MRINX
MPF2430400XXSMINX	40	1-9/16	2438	8	SMINX
MPF2430600XXSTANT	70	2-3/4	2438	8	STANT
MPF2430600XXMRANT	70	2-3/4	2438	8	MRANT
MPF2430600XXSTBRO	70	2-3/4	2438	8	STBRO
MPF2430600XXMRBRO	70	2-3/4	2438	8	MRBRO
MPF2430600XXSTCOP	70	2-3/4	2438	8	STCOP
MPF2430600XXMRCOP	70	2-3/4	2438	8	MRCOP
MPF2430600XXSTGLD	70	2-3/4	2438	8	STGLD
MPF2430600XXMRGLD	70	2-3/4	2438	8	MRGLD
MPF2500600XXSTINX	70	2-3/4	2500	8 1/5"	STINX
MPF2500600XXMRINX	70	2-3/4	2500	8 1/5"	MRINX
MPF2430600XXSMINX	70	2-3/4	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

CERAMIC BORDERS, **TILE TRIM PROFILES**
CERAMIC PROTECTION PROFILES

Mox tile trim profiles will eliminate joint and application flaws and prevent damage to ceramics while providing aesthetics to your living spaces. They prevent deformations in applied areas by preventing any leakage.



MONO-FIX

Aluminum Tile Trim



Mono Fix aluminium tile trim edge adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage.


Mono Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CERAMIC PROTECTION WITH AN ELEGANT APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MNF250010003MEGMS	10	3/8	2500	8 1/5”	MEGMS
MNF250010003MESAR	10	3/8	2500	8 1/5"	MESAR
MNF250010003MEINX	10	3/8	2500	8 1/5"	MEINX
MNF250010003MESYH	10	3/8	2500	8 1/5"	MESYH
MNF250010003PEGMS	10	3/8	2500	8 1/5"	PEGMS
MNF250010003PESAR	10	3/8	2500	8 1/5"	PESAR
MNF250010003PEINX	10	3/8	2500	8 1/5"	PEINX
MNF250010003PESYH	10	3/8	2500	8 1/5"	PESYH
MNF250010003R9016	10	3/8	2500	8 1/5"	R9016
MNF250010003R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

ROUND-FIX

Aluminum Tile Trim

Round Fix aluminium tile trim round external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.


Round Fix has matte anodized, bright anodized electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.




ELEVATE YOUR CERAMIC APPLICATIONS:
SEAMLESS STYLE, UNMATCHED PROTECTION



Product No	Height		Length		Surface
	mm	in	mm	ft	
RNF250010009MEGMS	10	3/8	2500	8 1/5”	MEGMS
RNF250010009MESAR	10	3/8	2500	8 1/5"	MESAR
RNF250010009MEINX	10	3/8	2500	8 1/5"	MEINX
RNF250010009MESYH	10	3/8	2500	8 1/5"	MESYH
RNF250010009PEGMS	10	3/8	2500	8 1/5"	PEGMS
RNF250010009PESAR	10	3/8	2500	8 1/5"	PESAR
RNF250010009PEINX	10	3/8	2500	8 1/5"	PEINX
RNF250010009PESYH	10	3/8	2500	8 1/5"	PESYH
RNF250010009R9016	10	3/8	2500	8 1/5"	R9016
RNF250010009R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

SQUARE-FIX

Aluminum Tile Trim



Square Fix aluminium tile trim square external corner adds aesthetics to your ceramic applications with its wide range of surface options compatible with trending ceramic colors and textures. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics.


Square Fix has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

FLAWLESS APPEARANCE ON CERAMIC SURFACES,
WIDE RANGE OF COLOR AND EFFECT OPTIONS TO
ADAPT TRENDING CERAMIC COLORS AND TEXTURES



Product No	Height		Length		Surface
	mm	in	mm	ft	
SQF250010009MEGMS	10	3/8	2500	8 1/5”	MEGMS
SQF250010009MESAR	10	3/8	2500	8 1/5"	MESAR
SQF250010009MEINX	10	3/8	2500	8 1/5"	MEINX
SQF250010009MESYH	10	3/8	2500	8 1/5"	MESYH
SQF250010009PEGMS	10	3/8	2500	8 1/5"	PEGMS
SQF250010009PESAR	10	3/8	2500	8 1/5"	PESAR
SQF250010009PEINX	10	3/8	2500	8 1/5"	PEINX
SQF250010009PESYH	10	3/8	2500	8 1/5"	PESYH
SQF250010009R9016	10	3/8	2500	8 1/5"	R9016
SQF250010009R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized


PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

MPS-AG

Stainless Steel Tile Trim




MPS-AG stainless steel tile trim round external corner profile stands out with its ceramic protection feature and elegant appearance, especially in bathrooms and kitchens with ceramic surfaces. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-AG has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-AG can be produced in unlimited height and width options.

AN ELEGANT APPEARANCE THAT SOFTENS THE TRANSITION OF THE OUTER CORNERS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MAG243010008STANT	8	5/16	2438	8	STANT
MAG243010008MRANT	8	5/16	2438	8	MRANT
MAG243010008STBRO	8	5/16	2438	8	STBRO
MAG243010008MRBRO	8	5/16	2438	8	MRBRO
MAG243010008STCOP	8	5/16	2438	8	STCOP
MAG243010008MRCOP	8	5/16	2438	8	MRCOP
MAG243010008STGLD	8	5/16	2438	8	STGLD
MAG243010008MRGLD	8	5/16	2438	8	MRGLD
MAG250010008STINX	8	5/16	2500	8 1/5"	STINX
MAG250010008MRINX	8	5/16	2500	8 1/5"	MRINX
MAG243010008SMINX	8	5/16	2438	8	SMINX
MAG243012008STANT	10	3/8	2438	8	STANT
MAG243012008MRANT	10	3/8	2438	8	MRANT
MAG243012008STBRO	10	3/8	2438	8	STBRO
MAG243012008MRBRO	10	3/8	2438	8	MRBRO
MAG243012008STCOP	10	3/8	2438	8	STCOP
MAG243012008MRCOP	10	3/8	2438	8	MRCOP
MAG243012008STGLD	10	3/8	2438	8	STGLD
MAG243012008MRGLD	10	3/8	2438	8	MRGLD
MAG250012008STINX	10	3/8	2500	8 1/5"	STINX
MAG250012008MRINX	10	3/8	2500	8 1/5"	MRINX
MAG243012008SMINX	10	3/8	2438	8	SMINX
MAG243014008STANT	12	1/2	2438	8	STANT
MAG243014008MRANT	12	1/2	2438	8	MRANT
MAG243014008STBRO	12	1/2	2438	8	STBRO
MAG243014008MRBRO	12	1/2	2438	8	MRBRO
MAG243014008STCOP	12	1/2	2438	8	STCOP
MAG243014008MRCOP	12	1/2	2438	8	MRCOP
MAG243014008STGLD	12	1/2	2438	8	STGLD
MAG243014008MRGLD	12	1/2	2438	8	MRGLD
MAG250014008STINX	12	1/2	2500	8 1/5"	STINX
MAG250014008MRINX	12	1/2	2500	8 1/5"	MRINX
MAG243014008SMINX	12	1/2	2438	8	SMINX
MAG243010008STANT	14	9/16	2438	8	STANT
MAG243010008MRANT	14	9/16	2438	8	MRANT
MAG243010008STBRO	14	9/16	2438	8	STBRO
MAG243010008MRBRO	14	9/16	2438	8	MRBRO
MAG243010008STCOP	14	9/16	2438	8	STCOP
MAG243010008MRCOP	14	9/16	2438	8	MRCOP
MAG243010008STGLD	14	9/16	2438	8	STGLD
MAG243010008MRGLD	14	9/16	2438	8	MRGLD
MAG250010008STINX	14	9/16	2500	8 1/5"	STINX
MAG250010008MRINX	14	9/16	2500	8 1/5"	MRINX
MAG243010008SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-BRD

Stainless Steel Border




MPS-BRD stainless steel tile trim border is mostly used as a decorative divider for ceramics. Being compatible with other tile trim profiles is one of its advantages. MPS-BRD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-BRD can be produced in unlimited height and width options.

DECORATIVE BORDER PROFILE FOR CERAMIC SURFACES



Product No	Height		Length		Surface
	mm	in	mm	ft	
MBD2430XX023STANT	8	5/16	2438	8	STANT
MBD2430XX023MRANT	8	5/16	2438	8	MRANT
MBD2430XX023STBRO	8	5/16	2438	8	STBRO
MBD2430XX023MRBRO	8	5/16	2438	8	MRBRO
MBD2430XX023STCOP	8	5/16	2438	8	STCOP
MBD2430XX023MRCOP	8	5/16	2438	8	MRCOP
MBD2430XX023STGLD	8	5/16	2438	8	STGLD
MBD2430XX023MRGLD	8	5/16	2438	8	MRGLD
MBD2500XX023STINX	8	5/16	2500	8 1/5"	STINX
MBD2500XX023MRINX	8	5/16	2500	8 1/5"	MRINX
MBD2430XX023SMINX	8	5/16	2438	8	SMINX
MBD2430XX010STANT	10	3/8	2438	8	STANT
MBD2430XX010MRANT	10	3/8	2438	8	MRANT
MBD2430XX010STBRO	10	3/8	2438	8	STBRO
MBD2430XX010MRBRO	10	3/8	2438	8	MRBRO
MBD2430XX010STCOP	10	3/8	2438	8	STCOP
MBD2430XX010MRCOP	10	3/8	2438	8	MRCOP
MBD2430XX010STGLD	10	3/8	2438	8	STGLD
MBD2430XX010MRGLD	10	3/8	2438	8	MRGLD
MBD2500XX010STINX	10	3/8	2500	8 1/5"	STINX
MBD2500XX010MRINX	10	3/8	2500	8 1/5"	MRINX
MBD2430XX010SMINX	10	3/8	2438	8	SMINX
MBD2430XX015STANT	12	1/2	2438	8	STANT
MBD2430XX015MRANT	12	1/2	2438	8	MRANT
MBD2430XX015STBRO	12	1/2	2438	8	STBRO
MBD2430XX015MRBRO	12	1/2	2438	8	MRBRO
MBD2430XX015STCOP	12	1/2	2438	8	STCOP
MBD2430XX015MRCOP	12	1/2	2438	8	MRCOP
MBD2430XX015STGLD	12	1/2	2438	8	STGLD
MBD2430XX015MRGLD	12	1/2	2438	8	MRGLD
MBD2500XX015STINX	12	1/2	2500	8 1/5"	STINX
MBD2500XX015MRINX	12	1/2	2500	8 1/5"	MRINX
MBD2430XX015SMINX	12	1/2	2438	8	SMINX
MBD2430XX020STANT	14	9/16	2438	8	STANT
MBD2430XX020MRANT	14	9/16	2438	8	MRANT
MBD2430XX020STBRO	14	9/16	2438	8	STBRO
MBD2430XX020MRBRO	14	9/16	2438	8	MRBRO
MBD2430XX020STCOP	14	9/16	2438	8	STCOP
MBD2430XX020MRCOP	14	9/16	2438	8	MRCOP
MBD2430XX020STGLD	14	9/16	2438	8	STGLD
MBD2430XX020MRGLD	14	9/16	2438	8	MRGLD
MBD2500XX020STINX	14	9/16	2500	8 1/5"	STINX
MBD2500XX020MRINX	14	9/16	2500	8 1/5"	MRINX
MBD2430XX020SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-C

Stainless Steel Tile Trim




MPS-C stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-C has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-C can be produced in unlimited height and width options.

QUALITY OF STAINLESS STEEL FOR INNER CORNERS OF CERAMIC APPLICATIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPC243010009STANT	8	5/16	2438	8	STANT
MPC243010009MRANT	8	5/16	2438	8	MRANT
MPC243010009STBRO	8	5/16	2438	8	STBRO
MPC243010009MRBRO	8	5/16	2438	8	MRBRO
MPC243010009STCOP	8	5/16	2438	8	STCOP
MPC243010009MRCOP	8	5/16	2438	8	MRCOP
MPC243010009STGLD	8	5/16	2438	8	STGLD
MPC243010009MRGLD	8	5/16	2438	8	MRGLD
MPC250010009STINX	8	5/16	2500	8 1/5"	STINX
MPC250010009MRINX	8	5/16	2500	8 1/5"	MRINX
MPC243010009SMINX	8	5/16	2438	8	SMINX
MPC243012009STANT	10	3/8	2438	8	STANT
MPC243012009MRANT	10	3/8	2438	8	MRANT
MPC243012009STBRO	10	3/8	2438	8	STBRO
MPC243012009MRBRO	10	3/8	2438	8	MRBRO
MPC243012009STCOP	10	3/8	2438	8	STCOP
MPC243012009MRCOP	10	3/8	2438	8	MRCOP
MPC243012009STGLD	10	3/8	2438	8	STGLD
MPC243012009MRGLD	10	3/8	2438	8	MRGLD
MPC250012009STINX	10	3/8	2500	8 1/5"	STINX
MPC250012009MRINX	10	3/8	2500	8 1/5"	MRINX
MPC243012009SMINX	10	3/8	2438	8	SMINX
MPC243014009STANT	12	1/2	2438	8	STANT
MPC243014009MRANT	12	1/2	2438	8	MRANT
MPC243014009STBRO	12	1/2	2438	8	STBRO
MPC243014009MRBRO	12	1/2	2438	8	MRBRO
MPC243014009STCOP	12	1/2	2438	8	STCOP
MPC243014009MRCOP	12	1/2	2438	8	MRCOP
MPC243014009STGLD	12	1/2	2438	8	STGLD
MPC243014009MRGLD	12	1/2	2438	8	MRGLD
MPC250014009STINX	12	1/2	2500	8 1/5"	STINX
MPC250014009MRINX	12	1/2	2500	8 1/5"	MRINX
MPC243014009SMINX	12	1/2	2438	8	SMINX
MPC243008009STANT	14	9/16	2438	8	STANT
MPC243008009MRANT	14	9/16	2438	8	MRANT
MPC243008009STBRO	14	9/16	2438	8	STBRO
MPC243008009MRBRO	14	9/16	2438	8	MRBRO
MPC243008009STCOP	14	9/16	2438	8	STCOP
MPC243008009MRCOP	14	9/16	2438	8	MRCOP
MPC243008009STGLD	14	9/16	2438	8	STGLD
MPC243008009MRGLD	14	9/16	2438	8	MRGLD
MPC250008009STINX	14	9/16	2500	8 1/5"	STINX
MPC250008009MRINX	14	9/16	2500	8 1/5"	MRINX
MPC243008009SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-D

Stainless Steel Tile Trim




MPS-D stainless steel tile trim square external corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees outer corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-D has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-D can be produced in unlimited height and width options.

PROVIDES PERFECT APPEARANCE TO CERAMIC SURFACES AND PREVENTS DAMAGE TO CERAMICS WITH THE QUALITY OF STAINLESS STEEL



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPD243014008STANT	8	5/16	2438	8	STANT
MPD243014008MRANT	8	5/16	2438	8	MRANT
MPD243014008STBRO	8	5/16	2438	8	STBRO
MPD243014008MRBRO	8	5/16	2438	8	MRBRO
MPD243014008STCOP	8	5/16	2438	8	STCOP
MPD243014008MRCOP	8	5/16	2438	8	MRCOP
MPD243014008STGLD	8	5/16	2438	8	STGLD
MPD243014008MRGLD	8	5/16	2438	8	MRGLD
MPD250014008STINX	8	5/16	2500	8 1/5"	STINX
MPD250014008MRINX	8	5/16	2500	8 1/5"	MRINX
MPD243014008SMINX	8	5/16	2438	8	SMINX
MPD243008008STANT	10	3/8	2438	8	STANT
MPD243008008MRANT	10	3/8	2438	8	MRANT
MPD243008008STBRO	10	3/8	2438	8	STBRO
MPD243008008MRBRO	10	3/8	2438	8	MRBRO
MPD243008008STCOP	10	3/8	2438	8	STCOP
MPD243008008MRCOP	10	3/8	2438	8	MRCOP
MPD243008008STGLD	10	3/8	2438	8	STGLD
MPD243008008MRGLD	10	3/8	2438	8	MRGLD
MPD250008008STINX	10	3/8	2500	8 1/5"	STINX
MPD250008008MRINX	10	3/8	2500	8 1/5"	MRINX
MPD243008008SMINX	10	3/8	2438	8	SMINX
MPD243010008STANT	12	1/2	2438	8	STANT
MPD243010008MRANT	12	1/2	2438	8	MRANT
MPD243010008STBRO	12	1/2	2438	8	STBRO
MPD243010008MRBRO	12	1/2	2438	8	MRBRO
MPD243010008STCOP	12	1/2	2438	8	STCOP
MPD243010008MRCOP	12	1/2	2438	8	MRCOP
MPD243010008STGLD	12	1/2	2438	8	STGLD
MPD243010008MRGLD	12	1/2	2438	8	MRGLD
MPD250010008STINX	12	1/2	2500	8 1/5"	STINX
MPD250010008MRINX	12	1/2	2500	8 1/5"	MRINX
MPD243010008SMINX	12	1/2	2438	8	SMINX
MPD243012008STANT	14	9/16	2438	8	STANT
MPD243012008MRANT	14	9/16	2438	8	MRANT
MPD243012008STBRO	14	9/16	2438	8	STBRO
MPD243012008MRBRO	14	9/16	2438	8	MRBRO
MPD243012008STCOP	14	9/16	2438	8	STCOP
MPD243012008MRCOP	14	9/16	2438	8	MRCOP
MPD243012008STGLD	14	9/16	2438	8	STGLD
MPD243012008MRGLD	14	9/16	2438	8	MRGLD
MPD250012008STINX	14	9/16	2500	8 1/5"	STINX
MPD250012008MRINX	14	9/16	2500	8 1/5"	MRINX
MPD243012008SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-L

Stainless Steel Tile Trim




MPS-L stainless steel tile trim edge profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used as a frame that conceals the ceramic section at the ends of ceramic wall applications or as parquet joints. While providing aesthetics that will eliminate joint and application flaws, it also prevents ceramics from taking damage. MPS-L has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-L can be produced in unlimited height and width options.

PURE AND MINIMAL APPEARANCE TO CERAMIC COMBINATIONS WITH ITS SIMPLE DESIGN



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPL243010003STANT	8	5/16	2438	8	STANT
MPL243010003MRANT	8	5/16	2438	8	MRANT
MPL243010003STBRO	8	5/16	2438	8	STBRO
MPL243010003MRBRO	8	5/16	2438	8	MRBRO
MPL243010003STCOP	8	5/16	2438	8	STCOP
MPL243010003MRCOP	8	5/16	2438	8	MRCOP
MPL243010003STGLD	8	5/16	2438	8	STGLD
MPL243010003MRGLD	8	5/16	2438	8	MRGLD
MPL250010003STINX	8	5/16	2500	8 1/5"	STINX
MPL250010003MRINX	8	5/16	2500	8 1/5"	MRINX
MPL243010003SMINX	8	5/16	2438	8	SMINX
MPL243012003STANT	10	3/8	2438	8	STANT
MPL243012003MRANT	10	3/8	2438	8	MRANT
MPL243012003STBRO	10	3/8	2438	8	STBRO
MPL243012003MRBRO	10	3/8	2438	8	MRBRO
MPL243012003STCOP	10	3/8	2438	8	STCOP
MPL243012003MRCOP	10	3/8	2438	8	MRCOP
MPL243012003STGLD	10	3/8	2438	8	STGLD
MPL243012003MRGLD	10	3/8	2438	8	MRGLD
MPL250012003STINX	10	3/8	2500	8 1/5"	STINX
MPL250012003MRINX	10	3/8	2500	8 1/5"	MRINX
MPL243012003SMINX	10	3/8	2438	8	SMINX
MPL243014003STANT	12	1/2	2438	8	STANT
MPL243014003MRANT	12	1/2	2438	8	MRANT
MPL243014003STBRO	12	1/2	2438	8	STBRO
MPL243014003MRBRO	12	1/2	2438	8	MRBRO
MPL243014003STCOP	12	1/2	2438	8	STCOP
MPL243014003MRCOP	12	1/2	2438	8	MRCOP
MPL243014003STGLD	12	1/2	2438	8	STGLD
MPL243014003MRGLD	12	1/2	2438	8	MRGLD
MPL250014003STINX	12	1/2	2500	8 1/5"	STINX
MPL250014003MRINX	12	1/2	2500	8 1/5"	MRINX
MPL243014003SMINX	12	1/2	2438	8	SMINX
MPL243008003STANT	14	9/16	2438	8	STANT
MPL243008003MRANT	14	9/16	2438	8	MRANT
MPL243008003STBRO	14	9/16	2438	8	STBRO
MPL243008003MRBRO	14	9/16	2438	8	MRBRO
MPL243008003STCOP	14	9/16	2438	8	STCOP
MPL243008003MRCOP	14	9/16	2438	8	MRCOP
MPL243008003STGLD	14	9/16	2438	8	STGLD
MPL243008003MRGLD	14	9/16	2438	8	MRGLD
MPL250008003STINX	14	9/16	2500	8 1/5"	STINX
MPL250008003MRINX	14	9/16	2500	8 1/5"	MRINX
MPL243008003SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-S

Stainless Steel Tile Trim




MPS-S stainless steel tile trim internal corner profile adapts to trend ceramic colors and textures while adding aesthetics to your ceramic applications with its wide range of surface options. It is used in 90 degrees inner corner joints of ceramic applications. In addition to providing aesthetics that will eliminate joint and application flaws, it also prevents damage to ceramics. MPS-S has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-S can be produced in unlimited height and width options.

SOFTENS THE TRANSITION IN THE INNER CORNERS
AND PROVIDES AN ELEGANT APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPS243014020STANT	8	5/16	2438	8	STANT
MPS243014020MRANT	8	5/16	2438	8	MRANT
MPS243014020STBRO	8	5/16	2438	8	STBRO
MPS243014020MRBRO	8	5/16	2438	8	MRBRO
MPS243014020STCOP	8	5/16	2438	8	STCOP
MPS243014020MRCOP	8	5/16	2438	8	MRCOP
MPS243014020STGLD	8	5/16	2438	8	STGLD
MPS243014020MRGLD	8	5/16	2438	8	MRGLD
MPS250014020STINX	8	5/16	2500	8 1/5"	STINX
MPS250014020MRINX	8	5/16	2500	8 1/5"	MRINX
MPS243014020SMINX	8	5/16	2438	8	SMINX
MPS243008020STANT	10	3/8	2438	8	STANT
MPS243008020MRANT	10	3/8	2438	8	MRANT
MPS243008020STBRO	10	3/8	2438	8	STBRO
MPS243008020MRBRO	10	3/8	2438	8	MRBRO
MPS243008020STCOP	10	3/8	2438	8	STCOP
MPS243008020MRCOP	10	3/8	2438	8	MRCOP
MPS243008020STGLD	10	3/8	2438	8	STGLD
MPS243008020MRGLD	10	3/8	2438	8	MRGLD
MPS250008020STINX	10	3/8	2500	8 1/5"	STINX
MPS250008020MRINX	10	3/8	2500	8 1/5"	MRINX
MPS243008020SMINX	10	3/8	2438	8	SMINX
MPS243010020STANT	12	1/2	2438	8	STANT
MPS243010020MRANT	12	1/2	2438	8	MRANT
MPS243010020STBRO	12	1/2	2438	8	STBRO
MPS243010020MRBRO	12	1/2	2438	8	MRBRO
MPS243010020STCOP	12	1/2	2438	8	STCOP
MPS243010020MRCOP	12	1/2	2438	8	MRCOP
MPS243010020STGLD	12	1/2	2438	8	STGLD
MPS243010020MRGLD	12	1/2	2438	8	MRGLD
MPS250010020STINX	12	1/2	2500	8 1/5"	STINX
MPS250010020MRINX	12	1/2	2500	8 1/5"	MRINX
MPS243010020SMINX	12	1/2	2438	8	SMINX
MPS243012020STANT	14	9/16	2438	8	STANT
MPS243012020MRANT	14	9/16	2438	8	MRANT
MPS243012020STBRO	14	9/16	2438	8	STBRO
MPS243012020MRBRO	14	9/16	2438	8	MRBRO
MPS243012020STCOP	14	9/16	2438	8	STCOP
MPS243012020MRCOP	14	9/16	2438	8	MRCOP
MPS243012020STGLD	14	9/16	2438	8	STGLD
MPS243012020MRGLD	14	9/16	2438	8	MRGLD
MPS250012020STINX	14	9/16	2500	8 1/5"	STINX
MPS250012020MRINX	14	9/16	2500	8 1/5"	MRINX
MPS243012020SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.




RAMP TRANSITIONS, CARPET EDGE PROTECTION, **FLOORING AND RENOVATION**, STEP NOSE PROTECTION

Mox flooring profiles cover the gaps between flooring or door threshold transitions, hiding any application defect. In addition to standard threshold profiles, they also include ramp profiles that eliminate level differences between floors.


ALL IN ONE

Aluminum Ramp Transition





All in One aluminium ramp transition profile provides transition by eliminating any level difference between two different flooring materials in floor applications. With its adjustable feature, it adapts to every level difference between floorings. Unlike its competitors it can be installed from its extension beneath the floorings and doesn't require adhesives which makes it more long-lasting. All in One has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

WITH ITS ADJUSTABILITY, IT PROVIDES A
FLAWLESS APPEARANCE TO FLOOR TRANSITIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
AIO25004024MEGMS	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5”	MEGMS
AIO25004024MESAR	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MESAR
AIO25004024MEINX	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MEINX
AIO25004024MESYH	hmax 24 hmin 1.5	15/16 1/16	2500	8 1/5"	MESYH





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

REVIO

Aluminum Flooring

Revio aluminum carpet edge profile is specially designed to increase the aesthetics and functionality of your floor. Revio aluminum carpet edge profile not only provides a seamless transition between different flooring surfaces, but also protects the edges of your carpet, preventing wear and deformation that may occur over time. These profiles help you reduce repair and replacement costs by extending the life of your carpet.

Revio has a matte anodized coating option in silver, yellow and inox colors.




DESIGNED TO ENHANCE THE AESTHETICS AND FUNCTIONALITY OF YOUR FLOORING



Product No	Height		Length		Surface
	mm	in	mm	ft	
RVO25001215MEGMS	12	1/2	2500	8 1/5”	MEGMS
RVO25001215MESAR	12	1/2	2500	8 1/5"	MESAR
RVO25001215MEINX	12	1/2	2500	8 1/5"	MEINX





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

VISIO

Aluminum Flooring




Visio aluminum carpet threshold profile provides safe, aesthetic and long-lasting interior transitions between different flooring materials. It creates a safe environment, especially for children and the elderly, by providing a smooth transition between different flooring heights. Visio aluminum carpet threshold profile is designed to close gaps between carpet and other floor coverings. It provides a smooth transition between carpet and other floor covering types, eliminating any irregularities or tripping hazards that may occur. It also prolongs the life of carpets by protecting them against wear and tear. Visio, which has an aesthetic appearance as well as functional advantages, improves the overall appearance of your interior design. Visio aluminum carpet threshold profile has a matte anodized coating option in silver, yellow and inox colors.

ENHANCE YOUR FLOORING TRANSITION WITH A STYLISH CARPET THRESHOLD PROFILE



Product No	Height		Length		Surface
	mm	in	mm	ft	
VSO25000927MEGMS	h1 9 h2 6.3	3/8 1/4	2500	8 1/5”	MEGMS
VSO25000927MESAR	h1 9 h2 6.3	3/8 1/4	2500	8 1/5"	MESAR
VSO25000927MEINX	h1 9 h2 6.3	3/8 1/4	2500	8 1/5"	MEINX
VSO09000927MEGMS	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MEGMS
VSO09000927MESAR	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MESAR
VSO09000927MEINX	h1 9 h2 6.3	3/8 1/4	900	2 31/32"	MEINX





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

LINE

Aluminum Flooring




Line aluminum flooring edge profile is an excellent choice for various projects with its versatile, durable and lightweight structure that closes the gap between floorings. Line aluminum flooring edge profile is designed to close the gaps between floor tiles of the same height. Line aluminum flooring edge profile has a bright anodized coating option in silver and yellow colors.

PERFECT CHOICE FOR YOUR FLOORING WITH ITS MINIMALIST FORM



Product No	Height		Length		Surface
	mm	in	mm	ft	
LIN25001004PEGMS	10	3/8	2500	8 1/5”	PEGMS
LIN25001004PESAR	10	3/8	2500	8 1/5"	PESAR







PEGMS
bright silver, anodized



PESAR
bright yellow, anodized

FLEX

Aluminum Flooring



Flex aluminum formable flooring edge profile is used in parquet or ceramic applications as a frame that conceals the floor section, replacing joints. In addition to correcting joint and installation mistakes and improving aesthetics, it also prevents damage to the floor coverings. Flex aluminum formable flooring edge profile is designed to facilitate the transition of flooring materials. Its flexible design allows it to be bent into the desired shape. In addition to its functional advantages, its minimal appearance enhances the overall look of your designs.


Flex has matte anodized, bright anodized and electrostatic powder painting options. While silver, yellow, inox and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.

CREATE IMAGINATIVE DESIGNS FOR YOUR
FLOORING WITH ITS FORMABLE FORM



Product No	Height		Length		Surface
	mm	in	mm	ft	
FLX250010003MEGMS	10	3/8	2500	8 1/5”	MEGMS
FLX250010003MESAR	10	3/8	2500	8 1/5"	MESAR
FLX250010003MEINX	10	3/8	2500	8 1/5"	MEINX
FLX250010003MESYH	10	3/8	2500	8 1/5"	MESYH
FLX250010003PEGMS	10	3/8	2500	8 1/5"	PEGMS
FLX250010003PESAR	10	3/8	2500	8 1/5"	PESAR
FLX250010003PEINX	10	3/8	2500	8 1/5"	PEINX
FLX250010003PESYH	10	3/8	2500	8 1/5"	PESYH
FLX250010003R9016	10	3/8	2500	8 1/5"	R9016
FLX250010003R7016	10	3/8	2500	8 1/5"	R7016





MEGMS
matte silver, anodized

MESAR
matte yellow, anodized

MEINX
matte inox, anodized

MESYH
matte black, anodized

PEGMS
bright silver, anodized

PESAR
bright yellow, anodized

PEINX
bright inox, anodized

PESYH
bright black, anodized

R9016
white, semi gloss,
powder coated

R7016
anthracite, semi gloss,
powder coated

MPS-E

Stainless Steel Flooring Profile




MPS-E stainless steel floor transition profile is one of the most preferred transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It is used as a transition border in flooring applications. MPS-E has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-E can be produced in unlimited height and width options.

SUITABLE FOR ALL ARCHITECTURAL DESIGNS WITH
ITS TRADITIONAL BUT ENHANCED APPEARANCE



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPE243010020STANT	8	5/16	2438	8	STANT
MPE243010020MRANT	8	5/16	2438	8	MRANT
MPE243010020STBRO	8	5/16	2438	8	STBRO
MPE243010020MRBRO	8	5/16	2438	8	MRBRO
MPE243010020STCOP	8	5/16	2438	8	STCOP
MPE243010020MRCOP	8	5/16	2438	8	MRCOP
MPE243010020STGLD	8	5/16	2438	8	STGLD
MPE243010020MRGLD	8	5/16	2438	8	MRGLD
MPE250010020STINX	8	5/16	2500	8 1/5"	STINX
MPE250010020MRINX	8	5/16	2500	8 1/5"	MRINX
MPE243010020SMINX	8	5/16	2438	8	SMINX
MPE243012020STANT	10	3/8	2438	8	STANT
MPE243012020MRANT	10	3/8	2438	8	MRANT
MPE243012020STBRO	10	3/8	2438	8	STBRO
MPE243012020MRBRO	10	3/8	2438	8	MRBRO
MPE243012020STCOP	10	3/8	2438	8	STCOP
MPE243012020MRCOP	10	3/8	2438	8	MRCOP
MPE243012020STGLD	10	3/8	2438	8	STGLD
MPE243012020MRGLD	10	3/8	2438	8	MRGLD
MPE250012020STINX	10	3/8	2500	8 1/5"	STINX
MPE250012020MRINX	10	3/8	2500	8 1/5"	MRINX
MPE243012020SMINX	10	3/8	2438	8	SMINX
MPE243014020STANT	12	1/2	2438	8	STANT
MPE243014020MRANT	12	1/2	2438	8	MRANT
MPE243014020STBRO	12	1/2	2438	8	STBRO
MPE243014020MRBRO	12	1/2	2438	8	MRBRO
MPE243014020STCOP	12	1/2	2438	8	STCOP
MPE243014020MRCOP	12	1/2	2438	8	MRCOP
MPE243014020STGLD	12	1/2	2438	8	STGLD
MPE243014020MRGLD	12	1/2	2438	8	MRGLD
MPE250014020STINX	12	1/2	2500	8 1/5"	STINX
MPE250014020MRINX	12	1/2	2500	8 1/5"	MRINX
MPE243014020SMINX	12	1/2	2438	8	SMINX
MPE243008020STANT	14	9/16	2438	8	STANT
MPE243008020MRANT	14	9/16	2438	8	MRANT
MPE243008020STBRO	14	9/16	2438	8	STBRO
MPE243008020MRBRO	14	9/16	2438	8	MRBRO
MPE243008020STCOP	14	9/16	2438	8	STCOP
MPE243008020MRCOP	14	9/16	2438	8	MRCOP
MPE243008020STGLD	14	9/16	2438	8	STGLD
MPE243008020MRGLD	14	9/16	2438	8	MRGLD
MPE250008020STINX	14	9/16	2500	8 1/5"	STINX
MPE250008020MRINX	14	9/16	2500	8 1/5"	MRINX
MPE243008020SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-N

Stainless Steel Flooring Profile




MPS-N stainless steel ramp transition profile is used as a separating border and transition profile between floors of different levels in floor applications. It can be produced in custom heights for any level difference.

MPS-N has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-N can be produced in unlimited height and width options.

SOFTENS THE TRANSITION BETWEEN DIFFERENT LEVELS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPN243014050STANT	8	5/16	2438	8	STANT
MPN243014050MRANT	8	5/16	2438	8	MRANT
MPN243014050STBRO	8	5/16	2438	8	STBRO
MPN243014050MRBRO	8	5/16	2438	8	MRBRO
MPN243014050STCOP	8	5/16	2438	8	STCOP
MPN243014050MRCOP	8	5/16	2438	8	MRCOP
MPN243014050STGLD	8	5/16	2438	8	STGLD
MPN243014050MRGLD	8	5/16	2438	8	MRGLD
MPN250014050STINX	8	5/16	2500	8 1/5"	STINX
MPN250014050MRINX	8	5/16	2500	8 1/5"	MRINX
MPN243014050SMINX	8	5/16	2438	8	SMINX
MPN243008050STANT	10	3/8	2438	8	STANT
MPN243008050MRANT	10	3/8	2438	8	MRANT
MPN243008050STBRO	10	3/8	2438	8	STBRO
MPN243008050MRBRO	10	3/8	2438	8	MRBRO
MPN243008050STCOP	10	3/8	2438	8	STCOP
MPN243008050MRCOP	10	3/8	2438	8	MRCOP
MPN243008050STGLD	10	3/8	2438	8	STGLD
MPN243008050MRGLD	10	3/8	2438	8	MRGLD
MPN250008050STINX	10	3/8	2500	8 1/5"	STINX
MPN250008050MRINX	10	3/8	2500	8 1/5"	MRINX
MPN243008050SMINX	10	3/8	2438	8	SMINX
MPN243010050STANT	12	1/2	2438	8	STANT
MPN243010050MRANT	12	1/2	2438	8	MRANT
MPN243010050STBRO	12	1/2	2438	8	STBRO
MPN243010050MRBRO	12	1/2	2438	8	MRBRO
MPN243010050STCOP	12	1/2	2438	8	STCOP
MPN243010050MRCOP	12	1/2	2438	8	MRCOP
MPN243010050STGLD	12	1/2	2438	8	STGLD
MPN243010050MRGLD	12	1/2	2438	8	MRGLD
MPN250010050STINX	12	1/2	2500	8 1/5"	STINX
MPN250010050MRINX	12	1/2	2500	8 1/5"	MRINX
MPN243010050SMINX	12	1/2	2438	8	SMINX
MPN243012050STANT	14	9/16	2438	8	STANT
MPN243012050MRANT	14	9/16	2438	8	MRANT
MPN243012050STBRO	14	9/16	2438	8	STBRO
MPN243012050MRBRO	14	9/16	2438	8	MRBRO
MPN243012050STCOP	14	9/16	2438	8	STCOP
MPN243012050MRCOP	14	9/16	2438	8	MRCOP
MPN243012050STGLD	14	9/16	2438	8	STGLD
MPN243012050MRGLD	14	9/16	2438	8	MRGLD
MPN250012050STINX	14	9/16	2500	8 1/5"	STINX
MPN250012050MRINX	14	9/16	2500	8 1/5"	MRINX
MPN243012050SMINX	14	9/16	2438	8	SMINX






MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-TB

Stainless Steel Flooring Profile




MPS-TB stainless steel floor T transition is one of the most durable transition profiles. Unlike its competitors it can be installed from its extension beneath the flooring and doesn't require adhesives which makes it more long-lasting. It covers the gaps and application flaws between floor transitions and door threshold transitions. It is also used as a separator frame in floor applications. MPS-TB has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-TB can be produced in unlimited height and width options.

WITH THE T SHAPE, PROVIDES THE SIMPLE
LOOK OF TRADITIONAL TRANSITIONS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MTB243010025STANT	8	5/16	2438	8	STANT
MTB243010025MRANT	8	5/16	2438	8	MRANT
MTB243010025STBRO	8	5/16	2438	8	STBRO
MTB243010025MRBRO	8	5/16	2438	8	MRBRO
MTB243010025STCOP	8	5/16	2438	8	STCOP
MTB243010025MRCOP	8	5/16	2438	8	MRCOP
MTB243010025STGLD	8	5/16	2438	8	STGLD
MTB243010025MRGLD	8	5/16	2438	8	MRGLD
MTB250010025STINX	8	5/16	2500	8 1/5"	STINX
MTB250010025MRINX	8	5/16	2500	8 1/5"	MRINX
MTB243010025SMINX	8	5/16	2438	8	SMINX
MTB243012025STANT	10	3/8	2438	8	STANT
MTB243012025MRANT	10	3/8	2438	8	MRANT
MTB243012025STBRO	10	3/8	2438	8	STBRO
MTB243012025MRBRO	10	3/8	2438	8	MRBRO
MTB243012025STCOP	10	3/8	2438	8	STCOP
MTB243012025MRCOP	10	3/8	2438	8	MRCOP
MTB243012025STGLD	10	3/8	2438	8	STGLD
MTB243012025MRGLD	10	3/8	2438	8	MRGLD
MTB250012025STINX	10	3/8	2500	8 1/5"	STINX
MTB250012025MRINX	10	3/8	2500	8 1/5"	MRINX
MTB243012025SMINX	10	3/8	2438	8	SMINX
MTB243014025STANT	12	1/2	2438	8	STANT
MTB243014025MRANT	12	1/2	2438	8	MRANT
MTB243014025STBRO	12	1/2	2438	8	STBRO
MTB243014025MRBRO	12	1/2	2438	8	MRBRO
MTB243014025STCOP	12	1/2	2438	8	STCOP
MTB243014025MRCOP	12	1/2	2438	8	MRCOP
MTB243014025STGLD	12	1/2	2438	8	STGLD
MTB243014025MRGLD	12	1/2	2438	8	MRGLD
MTB250014025STINX	12	1/2	2500	8 1/5"	STINX
MTB250014025MRINX	12	1/2	2500	8 1/5"	MRINX
MTB243014025SMINX	12	1/2	2438	8	SMINX
MTB243008025STANT	14	9/16	2438	8	STANT
MTB243008025MRANT	14	9/16	2438	8	MRANT
MTB243008025STBRO	14	9/16	2438	8	STBRO
MTB243008025MRBRO	14	9/16	2438	8	MRBRO
MTB243008025STCOP	14	9/16	2438	8	STCOP
MTB243008025MRCOP	14	9/16	2438	8	MRCOP
MTB243008025STGLD	14	9/16	2438	8	STGLD
MTB243008025MRGLD	14	9/16	2438	8	MRGLD
MTB250008025STINX	14	9/16	2500	8 1/5"	STINX
MTB250008025MRINX	14	9/16	2500	8 1/5"	MRINX
MTB243008025SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

MPS-YD

Stainless Steel Flooring Profile




MPS-YD stainless steel expansion joint profile provides the best solutions for ceramic floor applications especially in places with large areas such as hospitals, shopping malls and schools. It absorbs the pressure caused by structural expansions and provides protection to ceramics. MPS-YD has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-YD can be produced in unlimited height and width options.

ABSORBS THE PRESSURE OF BUILDING EXPANSIONS
AND PROVIDES PROTECTION TO CERAMICS



Product No	Height		Length		Surface
	mm	in	mm	ft	
MYD243014015STANT	8	5/16	2438	8	STANT
MYD243014015MRANT	8	5/16	2438	8	MRANT
MYD243014015STBRO	8	5/16	2438	8	STBRO
MYD243014015MRBRO	8	5/16	2438	8	MRBRO
MYD243014015STCOP	8	5/16	2438	8	STCOP
MYD243014015MRCOP	8	5/16	2438	8	MRCOP
MYD243014015STGLD	8	5/16	2438	8	STGLD
MYD243014015MRGLD	8	5/16	2438	8	MRGLD
MYD250014015STINX	8	5/16	2500	8 1/5"	STINX
MYD250014015MRINX	8	5/16	2500	8 1/5"	MRINX
MYD243014015SMINX	8	5/16	2438	8	SMINX
MYD243008015STANT	10	3/8	2438	8	STANT
MYD243008015MRANT	10	3/8	2438	8	MRANT
MYD243008015STBRO	10	3/8	2438	8	STBRO
MYD243008015MRBRO	10	3/8	2438	8	MRBRO
MYD243008015STCOP	10	3/8	2438	8	STCOP
MYD243008015MRCOP	10	3/8	2438	8	MRCOP
MYD243008015STGLD	10	3/8	2438	8	STGLD
MYD243008015MRGLD	10	3/8	2438	8	MRGLD
MYD250008015STINX	10	3/8	2500	8 1/5"	STINX
MYD250008015MRINX	10	3/8	2500	8 1/5"	MRINX
MYD243008015SMINX	10	3/8	2438	8	SMINX
MYD243010015STANT	12	1/2	2438	8	STANT
MYD243010015MRANT	12	1/2	2438	8	MRANT
MYD243010015STBRO	12	1/2	2438	8	STBRO
MYD243010015MRBRO	12	1/2	2438	8	MRBRO
MYD243010015STCOP	12	1/2	2438	8	STCOP
MYD243010015MRCOP	12	1/2	2438	8	MRCOP
MYD243010015STGLD	12	1/2	2438	8	STGLD
MYD243010015MRGLD	12	1/2	2438	8	MRGLD
MYD250010015STINX	12	1/2	2500	8 1/5"	STINX
MYD250010015MRINX	12	1/2	2500	8 1/5"	MRINX
MYD243010015SMINX	12	1/2	2438	8	SMINX
MYD243012015STANT	14	9/16	2438	8	STANT
MYD243012015MRANT	14	9/16	2438	8	MRANT
MYD243012015STBRO	14	9/16	2438	8	STBRO
MYD243012015MRBRO	14	9/16	2438	8	MRBRO
MYD243012015STCOP	14	9/16	2438	8	STCOP
MYD243012015MRCOP	14	9/16	2438	8	MRCOP
MYD243012015STGLD	14	9/16	2438	8	STGLD
MYD243012015MRGLD	14	9/16	2438	8	MRGLD
MYD250012015STINX	14	9/16	2500	8 1/5"	STINX
MYD250012015MRINX	14	9/16	2500	8 1/5"	MRINX
MYD243012015SMINX	14	9/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin




SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.


MPS-B

Stainless Steel Step Nose




MPS-B stainless steel tile step protection profile covers the defects caused during application and protects the step tiles such as marble and parquet. It protects ceramic steps against deformation and fracture while providing safety with its non-slip design. MPS-B has mirror, satin, exclusive super mirror surfaces and anthracite, bronze, copper, gold, inox color options. MPS-B can be produced in unlimited height and width options.

ELIMINATES APPLICATION ERRORS OF
STAIRS SUCH AS MARBLE AND PARQUET



Product No	Height		Length		Surface
	mm	in	mm	ft	
MPB243010040STANT	10	3/8	2438	8	STANT
MPB243010040MRANT	10	3/8	2438	8	MRANT
MPB243010040STBRO	10	3/8	2438	8	STBRO
MPB243010040MRBRO	10	3/8	2438	8	MRBRO
MPB243010040STCOP	10	3/8	2438	8	STCOP
MPB243010040MRCOP	10	3/8	2438	8	MRCOP
MPB243010040STGLD	10	3/8	2438	8	STGLD
MPB243010040MRGLD	10	3/8	2438	8	MRGLD
MPB250010040STINX	10	3/8	2500	8 1/5"	STINX
MPB250010040MRINX	10	3/8	2500	8 1/5"	MRINX
MPB243010040SMINX	10	3/8	2438	8	SMINX
MPB243012040STANT	12	1/2	2438	8	STANT
MPB243012040MRANT	12	1/2	2438	8	MRANT
MPB243012040STBRO	12	1/2	2438	8	STBRO
MPB243012040MRBRO	12	1/2	2438	8	MRBRO
MPB243012040STCOP	12	1/2	2438	8	STCOP
MPB243012040MRCOP	12	1/2	2438	8	MRCOP
MPB243012040STGLD	12	1/2	2438	8	STGLD
MPB243012040MRGLD	12	1/2	2438	8	MRGLD
MPB250012040STINX	12	1/2	2500	8 1/5"	STINX
MPB250012040MRINX	12	1/2	2500	8 1/5"	MRINX
MPB243012040SMINX	12	1/2	2438	8	SMINX
MPB243014040STANT	14	9/16	2438	8	STANT
MPB243014040MRANT	14	9/16	2438	8	MRANT
MPB243014040STBRO	14	9/16	2438	8	STBRO
MPB243014040MRBRO	14	9/16	2438	8	MRBRO
MPB243014040STCOP	14	9/16	2438	8	STCOP
MPB243014040MRCOP	14	9/16	2438	8	MRCOP
MPB243014040STGLD	14	9/16	2438	8	STGLD
MPB243014040MRGLD	14	9/16	2438	8	MRGLD
MPB250014040STINX	14	9/16	2500	8 1/5"	STINX
MPB250014040MRINX	14	9/16	2500	8 1/5"	MRINX
MPB243014040SMINX	14	9/16	2438	8	SMINX
MPB243020040STANT	20	13/16	2438	8	STANT
MPB243020040MRANT	20	13/16	2438	8	MRANT
MPB243020040STBRO	20	13/16	2438	8	STBRO
MPB243020040MRBRO	20	13/16	2438	8	MRBRO
MPB243020040STCOP	20	13/16	2438	8	STCOP
MPB243020040MRCOP	20	13/16	2438	8	MRCOP
MPB243020040STGLD	20	13/16	2438	8	STGLD
MPB243020040MRGLD	20	13/16	2438	8	MRGLD
MPB250020040STINX	20	13/16	2500	8 1/5"	STINX
MPB250020040MRINX	20	13/16	2500	8 1/5"	MRINX
MPB243020040SMINX	20	13/16	2438	8	SMINX





MRANT
anthracite mirror



STANT
anthracite satin



MRBRO
bronze mirror



STBRO
bronze satin



MRCOP
copper mirror



STCOP
copper satin



MRGLD
gold mirror



STGLD
gold satin



MRINX
inox mirror



STINX
inox satin



SMINX
super mirror

Stainless steel products can be produced in any requested height (h).

Lengths (L) may vary according to surface options of stainless steel products.

Istanbul Office
EGS Business Park B1 No 394
Yesilkoy, Istanbul, Turkey
+90 212 559 0636

UK Warehouse
869 High Road Tottenham,
London, N17 8EY, UK
+44 751 2934322

mox@moxsystems.com
moxsystems.com