

# МОХ системи - техничка документација

product-lato-en.pdf

Технички превод: консултујте оригиналне цртеже и референтне странице за димензије.

## Изворна страница 1

LATO

Алуминијумска подна лајсна

МОХ ЛАТО алуминијумске лајсне најчешће се преферирају у свим стамбеним и јавним просторима као што су канцеларије, хотели, болнице, школе, тржни центри и терминали.

Има алуминијумске углове са опцијама површине и боје идентичним профилима.

Покрива недостатке на подним и зидним спојевима.

Спречава накупљање прљавштине и штетних организама и обезбеђује хигијенску и здраву употребу дуги низ година.

Са шупљим делом у свом дизајну, он прикупља телефонске, струјне и интернет каблове како би организовао ваше окружење.

МОХ ЛАТО има мат анодизоване, светле анодизоване, сатенске хемијске светле анодизоване и електростатичке боје у праху.

Док су доступни сребрни, жути, инок, бронзани и црни елоксирани премази у боји, може се фарбати и према жељеном РАЛ коду електростатичким прашкастим фарбањем.

ИДЕАЛНО ЗА СВЕ ЖИВОТНЕ ПРОСТОРЕ СА МИНИМАЛНИМ, СИМ ДИЗАЈНОМ.

ПРАКТИЧНА УГАОНА РЕШЕЊА

Висина Дужина бр. производа Површина mm in mm ft

LAT250080014MEGMS 83 3-1/4 2500 8 1/5" MEGMS

LAT250080014R9005 83 3-1/4 2500 8 1/5" R9005

LAT250080014R9016 83 3-1/4 2500 8 1/5" R9016

LAT250080014R7016 83 3-1/4 2500 8 1/5" R7016

LAT250100014MEGMS 100 3-15/16 2500 8 1/5" MEGMS h

LAT250100014R9005 100 3-15/16 2500 8 1/5" R9005

LAT250100014R9016 100 3-15/16 2500 8 1/5" R9016

LAT250100014R7016 100 3-15/16 2500 8 1/5" R7016

LAT250120014MEGMS 120 4-3/4 2500 8 1/5" MEGMS

LAT250120014R9005 120 4-3/4 2500 8

1/5" R9005

LAT250120014R9016 120 4-3/4 2500 8 1/5" R9016

LAT250120014R7016 120 4-3/4 2500 8 1/5" R7016 14mm 9/16"

LAT250150014MEGMS 150 5-7/8 2500 8 1/5" MEGMS

LAT250150014R9005 150 5-7/8 2500 8 1/5" R9005

LAT250150014R9016 150 5-7/8 2500 8 1/5" R9016

LAT250150014R7016 150 5-7/8 2500 8 1/5" R7016

LAT250180014MEGMS 180 7-1/16 2500 8 1/5" MEGMS MEGMS R9005

LAT250180014R9005 180 7-1/16 2500 8 1/5" R9005 мат сребро, анодизирана црна, полусјај, обложен прахом

LAT250180014R9016 180 7-1/16 2500 8 1/5"

R9016

LAT250180014R7016 180 7-1/16 2500 8 1/5" R7016

P9016 P7016 бела, полусјај, антрацит, полусјај, прашкасто обложен прахом

ЦОРНЕР СОЛУТИОНС

## Оригинални цртежи и референтне странице

# LATO

## Aluminum Skirting Board


Lato aluminum skirting board is mostly preferred in all living areas and public areas such as offices, hotels, hospitals, schools, shopping malls and terminals. It has aluminum corner pieces with surface and color options identical to profiles. It covers the defects in floor and wall joints. It prevents dirt accumulation and harmful organisms to provide hygienic and healthy use for many years. With the hollow area in its design, it collects the telephone, electricity and internet cables to organize your environment. Lato has matte anodized, bright anodized, satin chemical bright anodized and electrostatic powder painting options. While silver, yellow, inox, bronze and black anodized color coatings are available, it can also be painted to the desired RAL code with electrostatic powder painting.



IDEAL FOR ALL LIVING SPACES WITH MINIMAL, SLIM DESIGN. PRACTICAL CORNER SOLUTIONS



| Product No        | Height |         | Length |        | Surface |
|-------------------|--------|---------|--------|--------|---------|
|                   | mm     | in      | mm     | ft     |         |
| LAT250080014MEGMS | 83     | 3-1/4   | 2500   | 8 1/5" | MEGMS   |
| LAT250080014R9005 | 83     | 3-1/4   | 2500   | 8 1/5" | R9005   |
| LAT250080014R9016 | 83     | 3-1/4   | 2500   | 8 1/5" | R9016   |
| LAT250080014R7016 | 83     | 3-1/4   | 2500   | 8 1/5" | R7016   |
| LAT250100014MEGMS | 100    | 3-15/16 | 2500   | 8 1/5" | MEGMS   |
| LAT250100014R9005 | 100    | 3-15/16 | 2500   | 8 1/5" | R9005   |
| LAT250100014R9016 | 100    | 3-15/16 | 2500   | 8 1/5" | R9016   |
| LAT250100014R7016 | 100    | 3-15/16 | 2500   | 8 1/5" | R7016   |
| LAT250120014MEGMS | 120    | 4-3/4   | 2500   | 8 1/5" | MEGMS   |
| LAT250120014R9005 | 120    | 4-3/4   | 2500   | 8 1/5" | R9005   |
| LAT250120014R9016 | 120    | 4-3/4   | 2500   | 8 1/5" | R9016   |
| LAT250120014R7016 | 120    | 4-3/4   | 2500   | 8 1/5" | R7016   |
| LAT250150014MEGMS | 150    | 5-7/8   | 2500   | 8 1/5" | MEGMS   |
| LAT250150014R9005 | 150    | 5-7/8   | 2500   | 8 1/5" | R9005   |
| LAT250150014R9016 | 150    | 5-7/8   | 2500   | 8 1/5" | R9016   |
| LAT250150014R7016 | 150    | 5-7/8   | 2500   | 8 1/5" | R7016   |
| LAT250180014MEGMS | 180    | 7-1/16  | 2500   | 8 1/5" | MEGMS   |
| LAT250180014R9005 | 180    | 7-1/16  | 2500   | 8 1/5" | R9005   |
| LAT250180014R9016 | 180    | 7-1/16  | 2500   | 8 1/5" | R9016   |
| LAT250180014R7016 | 180    | 7-1/16  | 2500   | 8 1/5" | R7016   |



MEGMS  
matte silver, anodized

R9005  
black, semi gloss,  
powder coated

R9016  
white, semi gloss,  
powder coated

R7016  
anthracite, semi gloss,  
powder coated

### CORNER SOLUTIONS

