

MOX Systems - teknisk dokumentation

assembly-manual-wishled-en.pdf

Teknisk översättning: se originalritningarna och referenssidorna för mått.

Källsida 1

MOX ÖNSKAD MONTERINGSGUIDE

1 Installation kan göras med skruvar eller silikonlim.

Den korrekta applikationen måste noggrant identifieras i enlighet med väggmaterialet.

2 Placera rätt pluggar enligt väggmaterialet i de borrade hålen.

3 Skruva fast väggfixeringsdelarna på de platser som borraras med 50 cm intervall.

4 Sätt in LED-remsorna i skårorna i toppen och botten av profilen.

5 Anslut LED-remsorna och drivrutinen och drivrutinen till elnätet.

Kablar kan bäras inom profilerna för anslutningar med flera enheter.

Rådfråga lokala elektriker för att få exakta resultat.

6 Tryck diffusorn mot bakplattan tills den klickar på plats.

7 Applicera lim på de inre hörnen för att säkra dem på plats.

8 Applicera lim på de yttre hörnen för att säkra dem på plats.

9 Applicera lim på änddelarna för att säkra dem på plats.

Sida 1/2

Källsida 2

LED STRIP Skärning & FÖrlängning

För korrekt funktion av platsen som anges i

LED-remsan, klipp endast från e-diagrammet.

För att undvika frånkoppling b på angiven plats

mellan LED-remsan, löd endast d i provritningen.

LED STRIP LEDNINGSDIAGRAM

MOX RGB-kontroller

RG Dim Wifi


GB mmer

Drivrutin / Transform


mer

Sida 2/2


Originalritningar och referenssidor




- 1** Installation can be done with screws or silicone glue. The correct application must be carefully identified according to the wall material.




- 2** Place the correct dowels according to the wall material into the drilled holes.




- 3** Screw the wall fixation parts to the places that are drilled at 50cm intervals.




- 4** Insert the LED strips into the slots at the top and bottom of the profile.




- 5** Connect the LED strips and the driver and the driver to the mains. Cables can be carried within the profiles for multi-drive connections. Consult local electricians to obtain accurate results.




- 6** Press the diffuser against the back plate until it clicks into place.



- 7** Apply adhesive to the internal corners to secure them in position.




- 8** Apply adhesive to the external corners to secure them in position.



- 9** Apply adhesive to the ending parts to secure them in position.

LED STRIP CUTTING & EXTENDING



LED STRIP WIRING DIAGRAM

