

MOX Sistemleri - teknik belgeler

assembly-manual-leux-en.pdf

Teknik çeviri: boyutlar için orijinal çizimlere ve referans sayfalarına bakın.

Kaynak sayfa 1

Leux MONTAJ KILAVUZU

- 1 Kurulum vida veya silikon yapıştırıcı ile yapılabilir.
- Doğru uygulama duvar malzemesine göre dikkatlice belirlenmelidir.
- 2 Açılan deliklere duvar malzemesine göre doğru dübelleri yerleştirin.
- 3 Duvara sabitleme parçalarını 50cm aralıklarla açılan yerlere vidalayın.
- 4 LED şeritlerini profilin üst ve alt kısmındaki yuvalara yerleştirin.
- 5 Alt difüzörü ön kapağa bağlamak için kaydırın.
- 6 LED şeritleri ve sürücüyü ve sürücüyü şebekeye bağlayın.
- Çoklu sürücü bağlantıları için kablolar profillerin içerisinde taşınabilir.
- Doğru sonuçlar elde etmek için yerel elektrikçilere danışın.
- 7 Ön kapağı yerine oturana kadar arka plakaya doğru bastırın.
- 8 Üst difüzörü takın.
- 9 Yerlerine sabitlemek için iç köşelere yapıştırıcı uygulayın.
- 10 Konumlarını sabitlemek için dış köşelere yapıştırıcı uygulayın.
- 11 Yerlerine sabitlemek için uç kısımlara yapıştırıcı uygulayın.

Sayfa 1/2

Kaynak sayfa 2

LED ŞERİT KESME & UZATMA

Belirtilen konumun doğru çalışması için

LED Şerit, yalnızca e şemasından kesilir.

Belirtilen konumda b bağlantısının kesilmesini önlemek için

LED Şerit arasında, örnek çizimde yalnızca lehim d.

LED ŞERİT BAĞLANTI ŞEMASI

MOX RGB Denetleyici

RG Loş Wifi


Büyük Britanya yaz

Sürücü / Dönüşüm


deniz

Sayfa 2/2


Orijinal çizimler ve referans sayfaları




- 1** Installation can be done with screws or silicone glue. The correct application must be carefully identified according to the wall material.




- 2** Place the correct dowels according to the wall material into the drilled holes.




- 3** Screw the wall fixation parts to the places that are drilled at 50cm intervals.




- 4** Insert the LED strips into the slots at the top and bottom of the profile.




- 5** Slide to connect the bottom diffuser to the front cover.




- 6** Connect the LED strips and the driver and the driver to the mains. Cables can be carried within the profiles for multi-drive connections. Consult local electricians to obtain accurate results.




- 7** Press the front cover against the back plate until it clicks into place.




- 8** Insert the top diffuser.



- 9** Apply adhesive to the internal corners to secure them in position.




- 10** Apply adhesive to the external corners to secure them in position.



- 11** Apply adhesive to the ending parts to secure them in position.

LED STRIP CUTTING & EXTENDING



LED STRIP WIRING DIAGRAM

